## Kansas Department of Agriculture Division of Water Resources MISCELLANEOUS WORKSHEET

1.	File No(s). <b>49,668</b>	1a. ☐ Vested Right ☐ Water Right ☑ Appropriation of Water	1b.Document Date: 3/23/2017	2. Field Office: 3. GMD: 03
4.	Type and Purpose of Letter			
	Type of Extension		Completion Date	
	Date Received		Perfection Date	
	☐ Completion of Diversion Work		ange Approval	
	☐ Meter Installed			
	□ Dismissal Voluntary Dismiss	al - Application		
		and the second s		
<del></del>	Other			
5a.	Name & Address	Person ID 22512	5b. Name & Address	Person ID
	JEFFREY A & TRACY K S	STRNAD		
	PO BOX 230			
	SCANDIA KS 66966			
5c.	Name & Address	Person ID 14582	5d. Name & Address	Person ID
	PREMIUM FEEDERS			
* .	PO BOX 230			
~*	SCANDIA KS 66966-0230	<u> </u>		:
•	COMMUNICATION CONTRACTOR		-	
6.	General Information		7. Use of Water: Grou	ndwater 🛛 Surface Water
	Priority Date 08-JUL-2016		IRR □ REC	☐ DEW ☐ MUN
-	Certificate Date		☐ STK ☐ SED	☐ DOM ☐ CON
	Vested Right Order Date		☐ HYD DRG ☐ WTR PWR	R ART RECHRG
	Approval Date		☐ IND SIC:	OTHER:
	Priority Date of Change		8. Battery Number	
	Approval of Change Date Completion Date		9. Special Use	4
	Perfection Date		10. Aquifer	
	S. S. Solion, Batto	(see reverse fo	Date Prepared: 3	

File No(s). 49,668										,												
11. Points of Diversion T MOD									,			12. R	ate an		ntity red	·			Additional			
DEL PDIV Qualifier	S		Т.	R		ID	'N		9	W			ate n/cfs			antity mgy		Rate gpm/cf		uantity af/mgy	Overlap PD Files	
DEL 85436																					1	
	٠								,									٠				
			,						٠													
							,															
												-										
13. Storage: Rate		NF	Qua	ntity _					_ ac/ft	Α	ddition	nal Ra	te	-		•	NF	Add	itional Quan	tity	a	c/ft
14. Limitation:	af/yr a	at	1			gpm (	•			cfs) w	hen co	ombine	ed with	n file n	umbei	(s)		PERSONAL DE LA				
Limitation:	af/yr a	at				gpm (				cfs) w	hen co	ombin	ed with	n file n	umbei	(s)						
15. Place of Use			N	Ε1/4		·	NV	V1/4			sv	<b>V</b> ½			S	E1⁄4		Total	Owner	Chg?	Overlap Fil	es
MOD DEL ENT PUSE S T R	ID	NE 1/4	NW 1/4	SW 1/4	SE ¼	NE ¼	NW 1/4	SW ¼	SE ¼	NE 1/4	NW 1⁄4	SW ¼	SE ¼	NE 1⁄4	NW ¼	SW 1/4	SE ¼.					,
DEL 56645										-												
DEL 27802											-										-	
DEL 40333																					, .	
		:												,				s.		٠.		
		:																				
								<u> </u>														
16. Comments: Voluntary Dis	smissa	l - A	pplic	atio	n ·	<u> </u>	<u></u>		<u> </u>	I		<u> </u>	<u> </u>	<u> </u>	<u>!</u>			<u> </u>	· .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		****
									··							.*		-				

 $\overline{\phantom{a}}$ 

----

### KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources

#### <u>MEMORANDUM</u>

TO: Files

DATE:

March 15, 2017

FROM:

Austin McColloch

RE:

Dismissal of Application,

File Nos. 49,668 & 49,669


On February 1, 2017, Voluntary Dismissal forms were received for Application, File Nos. 49,668 & 49,669, signed by the applicant Jeffery Strnad.

These applications were received on July 8, 2016. The applicant has decided to refile a new application to incorporate both storage ponds. The applicant has been working with the Stockton Field Office on filing a new application for these two storage reservoirs. They have agreed to voluntarily dismiss the referenced applications.

The enclosed Findings and Orders have been made for the dismissal of the referenced applications.

Austin McColloch

**Environmental Scientist** 





900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

April 3, 2017

JEFFREY A & TRACY K STRNAD PO BOX 230 SCANDIA KS 66966



RE:

Dismissal of Application, File Nos. 49,668 & 49,669

Dear Mr. Strnad:

Enclosed are the Findings and Order by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, dismissing Application, File Nos. 49,668 & 49,669, as requested in the Voluntary Dismissal of an Application for Permit to Appropriate Water forms received from Jeffery Strnad, received in this office on February 1, 2017.

These Orders shall become a final agency action, as defined by K.S.A. 77-607(b), without further notice to the parties, if a request for hearing or a petition for administrative review is not filed.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564 - 6777.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A. Turney, P.G.

Change Application Unit Supervisor

Water Appropriation Program

BAT:am Enclosures

pc: Stockton Field Office

### KANSAS DEPARTMENT OF AGRICULTURE Jackie McClaskey, Secretary of Agriculture

**DIVISION OF WATER RESOURCES**David W. Barfield, Chief Engineer

# FINDINGS AND ORDER IN THE MATTER OF THE DISMISSAL OF APPLICATION FILE NO. 49,668

After due consideration, the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture (hereinafter referred to as the "Chief Engineer"), makes the following findings and order:

#### **FINDINGS**

- 1. That on July 8, 2016, the Chief Engineer received an application from Jeffery A & Tracy K Strnad for permit to appropriate surface water for beneficial use, assigned File No. 49,668, proposing the appropriation of 182 acre-feet of water, at a maximum re-diversion rate of 2,000 gallons per minute, for irrigation use.
- 2. That a signed "Voluntary Dismissal of an Application for Permit to Appropriate Water" form for Application, File No. 49,668 was received in the office of the Chief Engineer on February 1, 2017.
- 3. That the application should be dismissed and its priority forfeited as requested by the applicant.

#### <u>ORDER</u>

NOW, THEREFORE, It is the decision and order of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, that effective the date of this order, in accordance with the law, Application, File No. 49,668, is herewith dismissed and the priority assigned to it is considered to be forfeited.

This Order shall become a final agency action, as defined by K.S.A. 77-607(b), without further notice to the parties, if a request for hearing or a petition for administrative review is not filed as set forth below.

Request for Hearing. According to K.A.R. 5-14-3(c), any party who desires a hearing must submit a request within 15 days after the date shown on the Certificate of Service attached to this Order. Filing a request for a hearing will give you the opportunity to submit additional facts for consideration, contest any findings made by the Chief Engineer, or present any other information you believe should be considered in this matter. A timely-filed request for hearing will stay the deadline for requesting administrative review of this Order pending the outcome of the hearing.

Petition for Review. The applicant, if aggrieved by this Order, may petition for administrative review, pursuant to K.S.A. 82a-711(c) and K.S.A. 82a-1901(a). The petition must be filed within 30 days after the date shown on the Certificate of Service attached to this Order and must set forth the basis for the review, unless stayed by the timely filing of a request for hearing.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564 - 6777.

Dated at Topeka, Kansas, this 23 day of Control , 2017.

David W. Barfield, P.E.
Chief Engineer
Division of Water Resources
Kansas Department of Agriculture

State of Kansas

County of Riley

The foregoing instrument was acknowledged before me this 23 day of 2017, by David W. Barfield, P.E., Chief Engineer, Division of Water Resources, Kansas Department of Agriculture.



Notary Public

### **CERTIFICATE OF SERVICE**

On this 3rd day of April , 2017, I hereby certify that the foregoing Dismissal of Application, File No. 49,668, dated Work 3rd was mailed postage prepaid, first class, US mail to the following:

JEFFREY A & TRACY K STRNAD PO BOX 230 SCANDIA KS 66966

With photocopies to:

Stockton Field Office

Division of Water Resources

### Voluntary Dismissal of an Application for Permit to Appropriate Water

1-24-17 (Date)

Kansas Department of Agriculture Division of Water Resources 1320 Research Park Dr., 3<sup>rd</sup>. Floor Manhattan, Ks. 66502

RE: Application, File No. 49668

### Chief Engineer:

I am submitting this statement in regard to Application for Permit to Appropriate Water, File No. 49668. I am (We are) the applicant(s) who filed this application. I (We) now wish to voluntarily withdraw that application. I realize such withdrawal means the application will be dismissed and whatever priority it may have had will be forfeited. Please withdraw Application File No. 49668 contingent upon approval of a pending new application which will be filed concurrently.

Sincerely,		
Tell A		
(Applicant) (Applic	cant)	
(Applicarity)(Applicarity)	30	 
(Mailing address)	(Mailing address)	
Scandia KS	66966	
(City, State, Zip)	(City, State, Zip)	
(Applicant) (Appli	cant)	
(Mailing address)	(Mailing address)	
(City, State, Zip)	(City, State, Zip)	

WATER RESOURCES RECEIVED

FEB 0 1 2017



### KANSAS DEPARTMENT OF AGRICULTURE Jackie McClaskey, Secretary of Agriculture

Agriculture David W. Barfield, Chief Engineer

File Number 49, 668
This item to be completed by the Division of Water Resources.

### APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

WATER RESOURCES RECEIVED

**DIVISION OF WATER RESOURCES** 

JUL 0 8 2016 11:00 Am KS DEPT OF AGRICULTURE

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

1.	Name of Applicant (Please Print): Jeffrey A & Tracy K Strnad									
	Address: PO Box 230									
	City: <u>Scandia</u>		State KS Z	ip Code <u>66966-0230</u>						
	Telephone Number: (785)	527-0163	·	<b></b>						
2.	The source of water is:	Surface water in <u>Tri</u>	Tributary to the Rebulican River (stream)							
	OR groundwater in(drainage basin)									
	when water is released from to these regulations on the	n storage for use by wate date we receive your ap	ows established by law or may er assurance district members oplication, you will be sent the a EDIVERSION OF 182 AF @ 2,0	If your application is subject ppropriate form to complete						
3.	The maximum quantity of w	ater desired is 182	acre-feet OR	_ gallons per calendar year,						
	to be diverted at a maximum rate of Nat. Flow gallons per minute OR cubic feet per second.									
	requested quantity of water maximum rate of diversion	under that priority numb and maximum quantity	y, the requested maximum rate er can <u>NOT</u> be increased. Pleat of water are appropriate and re later Resources' requirements.	se be certain your requested						
4.	The water is intended to be	appropriated for (Check	use intended):							
	(a) ☐ Artificial Recharge	(b) ⊠ Irrigation	(c) □ Recreational	(d) ☐ Water Power						
	(e) ☐ Industrial	(f) Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control						
	(i) □ Domestic	(j) Dewatering	(k) ☐ Hydraulic Dredging	(I) Fire Protection						
	(m)   Thermal Exchange	(n) Contamination	Remediation							
	YOU <u>MUST</u> COMPLETE AND AT SUBSTANTIATE YOUR REQUES	TACH ADDITIONAL DIVISION TO FOR THE AMOUNT OF W	N OF WATER RESOURCES FORM(S ATER FOR THE INTENDED USE REF	E) PROVIDING INFORMATION TO ERENCED ABOVE.						
	To a Use Outline									

Meets K.A.R. 5-3-1 (VES) NO) Use TRK Source G (S) County R By K Date 1/8/14

Fee \$ 300 TR # 1 10125 Receipt Date 7/8/14 Chean ER RESOURCES

DWR 1-100 (Revised 06/16/2014)

Code

SCANNED UNACCEPTABLE FOR PENDEMY

7 (19/2016 CCM KS DEPT OF AGRICULTURE

File No.	49,668	3

The location of the proposed wells, pump sites or other works for diversion of water is:
<b>Note:</b> For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
(A) One in the $\underline{\text{NE}}$ quarter of the $\underline{\text{NW}}$ quarter of the $\underline{\text{SE}}$ quarter of Section $\underline{\text{19}}$ , more particularly described as
being near a point 2,392 feet North and 1,618 feet West of the Southeast corner of said section, in Township
3 South, Range 4 West, Republic County, Kansas.
(B) One in the quarter of the quarter of the quarter of Section, more particularly
described as being near a point feet North and feet West of the Southeast corner of said
section, in Township South, Range East/West (circle one), County, Kansas.
(C) One in the quarter of the quarter of the quarter of Section, more particularly
described as being near a point feet North and feet West of the Southeast corner of said
section, in Township South, Range East/West (circle one), County, Kansas.
(D) One in the quarter of the quarter of the quarter of Section, more particularly
described as being near a point feet North and feet West of the Southeast corner of said
section, in Township South, Range East/West (circle one), County, Kansas.
If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery o wells, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well
A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.
The owner of the point of diversion, if other than the applicant is (please print):
Same as applicant (name, address and telephone number)
(name, address and telephone number)
(name, address and telephone number)
You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:
I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.  Executed on, 20_6.  Applicant's Signature
The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.
The proposed project for diversion of water will consist of One dam and reservoir
(number of wells, pumps or dams, etc.) and (was)(will be) completed (by) already complete
(Month/Day/Year - each was or will be completed)  The first actual application of water for the proposed beneficial use was or is estimated to be 5/1/17
(Mo/Day/Year) WATER RESOURCES
RECEIVED

5.

6.

7.

8.

JUL 0 8 2016

	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?  ☐ Yes ☒ No If "yes", a check valve shall be required.  All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes
	If yes, show the Water Structures permit number here <u>n/a</u>
	If no, explain here why a Water Structures permit is not required <u>Dam has been determined to be non-jurisdictional.</u>
	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
,	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	Requested quantity of water is limited to the potential annual runoff from the drainage basin.
	Proposes to cover the same place of use as file nos. 36931, 36933, 38729, 39008, 39009, and 2 other new
	applications which will be filed concurrently.

JUL 0 8 2016

WATER RESOURCES RECEIVED

UNACCEPTABLE FOR PRIORITY

WATER RESOURCES RECEIVED

13.	Furnish the following well inthe has not been completed, given					ndwater. If the well							
	Information below is from:	☐ Test holes	□ Well a	as completed	☐ Drillers lo	og attached							
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)							
	Date Drilled	_	<del> </del>										
	Total depth of well												
	Depth to water bearing form	ation _				<del></del>							
	Depth to static water level												
	Depth to bottom of pump in	ake pipe _	<del></del>										
14.	The relationship of the apowner (owner, tenant, agent or otherwise)		proposed p	lace where the	e water will b	e used is that of							
15.	The owner(s) of the property where the water is used, if other than the applicant, is (please print):												
	Same as applicant (name, address and telephone number)												
	Premium Feeders - Jeffrey	Strnad PO Box	230 Scandi										
16.	The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.												
	Dated at Scandia	, Kansas	, this <u>21</u>	day of	n C (month)	, 2016 (year)							
<u> </u>	(Applicant Signatu	(re)	746 100	Ath									
<u>By</u>													
	(Agent or Officer Sign	ature)											
	•				· C .	`.							
<del></del>	(Agent or Officer - Pleas	se Print)											
Assisted	d by <u>DLM</u>	<u>.</u>	SII (c	office/title)	Date: <u>5/2</u>	0/16							
			•										

WATER RESOURCES RECEIVED

WATER RESOURCES RECEIVED

UNACCEPTABLENFOR PRIORITY

JUL 0 8 2016

KS DEPT OF AGRICULTURE SCANNED

### IRRIGATION USE SUPPLEMENTAL SHEET

File No. 49,669 = 49,667 + 49,669

٠			Naı	me of	Appl	icant	(Pleas	se Pri	nt): J	effrev	A &	Trac	 v K S	trnad				`	
1. 1	Please design	e supp ate th	oly th	e nan	ne and	d add	ress o	f eacl	h land	downe	er, the	e lega	l desc	riptio	on of fracti	the la	nds toortio	o be in there	rrigated, and
Land	lown	er of	Reco	rd	NAM	E: <u>Pr</u>	emiur	n Fee	ders			:						******	
				ΑĎ	DRES	SS: <u>Je</u>	ffery	Strna	d PO	Box	230 \$	Scand	ia, KS	S 669	<u>66-02</u>	230	<del>,</del>		
	NE¼ NW¼ SW¼ SE¼																		
S	T	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
18	3	4 W													20.3			34.7	55
							L	<u> </u>	<u> </u>				<u> </u>	<u> </u>	<u> </u>				
Land	lowne	er of l	Recoi	rd :	NAM	E: <u>Je</u> t	ffrey 1	A & 1	racy	K Str	nad								
				AD	DRES	S: <u>PC</u>	) Box	230	Scan	dia, K	S 66	<u>966-0</u>	230				···		
	NE½ NW¼ SW¼ SE½																		
S	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
19	3	4 W	28	3	6	40									36	1		24	138
Land	owne	er of l	Recor	·d ]	NAM	E: Jef	frey A	4 & T	racy	K Str	nad								
				ADI	ORES	S: <u>PC</u>	) Box	230	Scano	lia, K	S 66	966-0	230						
				NI	Ε1/4			NV	V 1/4			sv	/¼			SE	E1/4		
S	T	R	NE	NW	sw	SE	NE	NW .	sw	SE.	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
20	3	4 W									16	33	33	4					86

WATER RESOURCES RECEIVED

Page 1 of 2

JUL 0 8 2016

	Soil Name	and their intake rates: Percent of field	Intake Rate	Irrigation Design
	· 	(%)	(in/hr) 	Group
	Total:	100 %		· .
).	Estimate the average land slope	in the field(s):	%	
	Estimate the maximum land slop	pe in the field(s):	%	
;.	Type of irrigation system you pr	opose to use (check one):		
	Center pivot	Center piv	ot - LEPA	"Big gun" sprinkler
	Gravity system (furrow			<u> </u>
a	Other, please describe:  System design features:			
d.	<ul><li>i. Describe how you will con</li></ul>			
		•	1	
	ii. For sprinkler systems:			
	•	ting pressure at the distrib	ution system:	psi
	(1) Estimate the operat	ting pressure at the distrib er package design rate?	•	psi
	<ul><li>(1) Estimate the operat</li><li>(2) What is the sprinkl</li></ul>	er package design rate?	gpm	psi /s water) of a sprinkler on
	<ul><li>(1) Estimate the operat</li><li>(2) What is the sprinkl</li></ul>	er package design rate? _ diameter (twice the distar	gpm	
	<ol> <li>Estimate the operat</li> <li>What is the sprinkl</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> </ol>	er package design rate? _ diameter (twice the distar	gpm  ce the sprinkler throw  feet	s water) of a sprinkler on
e.	<ol> <li>Estimate the operat</li> <li>What is the sprinkl</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> </ol>	er package design rate? diameter (twice the distar of the system? ppy of the sprinkler package	gpm  ce the sprinkler throw  feet  deduction information.	s water) of a sprinkler on
e.	<ol> <li>Estimate the operat</li> <li>What is the sprinkl</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> <li>Please include a co</li> </ol>	er package design rate? diameter (twice the distar of the system? ppy of the sprinkler package	gpm  ce the sprinkler throw  feet  deduction information.	s water) of a sprinkler on
e.	<ol> <li>Estimate the operat</li> <li>What is the sprinkl</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> <li>Please include a co</li> </ol>	er package design rate? diameter (twice the distar of the system? ppy of the sprinkler package	gpm  ce the sprinkler throw  feet  deduction information.	s water) of a sprinkler on
e.	<ol> <li>Estimate the operat</li> <li>What is the sprinkl</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> <li>Please include a co</li> </ol>	diameter (twice the distart of the system?  py of the sprinkler package elease note any planned creater termine when to irrigate a	gpm  ce the sprinkler throw  feet ge design information.  pp rotations:	vs water) of a sprinkler on
	<ol> <li>Estimate the operate</li> <li>What is the sprinkle</li> <li>What is the wetted</li> <li>the outer 100 feet of</li> <li>Please include a concord of the content of the conten</li></ol>	diameter (twice the distart of the system?  py of the sprinkler package elease note any planned creater termine when to irrigate a	gpm  ce the sprinkler throw  feet ge design information.  pp rotations:	vs water) of a sprinkler on

SCANNED

JUL 0 8 2016

UNACCEPTABLEN POR PARISON PRITY

11-18-16

WATER RESOURCES

NOV 2 1 2016

KS DEPT OF AGRICULTURE

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application File No.

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

State of Kansas

County of Propulation

) ss

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 18 day of November, 20 16.


My Commission Expires:

STATE OF KANSAS My App. Exp. X

### NEW STREAM WORKSHEET

ES AW	Date: 7/8/1
File No. 49,468	
Basin Name: Republicen Prov	Basin No. 27
Stream Name: Republican River Trib SA (Re	publican)
Stream location (confluence with parent stream):  Section 19, Township 3 South, Range 4 (East)	
Map Color Coding: Basin Stream – Blue Named Main Stream off Basin Stream – Yellow Named Stream off Main Stream – Green Unnamed Trib (1, 2, 3, 4, etc.) – Pink Unnamed Trib to Unnamed Trib (A, B, C, etc.) – Orange Unnamed Trib to Unnamed Trib to Unnamed Trib (1, 2, 3, etc.)	– Purple
Stream No. 3 8 7 3 (computer assigned - entered by	data entry staff)
Date Entered 7 19/2016 By LLM	

### **Application to Appropriate Water for Beneficial Use** File No. 49,668



Proposed Point of Diversion

**Proposed Place of Use** 

The names and addresses of the landowners 1/2 mile downstream and 1/2 mile upstream from my property lines are shown.

4 AM

WATER RESOURCES RECEIVED

WATER RESOURCES RECEIVED

JUL 0 8 2016 UNACCEPTABLE FOR PHIORITY

SCANNED KS DEPT OF AGRICULTURE KS DEPT OF AGRICULTURE

1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700



900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

November 17, 2016

HENRIKSEN, KENNETH DEAN TRUST 2963 P RD FORMOSO, KS 66942-1550 FILE COPY

Re: Application

File Nos. 49,668 & 49,669

Dear Sir or Madam:

This is to advise you that Jeffrey Strnad has filed the applications referred to above for permits to appropriate a combined total of 232 acre-feet of surface water per calendar year from the Tributary 5A to the Republican River for irrigation use from two (2) ponds to be filled by natural flow and re-diverted at a maximum rate of 2,000 gallons per minute per pumpsite. Surface water will be diverted from two pump sites located as follows:

#### File No. 49,668

one (1) pumpsite, to appropriate 182 acre-feet, located in the Northeast Quarter of the Northwest Quarter of the Southeast Quarter (NE<sup>1</sup>/<sub>4</sub> NW<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub>) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

### File No. 49,669

one (1) pumpsite, to appropriate 50 acre-feet, located in the Northeast Quarter of the Southeast Quarter of the Southeast Quarter (NE½ SE½ SW½) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

A copy of a topographic map depicting the locations of the proposed points of diversion is also enclosed. Records in this office indicate that you own land along the tributary in this vicinity and you are notified of receipt of this application in order that you may be fully informed of the proposed locations of the applicant's points of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

If you have any questions, please contact me at (785) 564-6643. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Austin McColloch

auto Ilban

**Environmental Scientist** 

Water Appropriation Program

Enclosure(s)

pc: Stockton Field Office

SCANNED

1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700



900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

November 17, 2016

HENRIKSEN, RYAN D PO BOX 286 COURTLAND, KS 66939-0286 FILE COPY

Re:

Application

File Nos. 49,668 & 49,669

Dear Sir or Madam:

This is to advise you that Jeffrey Strnad has filed the applications referred to above for permits to appropriate a combined total of 232 acre-feet of surface water per calendar year from the Tributary 5A to the Republican River for irrigation use from two (2) ponds to be filled by natural flow and re-diverted at a maximum rate of 2,000 gallons per minute per pumpsite. Surface water will be diverted from two pump sites located as follows:

#### File No. 49,668

one (1) pumpsite, to appropriate 182 acre-feet, located in the Northeast Quarter of the Northwest Quarter of the Southeast Quarter (NE¼ NW¼ SE¼) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

#### File No. 49,669

one (1) pumpsite, to appropriate 50 acre-feet, located in the Northeast Quarter of the Southeast Quarter of the Southwest Quarter (NE½ SE½ SW½) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

A copy of a topographic map depicting the locations of the proposed points of diversion is also enclosed. Records in this office indicate that you own land along the tributary in this vicinity and you are notified of receipt of this application in order that you may be fully informed of the proposed locations of the applicant's points of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

If you have any questions, please contact me at (785) 564-6643. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Austin McColloch

Environmental Scientist

Outr millin

Water Appropriation Program

Enclosure(s)

pc:

Stockton Field Office

1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700



900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

November 17, 2016

STAFFORD, ROGER H & ESTHER V TRUST 880 80 RD SCANDIA, KS 66966-8026

FILE COPY

Re:

Application

File Nos. 49,668 & 49,669

Dear Sir or Madam:

This is to advise you that Jeffrey Strnad has filed the applications referred to above for permits to appropriate a combined total of 232 acre-feet of surface water per calendar year from the Tributary 5A to the Republican River for irrigation use from two (2) ponds to be filled by natural flow and re-diverted at a maximum rate of 2,000 gallons per minute per pumpsite. Surface water will be diverted from two pump sites located as follows:

#### File No. 49,668

one (1) pumpsite, to appropriate 182 acre-feet, located in the Northeast Quarter of the Northwest Quarter of the Southeast Quarter (NE½ NW½ SE½) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

### File No. 49,669

one (1) pumpsite, to appropriate 50 acre-feet, located in the Northeast Quarter of the Southeast Quarter of the Southeast Quarter (NE¼ SE¼ SW¼) of Section 20, more particularly described as being near a point 753 feet North and 2,686 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

A copy of a topographic map depicting the locations of the proposed points of diversion is also enclosed. Records in this office indicate that you own land along the tributary in this vicinity and you are notified of receipt of this application in order that you may be fully informed of the proposed locations of the applicant's points of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

If you have any questions, please contact me at (785) 564-6643. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Austin McColloch

Cluster milden

**Environmental Scientist** 

Water Appropriation Program

Enclosure(s)

pc: Stockton Field Office

1320 Research Park Drive Manhattan, Kansas 66502



Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey, Secretary

July 18, 2016

JEFFREY A & TRACY K STRNAD PO BOX 230 SCANDIA KS 66966

RE: Application File No. 49668

Dear Sir or Madam:

Your application for permit to appropriate water in 19-3S-4W in Republic County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.


Change Application Unit Supervisor

Water Appropriation Program

BAT: ALH

pc: STOCKTON Field Office


GMD



### New Application, File Nos. 49,688 & 49,669

Proposed Points of Diversion
Section 20 - Township 3 South - Range 4 West
Republic County, Kansas SCANNED

AM/DWR Date: 11/10/2016



New Application, File No. 49,668 Drainage Basin = 274 acres

AM/DWR Date: 11/9/2016