

Kansas Department of Agriculture
Division of Water Resources
PERMIT OF NEW APPLICATION WORKSHEET

1. File Number: 49,820	2. Status Change Date: 10/4/2017	3. Field Office: 03	4. GMD: 0
----------------------------------	--	-------------------------------	---------------------

5. Status: Approved Denied by DWR/GMD Dismiss by Request/Failure to Return

6. Enclosures: Check Valve N of C Form Water Tube Driller Copy Meter

7a. Applicant(s) Person ID **22512**
New to system Add Seq# _____

JEFFREY A & TRACY K STRNAD
PO BOX 230
SCANDIA KS 66966

7b. Landowner(s) Person ID _____
New to system Add Seq# _____

7a

7c. Landowner(s) Person ID _____
New to system Add Seq# _____

7d. Landowner Person ID _____
New to system Add Seq# _____

8. WUR Correspondent Person ID _____
New to system Add Seq# _____
Overlap File (s) WUC Notarized WUC Form
Agree Yes No

7a

9. Use of Water: Changing? Yes No
 Groundwater Surface Water
 IRR REC DEW MUN
 STK SED DOM CON
 HYD DRG WTR PWR ART RECHRG
 IND SIC: _____ OTHER: _____

10. Completion Date: 12/31/2018 11. Perfection Date: 12/31/2022 12. Exp Date: _____

13. Conservation Plan Required? Yes No Date Required: _____ Date Approved: _____ Date to Comply: _____

14. Water Level Measuring Device? Yes No Date to Comply: _____ Date WLMD Installed: _____

Date Prepared: **8/3/2017** By: **DWS**
Date Entered: **10/5/2017** By: **LCM**

File No. **49,820** 15. Formation Code: _____ Drainage Basin: **Republican River** County: **RP** Special Use: _____ Stream: **Republican River**

16. Points of Diversion

MOD DEL ENT	PDIV	Qualifier	S	T	R	ID	N	W
MOD	86016	LOT 9	6	3	4W	16	1550	3660

17. Rate and Quantity **MOD QTY**

Authorized		Additional		Overlap PD Files
Rate gpm	Quantity af	Rate gpm	Quantity af	
1000	457.2	1000	384.2	NONE

18. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

19. Limitation: **457.2** af/yr at _____ gpm (_____ cfs) when combined with file number(s): **39,239 (on the place of use)**
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

20. Meter Required? Yes No To be installed by **12/31/2018** Date Acceptable Meter Installed _____

21. Place of Use

MOD DEL ENT	PUSE	S	T	R	ID	NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg? NO	Overlap Files				
						NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼								
MOD	68302	6	3	4W	5							Lot 4						Lot 9								63	7a.	NO	39,239*
MOD	29799	1	3	5W	2	Lot 1	Lot 2	40	40									40	40	40	40	318	7a.	NO	39,239*				

Comments: ***PENDING PU CHANGE ON SENIOR FILE WILL CREATE COMPLETE OVERLAP IN PU.**

KANSAS DEPARTMENT OF AGRICULTURE
Division of Water Resources

M E M O R A N D U M

TO: Files

DATE: August 3, 2017

FROM: Doug Schemm

RE: Application, File No. 49,820

Jeffrey & Tracy Strnad have filed the referenced application to appropriate 457.2 acre-feet of surface water from the Republican River at the rate of 1,000 gallons per minute to irrigate a total of 381 acres in Republic County. Water Right, File No. 39,239 overlaps a portion of the place of use, and a change application will be filed for this senior file to create a complete overlap in the Place of Use with this new application. The entire place of use is owned by the applicants. The applicant has signed the application form stating he has access to the point of diversion. Please note that the place of use was reduced by 2 acres to reflect the river lots, and the requested quantity of water was reduced from 459 acre-feet to 457.2 acre-feet. The applicant agreed to the reduction of acres and quantity in an August 3, 2017 phone call.

The senior water right is also a surface water appropriation, however it is located on Mud Creek (Republican). The purpose of the new application is to provide an alternative surface water source directly from the Republican River when available. Water Right, File No. 39,239 is authorized 73 acre-feet of water. The requested quantity of water for the new application of 457.2 acre-feet applied to 381 acres is equivalent to 1.2 acre-feet per acre, which is the maximum allowed for irrigation in Republic County, Kansas and appears to be reasonable for the intended use. The new application will be limited to 457.2 acre-feet when combined with the senior file, which will result in an additional quantity of water of 384.2 acre-feet (457.6 AF – 73 AF) when combined with the senior file.

The applicant is proposing to pump surface water from one pump site located in the Southwest Quarter of Section 6, Township 3 South, Range 4 West. A list of nearby landowners within one-half mile upstream and downstream of the proposed point of diversion was provided by the applicant, and they were notified by letter dated July 13, 2017. One phone call was received with general questions about the application, and they requested how to obtain a copy. The caller was directed to our website and instructed to fill out an open records request. No other responses were received. There are multiple groundwater and surface water appropriations within a two (2) mile radius of the proposed point of diversion. The nearest downstream surface water right is approximately 300 feet away. The adjacent landowners have operated in this area for many years, they are typically aware of their neighbor's irrigation projects, and they are also all familiar with the conditions related to direct surface water diversion from the Republican River. With proper conditioning, there is no indication that approval of this permit will impair any senior water right.

The applicant has submitted a signed Minimum Desirable Sreamflow (MDS) statement, which has been notarized. By completing this statement, the applicant affirms her knowledge that there could be times when the diversion of water may not be allowed under this permit. Additionally, the permit is conditioned as follows: "That in order to implement the provisions of K.A.R. 5-3-11(d)(6), no water shall be diverted unless the written permission of the Chief Engineer, or an authorized representative of the Chief Engineer, is obtained each time the applicant desires to divert water. The approval of this permit is not an indication that surface water will be available from this source of supply, or that written permission will be granted to divert water." The Lower Republican River is currently open to new appropriations meeting the criteria required by K.A.R. 5-3-11(d)(6), and the approval of this application is consistent with similar applications requesting surface water from the Republican River.

In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R 5-1-12. If any chemical or foreign substance is injected into the water pumped under this permit, a check valve will also need to be installed.

Jeff & Tracy Strnad
Memorandum File No. 49,820
Page 2

Kelly Stewart, Water Commissioner of the Stockton Field Office, recommended approval of the referenced new application in an August 1, 2017 e-mail, in conjunction with the required change application on File No. 39,239.

Based on the above discussion, that surface water within the Lower Republican River remains open to new appropriations with appropriate and consistent permit conditions, and approval of the application will not impair senior water rights, it is recommended that the new referenced application be approved in conjunction with the place of use change on File No. 39,239.

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700



900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

October 6, 2017

JEFFREY A & TRACY K STRNAD
PO BOX 230
SCANDIA KS 66966

FILE COPY

Re: Appropriation of Water, File No. 49,820

Dear Mr. and Mrs. Strnad:

There is enclosed a permit to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the source and at the location specified in the permit, and to use it for the purpose and at the location described in the permit.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approval documents. A water meter is required on the proposed diversion works and you must install it prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meter should be used to provide the information required on the annual water use report.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of this permit. Enclosed is a form which may be used to notify the Chief Engineer that the proposed diversion works have been completed. All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in the permit to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in this permit. Failure to comply with this regulation will result in the dismissal of your permit or your water right. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00.

There is also enclosed an information sheet setting forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your water right. If you have any questions, please contact our office. If you wish to discuss this specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum
New Application Unit Supervisor
Water Appropriation Program

KAB:dws
Enclosures

pc: Stockton Field Office



KANSAS DEPARTMENT OF AGRICULTURE
Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES
David W. Barfield, Chief Engineer

**APPROVAL OF APPLICATION
and
PERMIT TO PROCEED**
(This is not a Certificate of Appropriation)

This is to certify that I have examined Application File No. **49,820** of the applicant

**JEFFREY A & TRACY K STRNAD
PO BOX 230
SCANDIA KS 66966**

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

1. That the priority date assigned to such application is **April 10, 2017**.
2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL		
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼			
6	3S	4W						Lot 4 31									Lot 9 32				63
1	3S	5W	Lot 1 39.5	Lot 2 38.5	40	40								40	40	40	40				318

3. That the authorized source from which the appropriation shall be made is surface water from the Republican River, to be withdrawn by means of one (1) pump site located in Lot 9, of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas, located substantially as shown on the topographic map accompanying the application.

4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **1,000 gallons per minute (2.23 c.f.s.)** and to a quantity not to exceed **457.2 acre-feet** of water for any calendar year.

5. That installation of works for diversion of water shall be completed on or before **December 31, 2018** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee, which is currently \$400.00, when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.

6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before **December 31, 2022** or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.

7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.

8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.

9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.

10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.

11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

12. That an acceptable water flow meter shall be installed on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and ending of the report year).

13. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.

14. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.

15. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.

16. That the stream flow shall not be stopped at the first riffle below the point of diversion while diversion is taking place under the authority of this water right or permit.

17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

18. That in order to implement the provisions of K.A.R. 5-3-11(d)(6), no water shall be diverted unless the written permission of the Chief Engineer, or an authorized representative of the Chief Engineer, is obtained each time the applicant desires to divert water. The approval of this permit is not an indication that surface water will be available from this source of supply, or that written permission will be granted to divert water.

19. That the quantity of water approved under this permit is further limited to the quantity which combined with Water Right, File No. 39,239, will provide a **total not to exceed 457.2 acre-feet** of water per calendar year for irrigation use on the land described herein.

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 18 days after this Order was mailed to you**), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, KS 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 33 days after this Order was mailed to you**), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564-6777.


Ordered this 4th day of October, 2017, in Topeka, Shawnee County, Kansas.

Lane P. Letourneau

Lane P. Letourneau, P.G.
Program Manager
Water Appropriation Program
Division of Water Resources
Kansas Department of Agriculture

State of Kansas)
) SS
County of Riley)

The foregoing instrument was acknowledged before me this 4th day of October, 2017, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of Agriculture.



Danielle Wilson

Notary Public


CERTIFICATE OF SERVICE

On this 10th day of October, 2017, I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 49,820, dated October 4th, 2017 was mailed postage prepaid, first class, US mail to the following:

JEFFREY A & TRACY K STRNAD
PO BOX 230
SCANDIA KS 66966

With photocopies to:

Stockton Field Office

A handwritten signature in cursive script that reads "Daniella Wilson". The signature is written in black ink and is positioned above a horizontal line.

Division of Water Resources

APPLICATION COMPLETE

8/1/2017

Reviewer DWS

THE STATE OF KANSAS



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

WATER RESOURCES RECEIVED

File Number 49820
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APR 10 2017
1:02
KS DEPT OF AGRICULTURE

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application
(Please refer to Fee Schedule attached to this application form.)

UNACCEPTABLE FOR PRIORITY

MAR 27 2017
1:27
KS DEPT OF AGRICULTURE

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
1320 Research Park Drive, Manhattan, KS 66502:

1. Name of Applicant (Please Print): Jeffery A & Tracy K Strnad
Address: 1130 Riverview Lane PO Box 230
City: Scandia State KS Zip Code 66966-8028
Telephone Number: (785) 335-3065

2. The source of water is: surface water in Republican River # 27 (stream)
OR groundwater in _____ (drainage basin)

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.

3. The maximum quantity of water desired is 459 ^{457.2 *} acre-feet OR _____ gallons per calendar year, to be diverted at a maximum rate of 1000 gallons per minute OR _____ cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can **NOT** be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4. The water is intended to be appropriated for (Check use intended):
(a) Artificial Recharge (b) Irrigation (c) Recreational (d) Water Power
(e) Industrial (f) Municipal (g) Stockwatering (h) Sediment Control
(i) Domestic (j) Dewatering (k) Hydraulic Dredging (l) Fire Protection
(m) Thermal Exchange (n) Contamination Remediation

YOU **MUST** COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:
F.O. 3 GMD 2 Meets K.A.R. 5-3-1 (YES/NO) Use FRR Source G County JW By AW Date 4/10/17
Code RE2 Fee \$ 340 TR # _____ Receipt Date 4/10/17 Check # 4897

DWR 1-100 (Revised 02/12/2014)

* Reduced to comply with
1.2 AFO on 318 acres. DWS/DWR
agreed in 8/3 phone call 8/3/17

SCANNED

* per WHIS

* MK/DWR 9/28/17 Applicant

4/13/2017 UJM

* See Survey Plat

File No. 49820

5. The location of the proposed wells, pump sites or other works for diversion of water is:

Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.

- * (A) One in the ~~SW~~ quarter of the ~~NE~~ quarter of the ~~SW~~ quarter of Section 06, more particularly described as being near a point 1550 feet North and 3660 feet West of the Southeast corner of said section, in Township 03 South, Range 06 West, ~~Republic~~ Jewett County, Kansas. Lot 9
- (B) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (C) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.
- (D) One in the _____ quarter of the _____ quarter of the _____ quarter of Section _____, more particularly described as being near a point _____ feet North and _____ feet West of the Southeast corner of said section, in Township _____ South, Range _____ East/West (circle one), _____ County, Kansas.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):

Jeff Strnad

785-335-3065

(name, address and telephone number)

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on 3-31, 2017.

[Signature]
Applicant's Signature

The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.

7. The proposed project for diversion of water will consist of 1 pump (number of wells, pumps or dams, etc.)

and (will be) completed (by) 12/31/2018 (Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be 03/01/2018 (Mo/Day/Year)

WATER RESOURCES RECEIVED

WATER RESOURCES RECEIVED

APR 10 2017

UNACCEPTABLE FOR PRIORITY

MAR 27 2017

SCANNED

9. Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
 Yes No If "yes", a check valve shall be required.

All chemigation safety requirements must be met including a chemigation permit and reporting requirements.

10. *NA* If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.

Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? Yes No

- If yes, show the Water Structures permit number here _____
- If no, explain here why a Water Structures permit is not required _____

11. The application must be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:

- (a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
- (b) If the application is for groundwater, please show the location of any existing water wells of any kind within 1/2 mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within 1/2 mile, please advise us.
- (c) If the application is for surface water, the names and addresses of the landowner(s) 1/2 mile downstream and 1/2 mile upstream from your property lines must be shown.
- (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

Water Right File No. 39239 covers the same place of use and a change in place of use is pending to cover additional acres as proposed in this new application. It is understood the quantity of water proposed under this application will be limited when combined with those authorized by File No. 39239.

WATER RESOURCES RECEIVED

APR 10 2017

KS DEPT OF AGRICULTURE

WATER RESOURCES RECEIVED

UNACCEPTABLE FOR PRIORITY MAR 27 2017 SCANNED

KS DEPT OF AGRICULTURE

13. *NA* Furnish the following well information if the proposed appropriation is for the use of groundwater. If the well has not been completed, give information obtained from test holes, if available.

Information below is from: Test holes Well as completed Drillers log attached

Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
Date Drilled	_____	_____	_____	_____
Total depth of well	_____	_____	_____	_____
Depth to water bearing formation	_____	_____	_____	_____
Depth to static water level	_____	_____	_____	_____
Depth to bottom of pump intake pipe	_____	_____	_____	_____

14. The relationship of the applicant to the proposed place where the water will be used is that of

Owner
(owner, tenant, agent or otherwise)

15. The owner(s) of the property where the water is used, if other than the applicant, is (please print):

_____ (name, address and telephone number)

_____ (name, address and telephone number)

16. The undersigned states that the information set forth above is true to the best of his/her knowledge and that this application is submitted in good faith.

Dated at Scandia, Kansas, this 23 day of March, 2017.
(month) (year)



(Applicant Signature)

By _____
(Agent or Officer Signature)

(Agent or Officer - Please Print)



Assisted by SW/STKFD _____ Date: _____
(office/title)

WATER RESOURCES RECEIVED
APR 10 2017
KS DEPT OF AGRICULTURE

WATER RESOURCES RECEIVED
UNACCEPTABLE FOR PRIORITY
APR 27 2017 SCANNED
KS DEPT OF AGRICULTURE

49820

Application for Permit to Appropriate Water for Beneficial Use



Authorized Place of Use

Proposed Place of Use

1/2 mile buffer

- ▲ Surface Water Point of Diversion
- Groundwater Point of Diversion
- Proposed Point of Diversion

WATER RESOURCES RECEIVED
 APR 10 2017
 KS DEPT OF AGRICULTURE

[Handwritten Signature]

All landowners within 1/2 mile upstream and downstream from the proposed place of use are identified on the enclosed attachment.

WATER RESOURCES RECEIVED
 APR 27 2017
 KS DEPT OF AGRICULTURE
 UNACCEPTABLE FOR PRIORITY

SCANNED

* See Survey Plat and notes for revised place of use - DWS/DWR 8/2/17

49820

IRRIGATION USE
SUPPLEMENTAL SHEET

File No. 49,820

Name of Applicant (Please Print): Jeff Strnad

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Landowner of Record NAME: Jeffery A & Tracy K Strnad *(*) P/B 130 x 270*

ADDRESS: 1130 Riverview Land, Scandia, KS 66966-8028

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01	03S	05W	<i>Lot 1</i>	<i>Lot 2</i>	40	40									40	40	40	40	<i>220</i> 318
06	03S	06W					<i>Lot 4</i>	31	31	<i>Lot 9</i>	32	32							63

Total = *383* acres

Landowner of Record NAME: _____

ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Landowner of Record NAME: _____

ADDRESS: _____

S	T	R	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

WATER RESOURCES RECEIVED

WATER RESOURCES RECEIVED

() per WRIIS*
DWR 1-100.23 (7/7/2000) *(*) P/B/DWR*
9/28/17

APR 10 2017

MAR 27 2017
UNACCEPTABLE FOR PRIORITY

Page 1 of 2

KS DEPT OF AGRICULTURE

KS DEPT OF AGRICULTURE

SCANNED

8-7-17

(Date)

Kansas Department of Agriculture
Division of Water Resources
David W. Barfield, Chief Engineer
1320 Research Park Drive
Manhattan, Kansas 66502

Re: Application*
File No. 49820

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Jeffrey A. Stroud
Signature of Applicant


Jeffrey A. Stroud
(Print Applicant's Name)

State of Kansas)
County of Republic) ss

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 7 day of August, 2017.

Lauren Forshee
Notary Public WATER RESOURCES RECEIVED

My Commission Expires:



AUG 17 2017

KS DEPT OF AGRICULTURE
RECEIVED

AUG 14 2017

Stockton Field Office
Division of Water Resources

* PAK/DWR 9/26/17


SCANNED

**MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN
APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT
TO APPROPRIATE WATER FOR BENEFICIAL USE**

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River



Schemm, Doug

Subject: 49,820 Jeff & Tracy Strnad

From: Stewart, Kelly

Sent: Tuesday, August 1, 2017 3:14 PM

To: Schemm, Doug <Doug.Schemm@ks.gov>; Billinger, Mark <Mark.Billinger@ks.gov>

Cc: Baum, Kristen <Kristen.Baum@ks.gov>; Hageman, Rebecca <Rebecca.Hageman@ks.gov>

Subject: RE: 49,820 Jeff & Tracy Strnad

Doug,

PU change Needed

Assuming that Strnad's get the appropriate change application filed on 39,239, I would have no objection to the approval of this application.

Kelly

From: Schemm, Doug

Sent: Tuesday, August 1, 2017 9:34 AM

To: Stewart, Kelly <Kelly.Stewart@ks.gov>; Billinger, Mark <Mark.Billinger@ks.gov>

Cc: Baum, Kristen <Kristen.Baum@ks.gov>

Subject: 49,820 Jeff & Tracy Strnad

Hello,

Ok, a couple of things. The required PU change on 39,239 was supposed to come in with new application, but it does not show that it did.

Also, I'm betting that the place of use and the pd in Section 6 are likely in river lots.

If someone wants to get that information for me, I will incorporate it into the new app approval.

Other than that, a typical Republican surface water app.

Doug

Schemm, Doug

From: Walters, Steven
Sent: Tuesday, August 1, 2017 3:00 PM
To: Stewart, Kelly; Schemm, Doug
Cc: Baum, Kristen
Subject: RE: 49,820 Jeff & Tracy Strnad

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES				
			NE	NW	SW¼	SE¼	NE¼	NW¼	SW¼	SE	NE¼	NW¼	SW¼	SE	NE¼	NW¼	SW¼	SE¼					
01	03S	05W	Lot 1 39.50	Lot 2 38.50	40	40												40	40	40	40	318	
06	03S	4 00W						Lot 4 31					Lot 9 32										63

381

Doug/Kristen,

Find attached the place of use description as amended. Sorry for the confusion.

Cheers

Steven Walters, Water Conservation
 Kansas Department of Agriculture
 Division of Water Resources
 Stockton Field Office
 (785)425-6787
steven.walters@ks.gov
<http://www.agriculture.ks.gov/>

From: Stewart, Kelly
Sent: Tuesday, August 01, 2017 2:38 PM
To: Schemm, Doug; Billinger, Mark
Cc: Baum, Kristen; Walters, Steven
Subject: RE: 49,820 Jeff & Tracy Strnad

Doug,

Steven assisted Strnad's with the paperwork. He'll send you a revised proposed p/u with the appropriate lots on it.

I will contact Jeff and Tony Strnad and see what happened to the change application.

Kelly

From: Schemm, Doug
Sent: Tuesday, August 1, 2017 9:34 AM
To: Stewart, Kelly <Kelly.Stewart@ks.gov>; Billinger, Mark <Mark.Billinger@ks.gov>

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 49820 00

#####

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 49820 00 IRR

Water Right and Points of Diversion Within 2.00 miles of point defined as:

1550 Feet North and 3660 Feet West of the Southeast Corner of Section 6 T 3S R 4W

SURFACE WATER ONLY

```

=====
File Number   Use ST SR Dist (ft) Q4 Q3 Q2 Q1 FeetN FeetW Sec Twp Rng ID Batt Auth_Quan Add_Quan Unit
A__ 1745 00 IRR NK S      273 -- NW SE SW 1286 3590 6 3 4W 1      70.00 70.00 AF
A__ 1832 00 IRR NK S      2034 -- NW SE NW 3590 3650 6 3 4W 3      212.00 212.00 AF
Same          3654 -- NE NW NW 5180 4200 6 3 4W 4
Same          2703 NC S2 N2 NW 4250 3930 6 3 4W 5
A__ 2806 00 IRR NK S      7574 -- -- -- -- 3170 1475 36 2 5W 6      45.00 45.00 AF
A__ 6532 00 IRR NK S      9986 -- -- -- -- 5104 3025 36 2 5W 5      56.00 56.00 AF
A__ 29010 00 IRR NK S      6131 -- -- NC SE 1386 1320 12 3 5W 1      135.00 135.00 AF
A__ 30509 00 IRR NK S      3021 NC E2 NW NW 4455 4488 6 3 4W 10      105.00 105.00 AF
A__ 39191 00 IRR NK S      2122 -- SE SW SW 20 4420 6 3 4W 11      40.00 40.00 AF
A__ 39239 00 IRR NK S      2870 -- -- NC SE 1320 1320 1 3 5W 3      73.00 73.00 AF
A__ 39260 00 IRR NK S      9986 -- -- -- -- 5104 3025 36 2 5W 5      81.00 81.00 AF
A__ 40548 00 IRR NK S      5948 -- SE NW SW 1730 4400 1 3 5W 4      118.00 118.00 AF
A__ 45002 00 IRR MM S      7597 -- -- -- -- 3190 1485 36 2 5W 7      200.00 200.00 AF
A__ 46868 00 IRR MM S      7597 -- -- -- -- 3190 1485 36 2 5W 8      90.00 45.00 AF
A__ 49820 00 IRR AY S      0 -- SW NE SW 1550 3660 6 3 4W 16      459.00 .00 AF
=====

```

```

=====
Total Net Quantities Authorized:   Direct      Storage
Total Requested Amount (AF) =      .00          .00
Total Permitted Amount (AF) =      .00          .00
Total Inspected Amount (AF) =      .00          .00
Total Pro_Cert Amount (AF) =      245.00       .00
Total Certified Amount (AF) =      935.00       .00
Total Vested Amount (AF) =          .00          .00
TOTAL AMOUNT (AF) =      1180.00       .00
=====

```

An * after the source of supply indicates a pending application for change under the file number.
 An * after the ID indicates a 15 AF exemption was granted under the file number.
 A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
 The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 2.00 miles of point defined as:

1550 Feet North and 3660 Feet West of the Southeast Corner of Section 6 T 3S R 4W

SURFACE WATER ONLY

WATER USE CORRESPONDENTS:

```

=====
File Number   Use ST SR
A__ 1745 00 IRR NK S
> GERRY & DELORES THOMPSON
>
> 1075 50TH RD
> COURTLAND KS 66939
> -----
A__ 1832 00 IRR NK S
> W BENSON KEIL
>

```

> 1912 UNION RD
> CONCORDIA KS 66901

>-----
A__ 2806 00 IRR NK S

> ROBISON FARMS INC
>
> PO BOX 183 1390 70 RD
> SCANDIA KS 66966

>-----
A__ 6532 00 IRR NK S

> ROBISON FARMS INC
>
> PO BOX 183 1390 70 RD
> SCANDIA KS 66966

>-----
A__ 29010 00 IRR NK S

> GERRY & DELORES THOMPSON
>
> 1075 50TH RD
> COURTLAND KS 66939

>-----
A__ 30509 00 IRR NK S

> L MICHAEL BRZON
>
> 610 NICKEL RD
> COURTLAND KS 66939

>-----
A__ 39191 00 IRR NK S

> GERRY & DELORES THOMPSON
>
> 1075 50TH RD
> COURTLAND KS 66939

>-----
A__ 39239 00 IRR NK S

> JEFFREY A & TRACY K STRNAD
>
> PO BOX 230
> SCANDIA KS 66966

>-----
A__ 39260 00 IRR NK S

> ROBISON FARMS INC
>
> PO BOX 183 1390 70 RD
> SCANDIA KS 66966

>-----
A__ 40548 00 IRR NK S

> LONNY D & KIMBERLY K SWANSON
>
> PO BOX 234
> SCANDIA KS 66966

>-----
A__ 45002 00 IRR MM S



Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

LUCILE B FAULKNER TRUST #1
% SUSAN LALA
11 Z STREET
LAKE LOTAWANA MO 64086-9761

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Doug Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

GEORGE O FAULKNER TRUST 1
% SUSAN LALA
11 Z STREET
LAKE LOTAWANA MO 64086

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

KIM A SWEARINGEN
PO BOX 1038
ELKHART KS 67950-1038

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

ROBISON FARMS #2 LLC
1390 70 ROAD
SCANDIA KS 66966-8020

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner


Kansas
Department of Agriculture
Division of Water Resources

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov
Sam Brownback, Governor

July 13, 2017

JEFFREY L & REGINE L THOMPSON
PO BOX 166
SCANDIA KS 66966-0166

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad



Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

GERRY & DELORES THOMPSON
1075 50 ROAD
COURTLAND KS 66939-8058

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Doug Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

MUD CREEK DRAINAGE DISTRICT
ATTN ROBERT LARSON
PO BOX 83
SCANDIA KS 66966-0083

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner



Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

SALLY WARD
ATTN RICHARD J KUEKER
1700 REPUBLICAN STREET
CONCORDIA KS 66901-4102

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir'or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Douglas W. Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

DOROTHY ARLENE SANDELL
ATTN DANIEL SANDELL
3608 AVENUE E
KEARNEY NE 68847-3966

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:


This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad


Kansas
Department of Agriculture
Division of Water Resources

Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov

Sam Brownback, Governor

July 13, 2017

LONNY D & KIMBERLY K SWANSON REVOCABLE TRUST
PO BOX 234
SCANDIA KS 66966-0234

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,



Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad



Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov
Sam Brownback, Governor

July 13, 2017

RICHARD J KUEKER
1700 REPUBLICAN STREET
CONCORDIA KS 66901-4102

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Doug Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad



Topeka Field Office
6531 SE Forbes Ave., Suite B
Topeka, Kansas 66619

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Katherine A. Tietsort, Water Commissioner

Phone: (785) 296-5733
Fax: (785) 862-2460
www.agriculture.ks.gov
Sam Brownback, Governor

July 13, 2017

WILDCAT FARMS LLC
ATTN CHERYL MELLENTHIN
1884 BOSTIK ROAD
CAT SPRING TX 78933-5306

Re: Pending New Application, File No. 49,820; and Water Right, File No. 39,239

Dear Sir or Madam:

This is to advise you that Jeffrey A. & Tracy K. Strnad have filed the new application referred to above for a permit to appropriate 459 acre-feet of surface water per calendar year from the Republican River, for irrigation use to be diverted at a maximum rate of 1,000 gallons per minute. In addition, a Change in Place of Use application has been filed for Water Right, File No. 39,239, which will modify the place of use to match the expanded, new application irrigation project. Surface water will be diverted by means of one (1) pump site located as follows:

in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) of Section 6, more particularly described as being near a point 1,550 feet North and 3,660 feet West of the Southeast corner of said section, in Township 3 South, Range 4 West, Republic County, Kansas.

Enclosed is a site map for your review. Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

A handwritten signature in cursive script that reads "Douglas W. Schemm".

Douglas W. Schemm
Environmental Scientist
Topeka Field Office

Enclosure

pc: Jeffrey & Tracy Strnad

2. Please complete the following information for the description of the operation for the irrigation project. Attach supplemental sheets as needed.

a. Indicate the soils in the field(s) and their intake rates:

Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
sand	100	4	
Total:	100 %		

b. Estimate the average land slope in the field(s): 2-3 %
 Estimate the maximum land slope in the field(s): 3 %

c. Type of irrigation system you propose to use (check one):

- Center pivot Center pivot - LEPA "Big gun" sprinkler
 Gravity system (furrows) Gravity system (borders) Sideroll sprinkler
 Other, please describe: _____

d. System design features:

i. Describe how you will control tailwater:

none

ii. For sprinkler systems:

- (1) Estimate the operating pressure at the distribution system: _____ psi
 (2) What is the sprinkler package design rate? _____ gpm
 (3) What is the wetted diameter (twice the distance the sprinkler throws water) of a sprinkler on the outer 100 feet of the system? _____ feet
 (4) Please include a copy of the sprinkler package design information.

yet to be designed

e. Crop(s) you intend to irrigate. Please note any planned crop rotations:

corn + alfalfa

f. Please describe how you will determine when to irrigate and how much water to apply (particularly important if you do not plan a full irrigation).

computer program + soil probes

You may attach any additional information you believe will assist in informing the Division of the need for your request.

WATER RESOURCES RECEIVED

WATER RESOURCES RECEIVED

APR 10 2017

UNACCEPTABLE FOR PRIORITY

SCANNED

49820

Landowners within ½ mile of the proposed Place of Use
For Water Right File # 39239 and New Application

Lucile B Faulkner Trust #1
Attn: Susan Lala
11 Z Street
Lake Lotawana, MO 64086-9761

Kearney, NE 68847-3966
Lonny D & Kimberly K Swanson Revocable Trust
PO Box 234
Scandia, KS 66966-0234

George O Faulkner Trust 1
Attn: Susan Lala
11 Z Street
Lake Lotawana, MO 64086-9761

Richard J Kueker
1700 Republican St
Concordia, KS 66901-4102

Kim A Swearingen
PO Box 1038
Elkhart, KS 67950-1038

Wildcat Farms LLC
Attn: Cheryl Mellenthin
1884 Bostik Rd
Cat Spring, TX 78933-5306

Robison Farms #2 LLC
1390 70 Rd
Scandia, KS 66966-8020

Jeffery L & Regine L Thompson
PO Box 166
Scandia, KS 66966-0166

Gerry & Delores Thompson
1075 50 Rd
Courtland, KS 66939-8058

Mud Creek Drainage District
Attn Robert Larson
PO Box 83
Scandia, KS 66966-0083

Sally Ward
Attn: Richard J Kueker
1700 Republican St
Concordia, KS 66901-4102

Dorothy Arlene Sandell
Attn: Daniel Sandell
3806 Ave E

WATER RESOURCES
RECEIVED
APR 10 2017
KS DEPT OF AGRICULTURE

WATER RESOURCES
RECEIVED
MAR 27 2017
UNACCEPTABLE FOR PRIORITY
KS DEPT OF AGRICULTURE
SCANNED

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES
RECEIVED

APR 10 2017

KS DEPT OF AGRICULTURE

WATER RESOURCES
RECEIVED

MAR 27 2017
UNACCEPTABLE FOR PRIORITY

KS DEPT OF AGRICULTURE
SCANNED

49820

Kansas
Department of Agriculture
Division of Water Resources

Stockton Field Office
820 S. Walnut
Stockton, Kansas 67669-0192

Jackie McClaskey, Secretary
David W. Barfield, Chief Engineer
Kelly Stewart, Water Commissioner

Phone: (785) 425-6787
Fax: (785) 425-6842
www.agriculture.ks.gov
Sam Brownback, Governor

March 20, 2017

JEFFREY A & TRACY K STRNAD
PO BOX 230
SCANDIA KS 66966

Re: New Application & Change in Place of Use File No. 39239

Dear Mr. Strnad:

Per your request, please find enclosed the necessary applications for the change in place of use for File No. 39239 and a new application for a surface water appropriation out of the Republican River.


In regards to the change application, the application must be signed and notarized by you and your spouse, if applicable. Also, please review the landowner list make any changes to the list as necessary, and sign the map on the signature line.

In regards to the new application, I have completed the majority of the application for you; however there are still some areas requiring your attention. Please sign sections 6 and 16. If you plan on chemigation, please indicate as such in section 9. Your notarized signature is required on the Minimum Desirable Streamflow acknowledgment sheet. Also, please fill out the back page of the irrigation use supplemental sheet the best you can and review the attached map for accuracy.

Once complete, submit the applications, irrigation use supplemental sheet, maps, and MDS sheet to the Manhattan address highlighted at the top of the front page of the application. Be sure to include a check for \$540 made payable to the Kansas Department of Agriculture for the application processing fee.

If you have any questions or require further assistance, please contact our office at 785-425-6787.

Sincerely,



Steven Walters
Environmental Scientist

SW
enclosures

WATER RESOURCES
RECEIVED

APR 10 2017

KS DEPT OF AGRICULTURE

WATER RESOURCES
RECEIVED

MAR 27 2017
UNACCEPTABLE FOR PRIORITY
KS DEPT OF AGRICULTURE
SCANNED



1320 Research Park Drive
Manhattan, Kansas 66502
Jackie McClaskey, Secretary

Phone: (785) 564-6700
Fax: (785) 564-6777
Email: ksag@kda.ks.gov
www.agriculture.ks.gov
Sam Brownback, Governor

April 11, 2017

FILE COPY

JEFFERY A & TRACY K STRNAD
1130 RIVERVIEW LANE
SCANDIA KS 66966

RE: Application
File No. 49820

Dear Sir or Madam:

Your application for permit to appropriate water in 06-03S-04W in Republican County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.
Change Application Unit Supervisor
Water Appropriation Program

BAT: dlw
pc: STOCKTON Field Office
GMD

SCANNED

49820



1320 Research Park Drive
Manhattan, Kansas 66502
(785) 564-6700

900 SW Jackson, Room 456
Topeka, Kansas 66612
(785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

March 28, 2017

JEFFERY A & TRACY K STRNAD
1130 RIVERVIEW LANE
SCANDIA KS 66966

Re: Unacceptable Application

Dear Mr. and Mrs. Strnad

Returned herewith is your Application for Permit to Appropriate Water for Beneficial Use received by the Division of Water Resources on March 27, 2017 with Check No. 4888 in the amount of \$540. This application is not acceptable for filing in its present form.

Effective July 1, 2009, K.S.A. 82a-709 requires all applicants for new appropriation rights for the beneficial use of water in the State of Kansas to provide evidence of legal access to or control of the point of diversion from the landowner or the landowner's authorized representative. Applicants may provide a copy of a recorded deed, lease, easement or other document with the application. **In lieu of providing this documentary evidence, you may sign Paragraph No. 6 of the original permit application (where indicated), which constitutes a sworn statement.** Please note that the enclosed new application must bear an **original signature**. Photocopies or fax signatures are not acceptable.

The required fee as stated on the enclosed fee schedule or as stated on the bottom of the signature page of the application was incorrect. Therefore, we find it necessary to return the application to you. Upon submitting the application to this office with the required fee, it will be further examined and processed. Based on the information received, \$340 is needed for the filing fee.

Upon return of the acceptable application with required original signatures and information, it will be assigned a priority based upon the date and time it is received in the office of the Chief Engineer. If you have any questions, please contact me at (785) 564-6631 or alex.whitesell@ks.gov.

Sincerely,

Alex Whitesell
Environmental Scientist
Water Appropriation Program

enclosure

WATER RESOURCES
RECEIVED

APR 10 2017

KS DEPT OF AGRICULTURE

SCANNED

R 5W

36

T 2S R 4W

31

32

12097

R. 4 W.
3 S.

V 12.05 E

20.00
V 12.15 E

Republic

01

H

18.30
1832

10418

1831

63.82

48.00

43.20

40.32

40.44

40.70

32.50

545.84

Sec. 6.

43.50

58.00

73.95

38.28

50.00

78.60

36.80

39.19

6808

38.64

20.50

22846

V 12 E a

38.20

17.50

12

6808

3

3913529325

46.70