## **NOTICE**

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

### KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

#### **DIVISION OF WATER RESOURCES**

David W. Barfield, Chief Engineer

File Number This item to be completed by the Division of Water Resources. WATER RESOURCES RECEIVED

#### **APPLICATION FOR PERMIT TO** APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	Address: 1912 Union Roa	au		
	City: Concordia		State KS Z	Zip Code <u>66901</u>
	Telephone Number: (785	) 243-4510		
2.	The source of water is:	surface water in Re	epublican River 年 2千 (stream	)
	OR	☐ groundwater in	(drainage b	asin)
	when water is released fro	om storage for use by wat e date we receive your a	ows established by law or may er assurance district members. oplication, you will be sent the a	be subject to administration If your application is subject
3.	The maximum quantity of	water desired is 400	acre-feet OR	_ gallons per calendar year,
	to be diverted at a maximi	um rate of 2000	gallons per minute OR 4.45	cubic feet per second
			gallons per minute on 4.45	ouble foot per decents.
	requested quantity of water maximum rate of diversion	s been assigned a priorit r under that priority numb n and maximum quantity	y, the requested maximum rate per can <u>NOT</u> be increased. Plea of water are appropriate and re Vater Resources' requirements.	e of diversion and maximum se be certain your requested easonable for your proposed
4.	requested quantity of water maximum rate of diversion	s been assigned a priorit r under that priority numb n and maximum quantity ent with the Division of W	y, the requested maximum rate per can <b>NOT</b> be increased. Plea of water are appropriate and re Vater Resources' requirements.	e of diversion and maximum se be certain your requested easonable for your proposed
4.	requested quantity of wate maximum rate of diversion project and are in agreem	s been assigned a priority runder that priority number and maximum quantity ent with the Division of W	y, the requested maximum rate per can <b>NOT</b> be increased. Plea of water are appropriate and re Vater Resources' requirements.	e of diversion and maximum se be certain your requested easonable for your proposed
4.	requested quantity of water maximum rate of diversion project and are in agreem. The water is intended to be	s been assigned a priority runder that priority number and maximum quantity ent with the Division of W	y, the requested maximum rate per can <b>NOT</b> be increased. Pleat of water are appropriate and re Vater Resources' requirements.	e of diversion and maximum se be certain your requested easonable for your proposed
4.	requested quantity of water maximum rate of diversion project and are in agreem  The water is intended to be  (a)   Artificial Recharge	s been assigned a prioriter under that priority number and maximum quantity ent with the Division of We appropriated for (Check (b)	y, the requested maximum rate per can <u>NOT</u> be increased. Plea of water are appropriate and re Vater Resources' requirements. use intended): (c) □ Recreational	e of diversion and maximum use be certain your requested easonable for your proposed  (d)   Water Power
4.	requested quantity of water maximum rate of diversion project and are in agreem  The water is intended to be  (a)  Artificial Recharge  (e) Industrial	s been assigned a prioriter under that priority number and maximum quantity ent with the Division of Ware appropriated for (Check (b)	y, the requested maximum rate per can NOT be increased. Pleat of water are appropriate and revolute Resources' requirements.  (c) Recreational  (g) Stockwatering  (k) Hydraulic Dredging	e of diversion and maximum se be certain your requested easonable for your proposed  (d)   Water Power  (h)   Sediment Control

Code

5.	The loca	ation of the proposed wells, pump sites or other works for diversion of water is: (2) Pumpsites	
	a	For the application to be accepted, the point of diversion location must be described to at leas acre tract, unless you specifically request a 60 day period of time in which to locate the site was pecifically described, minimal legal quarter section of land.	
	(A) One	ne in the <u>SW</u> quarter of the <u>NW</u> quarter of the <u>NW</u> quarter of Section <u>25</u> , more particularly desc	cribed as
	beir	ing near a point <u>4160</u> feet North and <u>5120</u> feet West of the Southeast corner of said section, in	Γownship
	<u>5</u> S	South, Range 3W, Cloud County,	Kansas.
-	(B) One	ne in the <u>NW</u> quarter of the <u>SW</u> quarter of the <u>SW</u> quarter of Section <u>19,</u> more particularly desc	cribed as
	• •	ing near a point <u>2050</u> feet North and <u>4960</u> feet West of the Southeast corner of said section, in	
		South, Range <u>3W, Cloud</u> County,	•
	_		
		ne in the quarter of the quarter of the quarter of Section, more pa	-
		scribed as being near a point feet North and feet West of the Southeast corne	
	sec	ction, in Township South, Range East/West (circle one), County,	Kansas.
	(D) One	ne in the quarter of the quarter of the quarter of Section, more pa	articularly
	des	scribed as being near a point feet North and feet West of the Southeast corne	er of said
	sec	ction, in Township South, Range East/West (circle one), County,	Kansas.
	wells, ex	ource of supply is groundwater, a separate application shall be filed for each proposed well or except that a single application may include up to four wells within a circle with a quarter (¼) mile le local source of supply which do not exceed a maximum diversion rate of 20 gallons per minut	e radius ir
	four wells	y of wells is defined as two or more wells connected to a common pump by a manifold; or not materialls in the same local source of supply within a 300 foot radius circle which are being operated because a total maximum diversion rate of 800 gallons per minute and which supply water to a stion system.	y pumps
6.	The own	ner of the point of diversion, if other than the applicant is (please print):	•
	Applican	nt is the owner  (name, address and telephone number)	
	K and K	Land LLC W. Benson Keil 1912 Union RD Concordia, KS. 66901	
		(name, address and telephone number)	
	landowne	est provide evidence of legal access to, or control of, the point of diversion from the landown ner's authorized representative. Provide a copy of a recorded deed, lease, easement or other d s application. In lieu thereof, you may sign the following sworn statement:	er or the ocument
	lar	have legal access to, or control of, the point of diversion described in this application from to indowner or the landowner's authorized representative. I declare under penalty of perjury that to bregoing is true and correct.    (a	
	Failure to	olicant must provide the required information or signature irrespective of whether they are the lar to complete this portion of the application will cause it to be unacceptable for filing and the applicant to the applicant.	ndowner. cation will
7.	The prop	posed project for diversion of water will consist of Two pumps motors and pipe (number of wells, pumps or dams, etc.)	

8. The first actual application of water for the proposed beneficial use was or is estimated to be May 2018 (Mo/Day/Year)

(Month/Day/Year - each was or will be completed)

and 2 pits completed (by) March 2018

F-1043 15143	49916
riie ivo.	

9.	will pesticide, fertilizer, for other foreign substance be injected into the water pumped from the diversion works
	☐ Yes ☑ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☑ No
	If yes, show the Water Structures permit number here NA
	If no, explain here why a Water Structures permit is not required
	2 small pits for storage 25 ac-ft or less
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
-	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
, a,	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within 1/2 mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing

(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.

address of the property owner or owners. If there are no wells within ½ mile, please advise us.

- (d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
- (e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.

A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.

12. List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.

Overlapping Groundwater rights: 5788; 39813; 39932; 9889; 24336; 39384; 36570; 39952; 30287; and 44297 Corresponding application to change the place of use to make a complete overlap will be filed for the above water right file numbers at a later date. Please contact me regarding the additional applications when appropriate.

WATER RESOURCES RECEIVED

SEP 2 9 2017

				File INC	D
13.	Furnish the following well information if the pr has not been completed, give information ob				oundwater. If the well
	Information below is from: ☐ Test holes	□ Well	as completed	☐ Drillers	s log attached
	Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
	Date Drilled	NA			
	Total depth of well				
	Depth to water bearing formation			·	
	Depth to static water level				
	Depth to bottom of pump intake pipe	·			
14.	The relationship of the applicant to the owner (owner, tenant, agent or otherwise)	proposed p	olace where th	e water will	be used is that of
15.	The owner(s) of the property where the wate	er is used, if	other than the a	applicant, is (	(please print):
	Hazel E. Keil Trust (name, addr	ress and tele	ephone number	) Truspee	785-243-4
•	K and K. Land LLC W. Benson Keil; 1912 Ur (name, addr	nion RD Cor ress and tele	ncordia, KS. 669 ephone number	901	785-243-457
16.	The undersigned states that the information states application is submitted in good faith.	set forth abo	ve is true to the	best of his/h	er knowledge and that
	Dated at Concod, A, Kansas	s, this <u>26</u>	day of	Septem L.	, 2017 (year)

(Applicant Signature)

By W. Bom / W. men Ler (Agent or Officer Signature)

(Agent or Officer - Please Print)

49916

#### **FEE SCHEDULE**

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

te: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

#### MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

#### **ATTENTION**

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

#### **CONVERSION FACTORS**

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

SEP 2 9 2017

### IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No	. 4	199	10								
			Nar	ne of	Appli	cant (				l			W	. Ber	150n	Ke	:1	-	
1. F	Please lesign	supp ate th	ly the	e nam ial nu	e and mber	addr of ac	ess o	f each be in	n land rigated	lowne d in e	er, the	legal	l desc ere tra	riptio ct or	n of t	the la	nds to ortion	be in there	rrigated, and eof:
Land	owne	er of l	Recor	rd :	NAM	E: <u>K</u>	and K	Lanc	1 LLC										
				ADI	DRES	S: <u>19</u>	12 Uı	nion F	Road	Con	cordia	, Kan	sas 60	5901					
				NI	E¼			NV	₩¼			sv	V1/4	·		SI	E¼		
S 	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	ИW	sw	SE	NE	NW	sw	SE	TOTAL
_13	5	3w					35	29				37.5	31.5	21.5					154.5
19	5	2w					.5	27	36.5	16	14	7	39	40	2	23	40	20	265
23	5	3w											2		29.5			36	65.5
24	5	3w					32.5					38.5	38.5		3.5	14		10	137
Land	lowne	er of l	Recor	rd :	NAM	E: <u>K</u>	and K	Land	iLLC								**************************************		
				ADI	ORES	S: <u>19</u>	12 Uı	nion F	Road	Con	cordia	, Kan	sas 60	<u> 5901</u>					
				NI	E¼			N	N1/4			SV	V1/4			SI	E1/4		
S	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
25	5	3w	20	18			29.5	26.5											94
26	5	3w	30.5																30.5
30	5	2w					19	40											59
Land	owne	er of l	Recor	rd :	NAM	E:	H	azel	EK	(eil	Tru	st #	۱ , ۷	V. Be	/\50v	\ Ke	1.7	ruste	ie
				ADI	DRES	S:	1912	<u>Un</u>	ion	Road	۱ (	Conce	ordia	a, K	S	ا9 ما ما	)(	····	
			ı —	, n			I				ı				1			<del></del> 1	
S	T	R	NE	,	SW	SE	NE.		sw	SE	NF.	NW	V¼ SW	SE	NE.		SW	SE	TOTAL

2	т	a		N	E¼			N	W¼ -			sv	V1/4			SI	E¼		TOTAL
S	ı	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	IOIAL
13	5	3w			31.5	33.25			35.5	38.5									138.75
24	5	3₩						31	30.5	31.5	35.5			39.5			35.5		203.5
		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>								

WATER RESOURCES
RECEIVED

Page 1 of 3


49914

a.	Ind	licate th	e soils in the field(s) and the	neir intake rates:		
			Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
		-	Total:	100 %		
b.	Est	imate tl	ne average land slope in the	e field(s):	2%	
	Est	imate tl	ne maximum land slope in	the field(s):	4%	
c.	Тур	e of irr	igation system you propose	e to use (check one):		•
	<u>x</u>	C	enter pivot	Center pivo	ot - LEPA	"Big gun" sprinkle
		G	ravity system (furrows)	Gravity sys	stem (borders)	Sideroll sprinkler
	Oth	ier, plea	ase describe:			
d.	Sys	tem des	sign features:			
					•	
	i.	Desc	ribe how you will control to	ailwater: moisture p	robe	
	i. ii.		ribe how you will control to	ailwater: moisture p	robe	
			·			psi
		For s	prinkler systems:	ressure at the distribu	ution system:	psi
		For sp	prinkler systems: Estimate the operating p	ressure at the distribu	ntion system:gpm	-
		For s <sub>1</sub> (1) (2)	prinkler systems:  Estimate the operating p  What is the sprinkler pace	oressure at the distributh ckage design rate?eter (twice the distance	ition system:gpm  ce the sprinkler throw	-
		For s <sub>1</sub> (1) (2)	prinkler systems:  Estimate the operating p  What is the sprinkler pac  What is the wetted diam	oressure at the distribution of the distribution of the distant of	tion system:gpm  ce the sprinkler throw  feet	-
e.	ii.	For s (1) (2) (3) (4) p(s) you	prinkler systems:  Estimate the operating p  What is the sprinkler pac  What is the wetted diam  the outer 100 feet of the	ressure at the distributh of the distribution of the distance of the distance of the distance of the sprinkler package.	etion system:gpm  ce the sprinkler throw  feet  design information.	s water) of a sprinkler o

WATER RESOURCES RECEIVED You may attach any additional information you believe will assist in informing the Division of the need for your request.

WATER RESOURCES RECEIVED

SEP **2 9**<sub>a</sub>**20**17<sub>f 3</sub>



Universal Transcerse Mercolor (UTM) Projection Zone 14 Korth American Datum of 1983

 WATER RESOURCES RECEIVED SEP 2 9 2017

9-26-2017 (Date)

Kansas Department of Agriculture **Division of Water Resources** David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application

File No.

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above

referenced application.

State of Kansas

) ss County of (

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 26 day of 90, 20.

Notary Public

My Commission Expires: \2 \29 \2020

WATER RESOURCES RECEIVED

SEP 2 9 2017

DWR 1-100.171 (Revised 03/27/2008)

# MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

LANDOWNERS ALONG THE REPUBLICAN RIVER ½ MILE UP AND DOWNSTREAM OF THE PROPOSED POINTS OF DIVERSION:

Alsop Sand Co.

1959 Industrial Rd

Concordia, KS 66901

Jim Sjogren Trust

1346 Wagon Rd

Concordia, KS 66901

Jarold Hayden

1650 Union Rd

Concordia, KS 66901

**Mary Thoman** 

1639 Rust Rd K9 HWY

Concordia, KS 66901

**Judith Reedy** 

1907 N 200<sup>th</sup> Rd

Concordia, KS 66901

**George Fredrickson** 

1911 N 180<sup>th</sup> Rd

Concordia, KS 66901

Mary Ann Palmquist

1409 Crescent Lane

Concordia, KS 66901

WATER RESOURCES RECEIVED

SEP 2 9 2017

KS DEPT OF AGRICULTURE



1320 Research Park Drive Manhattan, Kansas 66502

Jackie McClaskey. Secretary

Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

October 3, 2017

K AND K LAND, LLC 1912 UNION RD CONCORDIA KS 66901

FILE COPY

RE: Application File No. 49916

Dear Sir or Madam:

Your application for permit to appropriate water in 25-5S-3W in Cloud County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, ... it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor Water Appropriation Program

BAT: dlw

pc: STOCKTON Field Office

GMD