NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

Water Resources
Received

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

MAR 26 2018

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

よこみの KS Dept Of Agriculture

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

1.	Name of Applicant (Please Print): Bestifor Farms
	Address: 1817 E Frontage RD PO Box 220
-	City: Belleville State KS Zip Code 66935
	Telephone Number: (785) 527-2450
2.	The source of water is: Surface water in Republican River
	(stream)
	OR groundwater in(drainage basin)
	Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.
3.	The maximum quantity of water desired is 44.4 acre-feet OR gallons per calendar year,
	to be diverted at a maximum rate of 1500 gallons per minute OR cubic feet per second.
	Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can <u>NOT</u> be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.
4.	The water is intended to be appropriated for (Check use intended):
٠.	(a) ☐ Artificial Recharge (b) ☐ Irrigation (c) ☐ Recreational (d) ☐ Water Power
	(e) Industrial (f) Municipal (g) Stockwatering (h) Sediment Control
	(i) Domestic (j) Dewatering (k) Hydraulic Dredging (l) Fire Protection
	(m) Thermal Exchange (n) Contamination Remediation
	YOU <u>MUST</u> COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.
or Offi :.O :ode _	ce Use Only: GMD

DWR 1-100 (Revised 02/12/2014)

4/2/2018 UM

5.	The location of the proposed wells, pump sites or other works for diversion of water is:								
	Note: For the application to be accepted, the point of diversion location must be described 10 acre tract, unless you specifically request a 60 day period of time in which to within a specifically described, minimal legal quarter section of land.								
	(A) One in the <u>NW</u> quarter of the <u>SW</u> quarter of the <u>SW</u> quarter of Section <u>24</u> , more partic	cularly described							
	as being near a point 791 feet North and 4663 feet West of the Southeast corner of	f said section, in							
	Township <u>02</u> South, Range <u>05</u> West, <u>Republic</u>	County, Kansas.							
	(B) One in the quarter of the quarter of the quarter of Section,	more particularly							
	described as being near a point feet North and feet West of the Southea	st corner of said							
	section, in Township South, Range East/West (circle one),	County, Kansas.							
	(C) One in the quarter of the quarter of the quarter of Section,	more particularly							
	described as being near a point feet North and feet West of the Southea	st corner of said							
	section, in Township South, Range East/West (circle one),	County, Kansas.							
	(D) One in the quarter of the quarter of the quarter of Section,	more particularly							
	described as being near a point feet North and feet West of the Southea	st corner of said							
	section, in Township South, Range East/West (circle one),	County, Kansas.							
	of wells, except that a single application may include up to four wells within a circle with a radius in the same local source of supply which do not exceed a maximum diversion rate minute per well. A battery of wells is defined as two or more wells connected to a common pump by a manithan four wells in the same local source of supply within a 300 foot radius circle which are because not to exceed a total maximum diversion rate of 800 gallons per minute and which scommon distribution system.	of 20 gallons per fold; or not more eing operated by							
6.	The owner of the point of diversion, if other than the applicant is (please print):	÷							
	(name, address and telephone number)								
	(name, address and telephone number)								
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:								
	I have legal access to, or control of, the point of diversion described in this applicatio landowner or the landowner's authorized representative. I declare under penalty of p the foregoing is true and correct.	erjury that							
	Executed on March 16th, 2018. Thouse Of Just Applicant's Signature								
	The applicant must provide the required information or signature irrespective of wheth landowner. Failure to complete this portion of the application will cause it to be unaccepta the application will be returned to the applicant.	er they are the							
7.	The proposed project for diversion of water will consist of 1 surface water diversion (number of wells, pumps or dan	ne atc)							
	and was completed (by) 2011	•							
	(Month/Day/Year - each was or will be completed)	eceived							

8. The first actual application of water for the proposed beneficial use was or is estimated to be 2018-2019 (Mo/Day/Year)

Water Resources Received

MAR 26 2018

KS Dept Of Agriculture

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	Yes No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources?
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
	
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	Will be overlapped with point of diversion for files 44,591 & 47,495. Will be metered separately at place of
	use.
	Water Resources

Received

13.	Furnish the following well in well has not been complete					groundwater.	If the				
	Information below is from:	☐ Test holes	☐ Well as	completed	☐ Drillers	log attached					
	Well location as shown in p	aragraph	(A)	(B)	(C)	(D)					
	Date Drilled	_				· · · · · · · · · · · · · · · · · · ·					
	Total depth of well	_									
	Depth to water bearing formation										
	Depth to static water level										
	Depth to bottom of pump in	take pipe									
14. 15.	The relationship of the appliowner (owner, tenant, agent or otherwis The owner(s) of the propert	ee)	·								
16.	The undersigned states tha	(name, addre		one number)	,	s/her knowledge	e and				
	that this application is subm	itted in good faith	1. this 1/thus	as M.	aa h	Oals	_				
<u>-</u>	(Applicant Signatu	su)	uay	OI	(month)	, <u>2-017)</u> (year	· ·				
<u>By</u>	(Agent or Officer Sign	ature)									
	(Agent or Officer - Pleas	se Print)	_								
			,								
Assiste	d by			j	Date:						
			(office	/title)	-						

Water Resources Received

IRRIGATION USE SUPPLEMENTAL SHEET

			Nar	ne of	Appli	icant	(Pleas	se Prir	nt): <u>B</u>	estifo	or Far	ms						_	
																		o be i	rrigated, and eof:
Land	lown	er of]	Recoi	rd :	NAM	E: <u>B</u> I	ESTIF	OR F	ARM	IS									
				ADI	DRES	SS: <u>18</u>	17 E	<u>FROI</u>	NTAC	JE R Į) PO	BOX	220	BELI	EVII	LLE F	ζS, 66	5935	 ,
			N	NE¼			N	W1/4		SW1/4			SE1/4						
S	T	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
25	02S	05W					37												37
						<u> </u>													
	l	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>	L	l	<u> </u>		<u> </u>		L
_						_													
Land	lown	er of l	Recoi	rd :	NAM	E:													
				ADI	DRES	SS:													
		,		N	E¼			NV	W1/4			77	V¹/4		l .	Si	SE¼		
S	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
-					_														
					<u> </u>	·		<u> </u>								<u> </u>			
Land	lowne	er of l	Recor	rd :	NAM	E:											•		
				ADI	DRES	SS:										 			
4				NI	E¼		<u> </u>	N	W¹⁄4			SV	V¹/4			SI	E¼		
S	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
									ļ										
•																			
	\vdash									_									
	L				L		L	L	L		<u>. </u>			L		L	l Ms	ter	Resources

DWR 1-100.23 (Revised 07/07/2000)

Received
MAR 26 2018

		ne soils in the field(s) and the Soil	Percent	Intake	Irrigation					
]	Name	of field (%)	Rate (in/hr)	Design Group					
			· .							
1.		Total:	100 %	0.7						
b.		he average land slope in the		%						
	Estimate the maximum land slope in the field(s):%									
c.	Type of irrigation system you propose to use (check one):									
	<u>, x</u>	Center pivot	Center piv	ot - LEPA	"Big gun" sprinkl					
		Gravity system (furrows)		` ′ =	Sideroll sprinkler					
		ease describe:								
d.	System de	esign features:								
	ii. For	sprinkler systems:								
	ii. For (1)	sprinkler systems: Estimate the operating p	pressure at the distrib	ution system:	psi					
					psi					
	(1)	Estimate the operating p	ckage design rate? _	gpm_						
	<u>(</u> 1)	Estimate the operating pure What is the sprinkler pa	ckage design rate? _	gpm gpm ce the sprinkler throw						
	<u>(</u> 1)	Estimate the operating p What is the sprinkler pa What is the wetted diam	ckage design rate? _ neter (twice the distant	gpm ce the sprinkler throw feet	vs water) of a sprinkler o					
e.	(1) (2) (3) (4)	Estimate the operating purchase What is the sprinkler particle What is the wetted diamethe outer 100 feet of the	ckage design rate? _ neter (twice the distant system? f the sprinkler packag	gpm ce the sprinkler throw feet design information.	vs water) of a sprinkler o					
e. f.	(1) (2) (3) (4) Crop(s) yo	Estimate the operating p What is the sprinkler pa What is the wetted diam the outer 100 feet of the Please include a copy of	ckage design rate? neter (twice the distant system? f the sprinkler package note any planned cro ne when to irrigate an	gpm ce the sprinkler throw feet design information. pp rotations:	vs water) of a sprinkler o					

MAR 26 2018

Water Resources
Received f2

3/16/2018 (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application

File No.

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas

) ss


(Print Applicant's Name)

County of Republic)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 16 day of 18.

AMA O LAMAL Notary Public

My Commission Expires:



Water Resources Received

MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

Water Resources Received

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

Water Resources Received

MAR 26 2018

KS Dept Of Agriculture

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE Manhattan, KS 66502 PHONE: (785) 564-6700 Fax: (785) 564-6777



900 SW Jackson, Room 456 TOPEKA, KS 66612 PHONE: (785) 296-3556 www.agriculture.ks.gov

April 2, 2018

BESTIFOR FARMS PO BOX 220 BELLEVILLE KS 66935

> **RE**: Application File No. 50021

Dear Sir or Madam:

Your application for permit to appropriate water in 24-2S-5W in Republic County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6637. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

Water Appropriation Program


BAT: dlw

STOCKTON Field Office pc:

GMD

5000

New Application - Surface Water



Signature Required

By signing this I am stating that to the best of my knowledge that all landowners within 1/2 mile upstream and downstream of my property are identified on this map or listed on an attachment to this map.

- ▲ Surface Water Point of Diversion
- Groundwater Point of Diversion

Water Resources
Proposed Place of Use

Landowners:

Judith Erkenbach Brian Rosene Kay Mikesell Brian Freeman Janet Wier Everett Johnson Trust

> Water Resources Received

> > MAR 26 2018

KS Dept Of Agriculture