NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number 50 25°/
This item to be completed by the Division of Water Resources.

Water Resources Received

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

KS Dept Of Agriculture

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,
1320 Research Park Drive, Manhattan, Kansas 66502:

Name of Applicant (Please Print): Dan Kuhn
Address: 304 Xavier Rd
City: Jamestown
State KS
Zip Code 66948

Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources.

3. The maximum quantity of water desired is <u>4.5</u> acre-feet OR _____ gallons per calendar year, to be diverted at a maximum rate of <u>90</u> gallons per minute OR _____ cubic feet per second.

Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can **NOT** be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements.

4.	The water is intended to be	appropriated for (Ch	eck use intended):	
	(a) Artificial Recharge	(b) ☐ Irrigation	(c) ☐ Recreational	(d) ☐ Water Power

(a) ☐ Artificial Recharge (b) ☐ Irrigation (c) ☐ Recreational (d) ☐ Water Power (e) ☐ Industrial (f) ☐ Municipal (g) ☐ Stockwatering (h) ☐ Sediment Control

(i) \square Domestic (j) \square Dewatering (k) \square Hydraulic Dredging (l) \square Fire Protection

(m) \square Thermal Exchange (n) \square Contamination Remediation

YOU <u>MUST</u> COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

For Office Use Only:
F.O. 3 GMD D Meets K.A.R. 5-3-1 (YES INO) Use IND Source GIS County RP By DAW S117 19
Code CEG Fee \$ 200 TR # Receipt Date 5/17/19 Check # 14938

		File No
5.	The	location of the proposed wells, pump sites or other works for diversion of water is:
	Note	For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the <u>SOUTHWEST</u> quarter of the <u>SOUTHWEST</u> quarter of Section <u>9</u> ,
		more particularly described as being near a point 314 feet North and 5,181 feet West of the Southeast
		corner of said section, in Township <u>3</u> South, Range <u>5</u> West, <u>Republic</u> County, Kansas.
	(B)	One in the quarter of the quarter of the, more particularly
	` ,	described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	the s A ba four not t	s, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well ttery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps o exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common libution system.
6.		owner of the point of diversion, if other than the applicant is (please print):
		iel R. & Kathryn Kuhn 304 Xavier Rd Jamestown, KS 66948-9212 785-614-1339
		(name, address and telephone number)
		(name, address and telephone number)
	land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner's authorized representative. I declare under penalty of perjury that the
		foregoing is true and correct. Executed on March 25, 20 M. Dank R. Kulyn Applicant's Signature
	Failu	applicant must provide the required information or signature irrespective of whether they are the landowner. Ire to complete this portion of the application will cause it to be unacceptable for filing and the application will eturned to the applicant.
7.	The	proposed project for diversion of water will consist of 1 well
	and	will be completed (by) 12/31/20 (number of wells, pumps or dams, etc.)
8.	The	(Month/Day/Year - each was or will be completed) first actual application of water for the proposed beneficial use was or is estimated to be 4/1/20
	(Mo/E	Water Resources
		Received

9.		•	tilizer, or other for	_	•	o the water pun	nped from the d	iversion works?
		Yes ⊠ No		k valve shall be	•			
	All	chemigation s	afety requiremen	its must be met	including a che	emigation perm	it and reporting	requirements.
10.	sut	bmitting the ap	ng to impound wa oplication. Pleas area above the r	e attach a rese				
		ve you also mater Resources	ade an applicatio s? Yes	on for a permit fo ⊠ No	or construction	of this dam an	d reservoir with	n the Division of
	•	If yes, show t	the Water Structu	ıres permit num	ber here N/A	·		
	•	If no, explain	here why a Wate	er Structures pe	rmit is not requ	ired N/A		
11.	sho sec	owing the follow ction, the section	must be supplem wing information. on lines or the second the following into the following in the following i	On the topogra	phic map, aeria	al photograph, d	or plat, identify t	he center of the
	(a)	works) shoul	of the proposed p d be plotted as o the East-West d	described in Pa	ragraph No. 5	of the applica	tion, showing t	r other diversion he North-South
	(b)	mile of the pro	tion is for groundy oposed well or we e property owner	ells. Identify eac	h existing well	as to its use an	d furnish the na	me and mailing
	(c)		ion is for surface eam from your pro			es of the landov	vner(s) ½ mile o	lownstream and
	(d)	The location of photograph of	of the proposed p or plat.	lace of use shou	ıld be shown by	/ crosshatching	on the topogra	phic map, aeria
	(e)		ation of the pipeling the place of use.	nes, canals, res	ervoirs or other	facilities for co	nveying water f	rom the point of
			U.S.G.S. topogr Kansas Geologid 47.					
12.	poi	nts or any of th	on, appropriation of a se same place of a s or water rights	use described in	this application	n. Also list any d	other recent mo	
	Re	questing 1.5 A	F/AC as the crop	s to be grown w	vill be specialty	crops (berries,	apples, etc.)	
	Wa	ater will be use	d for industrial pu	urposes in greer	nhouses and or	rchards.		
						w	ater Resour	ces
							Received	

KS Dept Of Agriculture

MAY 17 2019

File No. ____

INDUSTRIAL USE SUPPLEMENTAL SHEET

							Fi	le No	·										
			Nan	ne of	Appli	cant (Pleas	e Prin	t): <u>D</u>	an Kı	ıhn							-	
1. F	Please	descr	ibe ty	pe of	indus	stry o	r proc	luct p	roduc	ed: _	fre	its	·+1	lGL	Aa.	ble	24		
_									s	tanda	rd Inc	lustria	al Cla	(/ ssific	ation	Code	Num	ber:	
2. I	Please	comp	olete t	he fol	lowir	ıg tab	le to	show	your j	past a	nd pro	esent	water	requ	ireme	nts:			
		P.	AST :	PRO!	DUC'	ΓPR	ODU	CTIC	N AI	ND W	ATE	R DI	VER'	TED	, IF A	PPLI	CAB	LE	
LAS	Т 5 ҮЕ	EARS		AMO	UNT C)F.PR	DDUC	T	WA	克尔·维斯 ·哈尔	DIVEF	2 2 3	Carried Server	ONS)	G.	who will be not be	do .	A	DUCT PER
5 ye	ears ag	до																	
Las	t year																		
Pres	sent ye	ear							<u> </u>						<u> </u>				
3. I	Please	-				•			-						ATER	DIV	ERT]	ED	
3.4	XT 5 ARS		AMC	UNT (OF PR	ODUC	CT.		WA	经常常的证券	TO BE SALLO	I Do Call	RTED					R PROI	DUCT PER
Yea	ır 1								4	32	20,	ov	\mathcal{O}_{-}						
Yea	ır 2								4,	32	0.	00	0						
Yea	ır 3						· · · · ·			<u>,</u>			·/						
Yea	_					 				<u>, 1</u>			11						
Yea	ır 5							<u> </u>		7		Tri	7						
Num	ber of	days	of op	eratio	n of t	he in	dustry	per y	ear is	A	2 day	/S.							
	e attac										owing	g past,	, prese	ent ar	ıd esti	mateo	futu:	re wa	ter
t	Please below ractio	the S	ectior	ı (S),	Town	scrip ship	tion o (T), a	f the land Ra	ocation (on wh R), an	ere that the	ne wat numb	ter is to	to be acres	used. in ea	Shov ch for	v in the	ne spa re trac	ce provided et or
s	Т	R		NI	Ξ1/4			N	V1/4			sv	V¹⁄4	,		SI	E1/4		TOTAL
	1	1	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW,	SE	NE	NW	sw	SE	
9	3	5 W											4						24

You may attach any additional information you believe will assist in informing the Division water request.

Received

March 25, 2019 (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 109 SW 9th Street, 2nd Floor Topeka, Kansas 66612-1283

Re: Application File No. ______

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas

County of Republic

) ss

(Print Applicant's Name)

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this 25 day of March, 2019.

NOTARY PUBLIC - State of Kansas KATHRYN JOHNSON My Appt. Expires 1-29-21

Notary Public


My Commission Expires:

Water Resources Received

4	Information below is from:	☐ Test holes	□ We	ll as completed	☑ Drillers	log attached	
	Well location as shown in par	ragraph No.	(A)	(B)	(C)	(D)	
	Date Drilled						
	Total depth of well	_					
	Depth to water bearing forma	ation _					
	Depth to static water level						
	Depth to bottom of pump inta	ake pipe _					
14.	The relationship of the app	plicant to the	proposed	place where the	e water will	be used is	that of
	Owner (owner, tenant, agent or otherwise)) .					
15.	The owner(s) of the property	where the water	er is used,	if other than the a	pplicant, is (please print):	
	Daniel R. & Kathryn Kuhn 3	04 Xavier Rd	Jamestowi	n, KS 66948-921	2 785-614-	1339	
		(name, addi	ress and te	elephone number)			
				elephone number)			
16.	The undersigned states that t	(name, addi	ress and te	elephone number)		1,	nd that
16.	The undersigned states that this application is submitted in	(name, addi he information s n good faith.	ress and to	elephone number)	best of his/he	er knowledge a	
16.	The undersigned states that this application is submitted in Dated at	(name, addi he information s n good faith. , Kansas	ress and to	elephone number)	best of his/he	er knowledge a	
16.	The undersigned states that this application is submitted in	(name, adding the information of	ress and to	elephone number)	best of his/he	er knowledge a	
-	The undersigned states that this application is submitted in Dated at	(name, adding the information of	ress and to	elephone number)	best of his/he	er knowledge a	
-	The undersigned states that this application is submitted in Dated at	(name, adding the information son good faith, Kansas	ress and to	elephone number)	best of his/he	er knowledge a	
-	The undersigned states that this application is submitted in Dated at	(name, adding the information of	ress and to	elephone number)	best of his/he	er knowledge a	
<u></u>	The undersigned states that this application is submitted in Dated at	(name, adding the information of a good faith, Kansas	ress and to	elephone number)	best of his/he	er knowledge a	•

Water Resources Received

File No.



KS Dept Of Agriculture

Water Resources
Received
MAY 17 2019

	WATER							
LOCATION OF WATER WE	ELL: Fraction		orm WWC-5 Soct	KSA 82a on Number	Township M	suppl	Range Num	
owns: Republic	carest town or chy street ad		14 materials colonical	9	1 3	<u>s</u>	<u>ک a</u>	E(V)
IN CULAT		UP98S OF WEST IN LOCATED	MUNI CEYT					
WATER WELL CHANER	Dan VIIIN							
R#, St. Address, Box # ;	8+1 BOX 1924	_			Board of A	griculture. C	indsion of Weter	Resource
ay, State, ZIP Code :	ountland K	15			Application	Number:		
LOCATE WELL'S LOCATIO	ON WITH 4 DEPTH OF CO	MPLETED WELL	20	. h. ELEVA	TION:			
AN "X" IN SECTION BOX:		vator Encountered 1.						ft.
	WELL'S STATIC	WATER LEVEL L	3 R. be	low land su	face measured on	mo'dayiyi	4.13.99	
\w - \\	Pump	test data: Well water	was U.A K.	704m. R. 6	her	hours pur	rping /.5	gpm
/44 /4	Est. Viete 2.0	🖡 . gpm: Wat water						
	Soro Hole Diame	ter / 9 in. to .	. 2.0	, ,				
* !			Public water		8 Air conditioning		njoction well	
L	1 Domestic	3 Feedlot 9	Qui field was	or supply	9 Dewatering	12 1	Dener (Specify be	NOW)
[-7]7	2 irrigation	4 Industrial (7	Kewn and g	Briden only	10 Monitoring well			
<u> </u>		actoriological sample si	oC ot bettlered:					6 WBS 84
	mitted				ter We9 Disirriecte			
TYPE OF BLANK CASING		5 Wrought kon	8 Concre		CASING JOI		d	
	RMP (SA)	6 Asbestos-Cement	a Count (specify belo	•		ded	
1":35	ABSA. H	7 Fiberglass JIt. Dia		11-7	Ø . No	14900	in to	
anit casing diameter asing height above land sur		in, weight		Den Zu z a efec	tt. Wall thickness	or nauma N	.214	
IPE OF SCREEN OR PER		ma wednit	7 PVS			ostos-como		
	3 Stainless sleet	5 Féorglass		P (SR)				
	4 Galvonized steel	6 Concrete tile	9 ABS			e used top		
CREEN OR PERFORATION			d wrapped		8 Saw cut		11 None (open	holo)
1 Continuous stat	3 Mill stot	6 Wiro w	rapped		9 Drited holes			
2 Louward shutter	4 Key punched	7 Torch	cı.d		10 Other (seecify	A		
CREEN-PERFORATED INT								
ヘンプア・ムム ピレン・ハン・ピル けんり			<i>.</i> 60		m			
CHECKY CHICANIED IN	From	ft. to	<i>6</i> 0	fi., Fro	m	fl. 1)	h
GRAVEL PACK IM	From	2.57 ft. to	<i>6</i> 0	fl., Fro	m	fl. 1)	h
GRAVEL PACK IN	From From	2.57 ft. to ft. to ft. to	.70	fl., Fro fl., Fro fl., Fro	m	fl. 1)	ti
GRAVEL PACK INT	From From From Nost coment	2-5 ft. to ft. to ft. to 2 Coment grout	70	fl., Fro fl., Fro fl., Fro nito 4	m on OtherHe.l.4.	P/19		h h C. / 4 y.
GRAVEL PACK INT	From	2-5 ft. to ft. to ft. to 2 Coment grout	70	fi., Fro fi., Fro fi., Fro nito 4	m	1. 1 1. 1 1. 1 1. 1	0	h h C. / a. y.
GRAVEL PACK INT GROUT MATERIAL: rout briorvals: From that is the nearest source of	From	2.5	70	ft., Fro ft., Fro ft., Fro nito 4	on Other Hele. ti., From	6. 1 6. 1 72/19	t. to	h h C. / a. y.
GRAVEL PACK INTO GROUT MATERIAL: rout briorvals: From	From From From 1 Nont coment 0	ft. to ft. From 7 Pt privy	3 Barrior	ti, Fro	m	14 A 15 O	D	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: roru Inforvals: From hat is the nearest source of USegoc tank 2 Sewor times	From	ft. to. 2-5	3 Barrior	ti, Fronting 4 to Liver 10 Liver 12 Forti	m	14 A 15 O 16 O	D	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout Intervals: From hat is the nearest source of Septor tank 2 Sever innes 3 Wateropht sever line	From From From 1 Nont cement 0	ft. to	3 Barrior	10 Liver 12 Forti 13 Insert	m Other Heli-t. ti., From titock pens storage storage	14 A 15 O	D	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout Intervals: From has is the nearest source of Josepte tank 2 Sewer lines 2 Watereight sewer line rection from wes?	From	ft. to	3 Barrior	10 Liver 11 Fuel 12 Forti 13 Insee	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout Intervals: From hat is the nearest source of Usepbc tank 2 Sewor times 3 Watereght sewer line tection from well? FROM TO	From From 1 Nort cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INT GROUT MATERIAL: rout Intervals: From Septe Lank 2 Sewer lane 3 Watereght sewer line kecson from well? FROM. TO	From From 1 Nont cement 0 N possible contamination: 4 Lateral lines 5 Cess pool 3 6 Seepago pt LITHOLOGIC	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout briorvals: From has is the nestest source of Usepoc tank 2 Sewer lines 3 Watereght sewer line rection from wes? FROM TO U.S. To LIS S. 6 C.	FFORM FFORM I Nost cement O	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout Intorvals: From had is the nearest source of Useppte tank 2 Server times 3 Waterropht server line tection from wet? FROM TO 0 U.S. To 1.5 L. C. C.	From From 1 Notif cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout Intorvals: From had is the nearest source of Useppte tank 2 Server times 3 Waterropht server line tection from wet? FROM TO 0 U.S. To 1.5 L. C. C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout Intorvals: From had is the nearest source of Useppte tank 2 Server times 3 Waterropht server line tection from wet? FROM TO 0 U.S. To 1.5 L. C. C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout britonvals: From neal is the nearest source of Usepot tank 2 Server times 3 Watereght sever line tection from wet? FROM TO 0 U.S. Ta LIS. S.b. C.L.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout Intorvals: From had is the nearest source of Useppte tank 2 Server times 3 Waterropht server line tection from wet? FROM TO 0 U.S. To 1.5 L. C. C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout Intorvals: From had is the nearest source of Useppte tank 2 Server times 3 Waterropht server line tection from wet? FROM TO 0 U.S. To 1.5 L. C. C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout briorvals: From Prad is the nearest source of Usepot tank 2 Sewor times 3 Watereght sewer line flection from wa? FROM TO 0 U.S. Ta LIS. S.b. C.C. S.b. L.O. Q.C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout britonvals: From neal is the nearest source of Usepot tank 2 Server times 3 Watereght sever line tection from wet? FROM TO 0 U.S. Ta LIS. S.b. C.L.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout bridovals: From final is the nearest source of USopot tank 2 Sewor times 3 Watereght sever line Westion from wet? FROM TO D US To LIS SEC.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	C. fa. y.
GRAVEL PACK INTO GROUT MATERIAL: rout briorvals: From Prad is the nearest source of Usepot tank 2 Sewor times 3 Watereght sewer line flection from wa? FROM TO 0 U.S. Ta LIS. S.b. C.C. S.b. L.O. Q.C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout briorvals: From Prad is the nearest source of Usepot tank 2 Sewor times 3 Watereght sewer line flection from wa? FROM TO 0 U.S. Ta LIS. S.b. C.C. S.b. L.O. Q.C.	TERVALS: From From 1 Noat cement 0	ft. to	3 Bonton t. t.	ti, Fronting 4 10 Uver 11 Fuel 12 Forti	m Other Mell-t. fi. From took pens storage storage storage any tool?	14 A 15 O	b	h 6. / 4. y. h
GRAVEL PACK INTO GROUT MATERIAL: rout britonvals: From hall is the nearest source of Septoc tank 2 Sewer lanes 3 Waterspitt sower line Weedon from well? FROM TO U.S. J. C.L J.S. J. C.L J.J. J. C.L J.J. J. J. C.L J.J. J.	FFORM FFORM I Nost cement O 1 Nost cement O 1 Lo 26 4 Lateral times 5 Cess pool 3 Seesago pt LITHOLOGIC A V. J. O. T. O. F. Chile	2.5	3 Berrion h. 1	fi, Fre iii, Fre iiii iii ii	m	14 A 15 O 16 O	D. D	
GRAVEL PACK INT GROUT MATERIAL: rout briovals: From had is the nearest source of Septo tank 2 Sewer bres 3 Watereght sewer line vector from wet? FROM TO 1 U.S. To 1 U.S. To 1 U.S. To 2 S. J. C. J. 5 J. J. O. S. CONTRACTOR'S OR LA	FROM FROM I Noti Cement O I. to O possible contaminasion: 4 Lateral lines 5 Cess pool 3 6 Seepago pit LITHOLOGIC O A J. W. J. O. T. O. F. Ch. J. C. J. Ch. J. C. J. MDOWNER'S CERTIFICATI	7. to 1. to 2.5 1. to 1. 1. to 1. to 1. to 1. to 1. to 1. to 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	3 Bernton 3 Bernton 60 FROM	fi, Fre fi, Fre fi, Fre fi, Fre fi, Fre fi, Fre fi fi fi fre fre fi fre fre fi fre fi fre	m	14 Al 15 O 18 O	D. D	
GRAVEL PACK INT GROUT MATERIAL: rout briovals: From had is the nearest source of Septo tank 2 Sewer bres 3 Watereght sewer line vector from wet? FROM TO 1 U.S. To 1 U.S. To 1 U.S. To 2 S. J. C. J. 5 J. J. O. S. CONTRACTOR'S OR LA	FROM FROM I Noti Cement O I. to O possible contaminasion: 4 Lateral lines 5 Cess pool 3 6 Seepago pit LITHOLOGIC O A J. W. J. O. T. O. F. Ch. J. C. J. Ch. J. C. J. MDOWNER'S CERTIFICATI	7. to 1. to 2.5 1. to 1. 1. to 1. to 1. to 1. to 1. to 1. to 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	3 Bernton 3 Bernton 60 FROM	fi, Fre fi, Fre fi, Fre fi, Fre fi, Fre fi, Fre fi fi fi fre fre fi fre fre fi fre fi fre	m	14 Al 15 O 18 O	D. D	
GRAVEL PACK INT GROUT MATERIAL: irout Intervals: From indus in the nearest source of Josepha tank 2 Sewer lines 3 Wateright sewer line weezion from wed? FROM TO U.S. L.J. C.L. S.L. C.L. S.L. C.L. G. G. T.O. CONTRACTOR'S OR LA completed on (mo'day/year) Vator Weet Contractor's Lice	TERIVALS: From From 1 Notif coment 0	ft. to 2.5 ft. to 2.5 ft. to 2 Compril grouf ft. From 7 Pst prhy 8 Sowago lago 9 Feedyard LOG 7 / // / / / / / / / / / / / / / / / /	3 Bernton 1 FROM	fi, From the first	m	14 Al 15 O 18 O	D. D	
GRAVEL PACK INT GROUT MATERIAL: rout briovals: From had is the nearest source of Septe tank 2 Sewer bres 3 Watereght sewer line vector from weil? FROM TO 0 US To 1.15 S.6 C.0 6.4 7.0 S.	TERIVALS: From From 1 Notif coment 0	7. to 2.5	3 Bernton 3 Bernton 1 FROM FROM 1 FRO	fi, Fre file file file file file file file fil	onatructed, or (3) or distruction or (modays)	14 Al 15 O 18 O O O O O O O O O O O O O O O O O	D. D	n and was of Kansaa

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

May 28, 2019

DAN KUHN 304 XAVIER RD JAMESTOWN, KS 66948

RE:

Application, File No. 50257

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

Water Appropriation Program