Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF Tookton Field Office of Water Resort USE AND/OR THE POINT OF DIVERSION

STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	ile No	20,71	2										
1. <i>F</i>	Applicat	ion is h	ereby	made f	or app				gineer	to cha	nge the	e (ched	ck one	or both	1):				
						□ P	lace of	Use		\boxtimes F	oint of	Divers	ion						
· L	under th	ne wate	r right	which i	s the s	ubject	of this	applica	ation in	accord	dance v	vith the	condi	ions d	escribe	ed belo	W.		
٦	The sou	rce of	supply	is:		⊠G	round	vater			Surface	water							
	Name a																		
	1476 W																		
	Phone N																		
	Name a									SELL									
	1476 W																		
	Phone N							E	Email a	ddress	::								
	The pre																		
(Owner o	of Land								o la district									
				ESS:								<u>647-96</u>	32						
(1	If there i	s more	than on	e landov	vner, at	tach su	ppleme	ntal she	ets as i	necessa	ıry.)								
	-	0			-1/												-14		TOTAL
	-	-	NEL		E1/4	051/	NEW		V¼	051/	NIE1/		V1/4	051/	NEW		=1/4	051/	TOTAL
Sec.		Range	INE/4	NVV¼			NE/4	NW1/4			NE¼			SE¼	NE¼	NW¼	SVV/4	SE¼	ACRES
18	25	21W			23	30			22	5	36	22	4	10					152 0
						É													0
	1										1								
	nana.																		
. 11	f this ar	policatio	on is fo	r a cha	nae in	place o	of use	it is pr	oposed	that th	ne plac	e of us	e be ch	nangeo	to.				
	f this ap				-	•			oposed	d that th	ne plac	e of us	e be ch	nanged	d to:				
	f this ap		N	AME:	JANET	T M SE	LL TR	NO 1								HANGI	F LIPD.	ATE O	MNFR)
C	Owner o	of Land	N ADDR	AME: ESS:	JANET 1476 V	ΓM SE N GRA	LL TR NITE F	NO 1 RD LO	NG IS	LAND,	KS 67		e be ch			HANGI	E UPD	ATE O	WNER)
C		of Land	N ADDR	AME: ESS: e landov	<u>JANE</u> <u>1476 V</u> wner, at	ΓM SE N GRA	LL TR NITE F	NO 1 RD LO	NG IS	LAND,	KS 67	647-96	32					ATE O	
(1	Owner o	of Land	ADDR	AME: ESS: e landov NE	<u>JANE</u> 1476 V wner, at ⊡⁄₄	Γ M SE N GRA	LL TR NITE F	NO 1 RD LO ntal she	NG IS ets as r	LAND,	KS 67	647-96 SV	32 V¼		(NO C	SE	Ξ1∕4	: .	TOTAL
C	Owner o	of Land	ADDR	AME: ESS: e landov	<u>JANE</u> 1476 V wner, at ⊡⁄₄	ΓM SE N GRA	LL TR NITE F	NO 1 RD LO	NG IS ets as r	LAND,	KS 67	647-96 SV	32		(NO C		Ξ1∕4	ATE O'	TOTAL
(I Sec.	Owner of there in the control of the	of Land s more t Range	ADDR	AME: ESS: e landov NE	JANE 1476 V wner, at 51/4 SW1/4	Γ M SE N GRA tach su SE1/4	LL TR NITE F	NO 1 RD LO ntal she	NG IS ets as r V¼ SW¼	LAND, necessa SE¼	KS 67(17).)	647-96 SV	32 V¼ SW¼	SE1/4	(NO C	SE	Ξ1∕4	: .	TOTAL

5.	Presently authorized point of diversion:									
	One in the Quarter of the		Quarter of the	LOT 2 SW	Quarter					
	of Section, Township	2	South, Range	21	W,					
	in NORTON County, Kansas, 2180 fee	et North	4290 feet West o	f Southeast corner of	f section.					
	Authorized Rate 280 GPM Authorized Quantity	4 AF	Depth of well	(feet)						
	(DWR use only: Computer ID No. 1 GPS		feet North	feet West)						
	☐ This point will not be changed ☐ This point will be changed as follows: ☐ No change, point better described with GPS as follows:									
	Proposed point of diversion: (Complete only if change is	requeste	d or if existing point i	s better described	by GPS)					
	One in the Quarter of the		Quarter of the		Quarter					
	of Section, Township		South, Range	eW,						
	in County, Kansas, fee	et North _	feet West o	f Southeast corner of	section.					
	Proposed Rate Proposed Quantity Proposed well depth (feet)									
	This point is: Additional Well Geo Center List other	water righ	ts that will use this poir	nt						
_										
6.	Presently authorized point of diversion:									
	One in the Quarter of the		Quarter of the	LOT 2 SW	Quarter					
	of Section, Township	2	South, Range	21	_ gaartoi					
	in NORTON County, Kansas, 2190 fee	et North	4820 feet West o	f Southeast corner of	section					
	Authorized Rate 90 GPM Authorized Quantity	28 AF	Depth of well	(feet)						
	(DWR use only: Computer ID No. 5 GPS		feet North	feet West)						
	☐This point will not be changed ☑This point will be changed as	follows:	No change, point better	described with GPS as	follows:					
	Proposed point of diversion: (Complete only if change is									
	One in the Quarter of the									
	of Section 18 , Township	2	South Range	21	_ Quarter					
	in NORTON County, Kansas, 2750 fee	t North	3600 feet West of	f Southeast corner of	section					
	Proposed Rate 90 GPM Proposed Quantity	28 AF	Proposed well dent	h (faat)	Section.					
	This point is: Additional Well Geo Center List other	water righ	ts that will use this noir	nt (1661)	· · ·					
		water right	to that will doe the poil							
7.	the stranges treatment and addition the following roughly;									
	(please be specific) WELL GONE BAD, MOVE BACK									
	TO CASING AT PREVIOUS AUTHORIZED LOCATION	300 FT		100 200	300 Tu					
		E	' <u> </u>		Ē					
8.	If a well, is the test hole log attached? Yes No	E	<u>E</u>		1					
		200	-1 + 1 + 1 =	. + + -	200					
9.	The change(s) (was)(will be) completed by?	E	-		4					
	12/31/23	100	-1 + 1 + 1 =	. + + -	100					
40		- E			1					
10.	. If the point of diversion is a well:	E	. T . T . I		1					
	(a) What are you going to do with the old well?	West 0	rdina matan matan 🛣		+亅 0 East					
	PLUG, CAP OR RETAIN AS DOMESTIC	E	=		-					
		100	-1 + 1 + 1 =	. + + -	100					
	(b) When will this be done? <u>UPON COMPLETION</u>	E		, , , , , , ,	1					
		F	-		1					
11.	Groundwater Management District recommendation attached?	200	· 十 十 - =	1+1+1-	200					
	☐ Yes ☐ No	E	=		4					
12.	Assisted by M BILLINGER	E.	<u> </u>		급					
	HEILENTOLIT	300	200 100 0 Sout	100 200	300					
13a.	a. If the proposed point of diversion will be relocated more than 300	401 1611								
	feet but within 2,640 feet of the existing point of diversion, attach 1 a topographic map or aerial photograph. For groundwater	of the	existing point of diversion	on will be relocated <u>wit</u> sion_indicate_its_loca	hin 300 feet					
	sources, show all wells (including domestic) within one-half mile	diagra	m shown above in re	elation to the existin	g point of					
	of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the		ion. (PLEASE NOTE: represents the pr							
	names and addresses of the landowner(s) one-half mile	divers		esently authorized	point of					
	downstream and one-half mile upstream from your property lines		DESE	/ Form two						
			RECEI							

RECEIVED 14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application? ield Office Division of Water Resources ☐ Yes (If no, all owners must sign this application.) (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application.) (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety? ☐ Yes П No (If no, all owners must sign this application.) If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation). I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete. Dated at Kansas, this day of 20 (Spouse) (Owner) (Spouse) (Please Print) (Please Print) (Owner) (Spouse) (Please Print) (Please Print) State of Kansas NANCY HAGEMAN SS My Appointment Expires September 27, 2025 the foregoing applica sworn to before me this My Commission Expires 9-27-2095

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: Kansas Department of Agriculture

(1)	Application to change a point of diversion 300 feet or less	\$100
(2)	Application to change a point of diversion more than 300 feet	\$200
	• " "	\$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, *et seq.* and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 20,712 A change application was received on requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use.

Applicable

Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 300 foot radius of the authorized point(s) of diversion.

Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. ☐ Applicable ☒ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than _____authorized point(s) of diversion. ☐ Applicable ☒ Not Applicable 5. __ feet from the previously As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13.

Applicable

Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2021, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year.


Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 2023, or within any authorized extension of time. By March 1, 2024 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☒ Applicable ☒ Not Applicable 11. Additional Conditions are attached. ☐ Yes ⊠ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. Administrative Appeal and Effective Date of Order FOR OFFICE USE ONLY **APPLICATION APPROVED AND** If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief SUMMARY ORDER ISSUED Engineer or request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 6502. Failure to timely request a horring or review must By: _ Duly Authorized Designee of the Chief Engineer (Print Name): Division of Water Resources - Kansas Department of Agriculture Date of Issuance: __ **66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act. State of Kansas) SS For Use by Register of Deeds County of Acknowledged before me on _____ Signature: ____ Notary Public My commission expires: _____ (Notary Seal) RECEIVED DWR 1-121 (Revised 04/5/2018)

DF(Page 6 2022

File No. 20,712

RECEIVED

CHANGE APPLICATION POINT OF DIVERSION



- Proposed Point of Diversion
- Authorized Point of Diversion



- Surface Water Point of Diversion
- Groundwater Point of Diversion

1:24,000

Signature Required

By signing this I am stating that to the best of my knowledge that all wells within 1/2 mile of proposed well location are identified on this map.