Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area.

Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE**

POINT OF DIVERSION

Stockton Field Of Division of Water Resources

STATE OF KANSAS

h#13138 \$ 800.00

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 2,839 1. Application is hereby made for approval of the Chief Engineer to change the (check one or both): Place of Use Point of Diversion	below.	A EST	
Place of Use ☐ Point of Diversion under the water right which is the subject of this application in accordance with the conditions described by The source of supply is: ☐ Groundwater ☐ Surface water 2. Name and address of Applicant: John C Short 300 E Kansas Street, Assaria KS 67416 Phone Number: (785)822-7007 ☐ Email address: jcshort359@gmail.com Name and address of Water Use Correspondent: Same as above	below.		
under the water right which is the subject of this application in accordance with the conditions described to the source of supply is: Groundwater Surface water 2. Name and address of Applicant: John C Short 300 E Kansas Street, Assaria KS 67416 Phone Number: (785)822-7007 Email address: jcshort359@gmail.com Name and address of Water Use Correspondent: Same as above	below.	4 Ed.	
The source of supply is: Groundwater Surface water 2. Name and address of Applicant: John C Short 300 E Kansas Street, Assaria KS 67416 Phone Number: (785)822-7007 Email address: jcshort359@gmail.com Name and address of Water Use Correspondent: Same as above	below.	y ,	
Name and address of Applicant: <u>John C Short</u> 300 E Kansas Street, Assaria KS 67416 Phone Number: (785)822-7007			
300 E Kansas Street, Assaria KS 67416 Phone Number: (785)822-7007 Email address: jcshort359@gmail.com Name and address of Water Use Correspondent: Same as above			
Phone Number: (785)822-7007 Email address: jcshort359@gmail.com Name and address of Water Use Correspondent: Same as above			
Name and address of Water Use Correspondent: Same as above			1.2134.25
Phone Number: () Email address:			
Phone Number: () Email address:			
3. The presently authorized place of use is:			
Owner of Land NAME: John C. Short Trust & Lisa K. Short Trust		_	
ADDRESS: 300 E Kansas Street, Assaria, KS 67416			
(If there is more than one landowner, attach supplemental sheets as necessary.)	18 g = 1		
NE¼ NW¼ SW¼ SE	SE¼		
Sec. Twp. Range NE½ NW½ SW½ SE½ NE½ NW½ SW½ SE½ NE½ NE½ NW½ SE½ NE½ NW½ SW½ SE½ NE½ NW½	SW1/4	SE1/4	ACRES
6 16 2w L-1 L-1 L-1 40 16	10	31	209
If this application is for a change in place of use, it is proposed that the place of use be changed to: Owner of Land NAME: <u>John C. Short Trust & Lisa K. Short Trust</u>			ear ^{so} g 7 (t
ADDRESS: 300 E Kansas Street, Assaria, KS 67416	- 4 X	1 1 10 10 1	The in the
(If there is more than one landowner, attach supplemental sheets as necessary.)			
	E¼ T		TOTAL ACRES
Sec. Twp. Range NE½ NW¼ SW½ SE½ NE½ NW¼ SW½ SE½ NE½ NW¼ L-1 L-1 L-1 L-1 L-1 L-1 L-2 L-2 L-1 L-1 NW¼	SW¼	SE¼	
6 16 2w 37 13 5 29 40 24 10 20 27.5 40	29	8	278
10 20 110 20 21.0 40	2.		- 1/ 1-1
10 20 10 21 10 20 21 10			

5.	Presently authorized point of diversion:				
٠	One in the Lot 1 (S2 NE) Quarter of the		Quarter of the		Quarter
	of Section6 , Township	16	South, Range	2	(W),
l	in Saline County, Kansas, 3900 f	eet North _	1460 feet West of	Southeast corne	r of section.
	Authorized Rate 1,130 gpm Authorized Quantity				
	(DWR use only: Computer ID No. 1 GPS		feet North	feet We	st)
l	☐This point will not be changed ☐This point will be changed a	as follows: [☐ No change, point better o	lescribed with GPS	S as follows:
l	Proposed point of diversion: (Complete only if change	is requeste	ed or if existing point is	better describe	ed by GPS)
	One in the Quarter of the				
ĺ	of Section5, Township	16	South, Range	2	(W),
	in <u>Saline</u> County, Kansas, <u>1890</u> f				
	Proposed Rate1,130 gpm Proposed Quantity				·
L	This point is: Additional Well Geo Center List other	er water righ	nts that will use this point	SA-37; 3063	
_					
6.	Presently authorized point of diversion:				
	One in the Quarter of the		Quarter of the		Quarter
	of Section, Township		South, Range		(E/W),
	in County, Kansas, f				
	Authorized Rate Authorized Quantity		Depth of well	(fee	t)
	(DWR use only: Computer ID No GPS		feet North	feet We	st)
	☐This point will not be changed ☐This point will be changed a				
	Proposed point of diversion: (Complete only if change i				
	One in the Quarter of the	NW	Quarter of the	SW	Quarter
	of Section5, Township				
	in <u>Saline</u> County, Kansas, <u>1890</u> f				
	Proposed Rate 1,130 gpm (0add) Proposed Quantity 10				•
L	This point is: Additional Well Geo Center List other	er water righ	nts that will use this point	SA-37; 3063	•
7.	The changes herein are desired for the following reasons? (please be specific) Complete overlap in PU w/ SA-37;		N		
	3,063; 37,091 & 38,545 & in PD w/ Files SA-37 & 3,063;	300	North 200 100 0	100 200	300
		E			7777
					=
8.	If a well, is the test hole log attached? Yes No	200	-1 + 1 + 1 =	1 + 1 +	-= 200
9.	The change(s) (was)(will be) completed by?	E			=
0.		100	-+++==	1 1 1 1	1 = 100
	On approval	100	- Votes	1 + 1 +	100
10.	If the point of diversion is a well:		The state of the s		
	(a) What are you going to do with the old well?	West 0	#4000 000 000 000 000 \ 0		।।।।। 0 East
	(a) That are you going to be made one from				=
	<u>n/a</u>	100 E	-1 + 1 + 1 =		1 = 100
	(b) When will this be done?	100		1 + 1 +	100
			-		=
11.	Groundwater Management District recommendation attached?	200	-1 + 1 + 1 =	1 + 1 +	1 - 200
	☐ Yes No	E	<u> </u>		=======================================
	A LA LA ULA MENDO OTIATO	Ė	<u></u>		EL
12.	Assisted by jkb MB MOD STK FO	300		100 200	300

13a.If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half like to the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of the existing point of diversion will be relocated within 300 feet of of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines

diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. 2,839 MAKE ADDITIONAL COPIES AS NECESSARY

3. <i>C</i> O	ontinue wner of	Land -	NA	ntly au AME: ESS:		ed plac	e of u	se is:											
				NE	Ξ1/4			NW¼			SW1/4			SE1/4				TOTAL	
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW¼	SE1/4	NE¼	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	ACRES


0	wner o	Land -	N/	·——· \ME:					-						<u> </u>	<u> </u>			
		/	ADDR	ESS:															
				NE	Ξ1/4			NW¼			SW¼			SE¼				TOTAL	
Sec.	Twp.	Range	NF1/4	F	SW1/4	SE¼	NE¼	· · · · · · · · · · · · · · · · · · ·	SW1/4	SE1/4	NE1/4	I	SW1/4	SE1/4	NE1/4	T	SW¼	SE1/4	ACRES
	тир.	riange		1111111	0.177	02/1	7,12,7	******	0/4	02/4		111774	911,74	02/4	112,1				
															ļ				
				<u> </u>	<u> </u>		<u> </u>	<u> </u>							<u> </u>				
0	wner o	f Land -	NA	AME:															
					-1/		Ī		A H /				A H /		<u> </u>		71/		
				T	=1/4	<u> </u>		Γ	√ /₄				SW¼			T	=1/4	т	TOTAL ACRES
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW¼	SE¼	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	
								<u> </u>	ļ		ļ								
			:																
	ontinue wner o	f Land -	N	AME:	<u>Marsh</u>	all D 8	Kathl	een A	Family	Trust			the pla	ace of	use be	chan	ged to	•	·····
·		ADDRESS: 7431 Cameron Dr. Larkspur, CO 80118-8605																	
				NI	Ξ¼ Τ			N\	№ 4			SV	√ 1/4	1		SI	Ξ¼ Τ	T	TOTAL ACRES
Sec.	Twp.	Range	NE¼	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE¼	NE¼	NW¼	SW ¹ / ₄	SE¼	NE1/4	NW1/4	SW1/4	SE1/4	ACKES
5	16	2w			3					8.5	40	13	8	36		32	24.5		165
<u> </u>																			***************************************
0	wner o			AME: ESS:		ı	L		1	<u> </u>	<u> </u>								
				MI	E1⁄4		I	NIA	N1/4			91	N ¹ / ₄			S	Ξ1/4		TOTAL
Coo	Tues	Dange	NIE1/	T	T T	CE1/	NIE1/	NW1/4	T	CE1/	NE1/	T	SW1/4	SE1/4	ME1/	NW1/4	I	CE1/	ACRES
Sec.	rwp.	Range	INE 74	INVV/4	SW1/4	SE/4	NE 74	1977/4	3VV/4	SE1/4	INE 74	1477/4	377/4	SE /4	INE /4	1477/4	377/4	SE 74	
				-		 	}	-	 	ļ		 	-					-	
							<u> </u>												
																<u> </u>			
0	wner o	f Land -	NA ADDR	AME: ESS:															
*				·							1								
Sec.	Two.	Range	NE1/4	T	E¼ SW¼	SE1/4	NE¼		N1/4 SW1/4	SE¼	NE1/4	I Total	<i>N</i> 1/4 SW1/4	SE¼	NE¼	T	E¼ SW¼	SE1/4	TOTAL ACRES
	· - · F ·	3-		1				1			1					T	<u> </u>		
											 		<u> </u>			 	<u> </u>	†	
			U				L			L	J	L	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>	L

14. If the proposed gro	oundwater point of diversion is 300 or fewer fe	eet from the existing point of diversion, complete the following:	
` ' — .	ersigned represent all owners of the currently No (If no, all owners must sign this a	authorized place(s) of use identified in this application? application.)	
affected if this	rship interest of any owner of the currently a application is approved as requested? No (If yes, all owners must sign this	uthorized place(s) of use identified in this application be adve- application.)	ersely
	ion is not approved expeditiously, will there be ☐ No (If no, all owners must sign this a	e substantial damage to property, public health or safety? application.)	
or a change in place of		ion, a groundwater change in point of diversion greater than 30 vners of the currently authorized place of use, or their duly auth	
age and the owner, their behalf, in rega	the spouse of the owner, or a duly au	ffirmation and under penalty of perjury, that I am of thorized agent of the owner(s) to make this application application pertains. I further verify that the stateste.	on on
Dated at	-st Bank , Kansas,	this 4th day of may, 20 2	2
Jehn C	(Owner)	Loca K Short (Spouse)	<u> </u>
John	C. Short	Lisa K Short	
	(Please Print)	(Please Print)	1
	(Owner)	(Spouse)	10
	(Please Print)	(Please Print)	3
	(Owner)	(Spouse)	
' <u>a da da</u>	(Please Print)	(Please Print)	
State of Kansas County of McPlesse	ss	TREVOR J. WHITTAKER Notary Public - State of Kansas My Appt. Expires 2/3/26	
of Mey certify the	at the foregoing application was signed, 20	in my presence and sworn to before me this 4	_ day
My Commission Expire	s 2/23/26	Notary Public	- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
	os, if necessary, must be included; signatures of all	te, all of the applicable portions of the application form must be comple the appropriate owners' must be affixed to the application and notarize	
	FEE SCH	<u>HEDULE</u>	
forth in the schedule be (1) Application (2) Application	elow: Make checks payable to: Kansas Dep n to change a point of diversion 300 feet or les n to change a point of diversion more than 300	under this section shall be accompanied by the application feet artment of Agriculture ss	0

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	s Summary Order is issued under authority of K.S.A. 82a-70 visions of the <i>Kansas Water Appropriation Law, K.S.A. 82a</i> - h the exception of those conditions expressly contained herein tations of File No. <u>2,839</u> .	701 et. seg., and rules and regulations	promulaated thereunder.
1.	A change application was received on diversion authorized under the above-referenced file numbers.	requesting that the plac ber be changed as described in the appli	e of use and / or point of ication.
2.	On and after the effective date of this summary order, the aut the topographic map accompanying the application to cha	thorized place(s) of use shall be located ange the place of use.	substantially as shown on ☐ Not Applicable
3.	The change in point of diversion shall not impair existing right previously authorized. The point of diversion authorized be radius of the authorized point(s) of diversion. ☒ Applicab	by this summary order shall be located w	ce or sources of water as ithin a <u>300</u> foot
4.	The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application	ely corrected to be more accurately de	scribed using the Global
5.	The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion. ☐ Applicable ☒ N	be located more than ot Applicable	_ feet from the previously
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a wor other device suitable for making water level measureme K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable	vell with a diversion rate of 100 gallons p onts shall be installed, operated and main	er minute or more, a tube tained in accordance with
7.	The owner of the authorized place(s) of use shall proper December 31, 2021, or before the first use of water, which and maintained in accordance with K.A.R. 5-1-4 through 5-3-5e, the owner shall maintain records and report the real annually to the Chief Engineer by March 1 following the er Applicable ☐ Not Applicable	ever occurs first. The water flow meter sl 5-1-12. As required by K.S.A. 82a-732, ding of the water flow meter and the total	nall be installed, operated as amended, and K.A.R.
8.	Installation of the works for diversion of water shall be authorized extension of time. By March 1, 2022 the applie for diversion has been completed, on the form provided by ⊠ Applicable ☐ Not Applicable	cant shall notify the Chief Engineer that	construction of the works
9.	The completed well log shall be submitted with the requi	ired notice. ☐ Applicable	ot Applicable
10.	All diversion works into which any type of chemical or other f with an in-line, automatic, quick-closing check valve capal check valve(s) shall be installed, operated and maintained	ble of preventing pollution of the source	of the water supply. The
11.	Additional Conditions are attached.		
12.	In accordance with K.S.A. 82a-708a, as amended, and K.A water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sum Appropriation Law and the Rules and Regulations promuresult in civil penalties pursuant to K.S.A. 82a-737, as amwater or appropriation right or any other enforcement actions.	per are responsible for compliance with nmary Order, and with applicable provisi ilgated thereunder. Failure to comply w lended, and/or the suspension or revoca	its terms, conditions and ons of the <i>Kansas Water</i> ith these provisions may
4	Administrative Appeal and Effective Date of Order	FOR OFFICE USE O	
lf vo	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPRO	
you Eng Agr filed adn day	may request an evidentiary hearing before the Chief ineer or request administrative review by the Secretary of culture. A request for hearing by the Chief Engineer must be within 15 days of service of this Order and a request for hinistrative review by the Secretary must be filed within 30 s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527.	By:	he Chief Engineer
File Lea	any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance:	
665	02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	State of Kansas)
pred	For Use by Register of Deeds	County of) SS
	, ,	Acknowledged before me on)
		by	
		Signature:Notary	/ Public
		My commission expires:	(Notary Seal)

Application for Change in Place of Use and Point of Diversion Vested Right SA-37 & File No. 2,839 DWR - Stockton Field Office



- + Section Corners
- ▲ Authorized P/D, SA-37 & 2,839
- Proposed P/Ds, SA-37 & 2,839

Authorized P/U

Proposed P/U

Signature indicates names and addresses of all landowners within 1/2 mile upstream and 1/2 mile downstream of property lines are shown.

Signature Required

5-4-22

Date

W E

1:24,000

Date: 3/15/2021