Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr DWR FIELD OFFICE 3.58

APPLICATION FOR APPROVALY 0 6 2022

TO CHANGE THE PLACE OF

USE AND/OR THE Division of Water Resources

POINT OF DIVERSION

STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

						F	ile No	50,22	24										
1. A	pplicatio	oplication is hereby made for approval of the Chief Engineer to change the (check one or both):																	
	☐ Place of Use ☐ Point of Diversion																		
	under the water right which is the subject of this application in accordance with the conditions described below.																		
							round		ation			ce wate		ididoni	0 4000	nood k			
'	he sour	ce or st	ibbiy is	5.			Touriu	water		Ш	Suriac	e walt	31						
2. N	lame and address of Applicant: Larry & Carol Lingo Revocable Trust																		
	2117 S																		
P	hone N	umber:	(785)	785)493-2730 Email address: anbegnoche@yahoo.com															
1	lame an	d addre	ss of Water Use Correspondent: Larry & Carol Lingo Revocable Trust																
1	2117 S	4th Stre	et Je	nks, O	K 740	37													
F	Phone No	umber:	<u>(785)</u>	493-27	730				Email	addres	ss: <u>an</u>	<u>begno</u>	che@y	<u>/ahoo.</u>	com				
3. T	he pres	ently a	uthoriz	ed pla	ce of u	se is:													
C	Owner of																		
			ADDRE																
(1	If there is	more th	an one	landov	vner, at	tach su	ppleme	ntal sh	eets as	neces	sary.)				1			П	
			NE1/4		T		NW¼				SW¼		SE¼			TOTAL			
Sec.	Twp.	Range	NE1/4	NW¼		SE1/4	NE1/4	NW¼	SW¼	SE1/4	NE1/4	NW¼	SW¼	SE¼	NE1/4	NW¼		SE1/4	
36	6S	2W	40	_40	40	40	-				-				40	40	40	40	320
							-				ļ								
-																L			
						-1	- <b>.</b>	14 !		41 4	المصال	6		ahan	aad ta				
	f this app Owner of				-	•			ropose	eu mai	trie pia	ace or	use be	Chan	geu io	•			
	Jwilei Oi		ADDRI						and an							, e e			
	If there is																		
		there is more than one landowner, attach supplemental sheets as necessary.)  NE½ NW½ SW½ SE½								TOTAL									
Sec.	Twp.	Range	NE¼	NW1/4	T	SE1/4	NE1/4			SE1/4	NE¼	Γ	SW1/4	SE1/	NE1/4		T	SE1/4	ACRES
360.	TWP.	Range	INE 74	1999/4	30074	SL/4	INL /4	1997/4	OVV /4	OL/4	INL/4	144474	011/4	OL/4	14274	14474	01174	JE74	
					<del>                                     </del>							<del>                                     </del>						$\Box$	
					-							<u> </u>						$\vdash \vdash$	
			<u> </u>			<u> </u>	<u> </u>						l	15 - 15	JL			لنبيبا	
					-										-				
F	or Offic	e Use	Only:	Code	_	Fe	e \$		_ TR	#		Re	ceipt	Date_			Chec	k#	

1	Presently authorized point of diversion:				
1	One in the Southeast Quarter of the No	rthwest	Quarter of the	e <u>Northeas</u>	st Quarter
	of Section, Township	6	South, Range	e2	W,
	in Cloud County, Kansas, 4,250 fee	et North	1,771 feet We	st of Southeast c	orner of section.
	Authorized Rate 1,500 gpm Authorized Quantity 4				
	(DWR use only: Computer ID No. 1 GPS	3,924	feet North	1,361 fee	t West)
	☐This point will not be changed ☐This point will be changed as	follows:	No change, point b	etter described with	h GPS as follows:
	Proposed point of diversion: (Complete only if change is	requested	or if existing po	int is better desc	cribed by GPS)
	One in the Quarter of the Near t	the Center	of the	Northeas	st Quarter
	One in the Quarter of the Near of Section 36, Township	6	South Range	e 2	W.
	in Cloud County, Kansas, 3,924 fee	at North	1 361 feet We	est of Southeast c	orner of section
1	Proposed Rate 1,500 gpm Proposed Quantity 4	400 AF	Proposed well	denth (feet)	n/a
	This point is: Additional Well Geo Center List other				
L	This point is.   Additional Well   Geo Center List other	water right	5 triat will use triis	point <u>ivone.</u>	·
г	Description of the selection of the series				
6.	Presently authorized point of diversion:		Overden of the	_	Quarter
	One in the Quarter of the		Quarter of the	e	Quarter
	of Section, Township		South, Range	e	VV,
-	in County, Kansas, fee				
	Authorized Rate Authorized Quantity		Depth of well _	-1	_(feet)
	(DWR use only: Computer ID No GPS		feet North	fee	t West)
	☐This point will not be changed ☐This point will be changed as				
	Proposed point of diversion: (Complete only if change is				
	One in the Quarter of the		Quarter of th	e	Quarter
	of Section, Township				
	in County, Kansas, fee				
	Proposed Rate Proposed Quantity				
- 1	This point is: Additional Well Geo Center List other	water right	s that will use this	point	
_					
7.	The changes herein are desired for the following reasons?				
	(please be specific) Moving to actual location.	300	200 100	North 0 100	200 300
8.	If a well, is the test hole log attached?  Yes No	<u>Б</u> п	200 100 	$\frac{1}{1}$	притриц
0.	if a well, is the test hole log attached! Thes My No	<b>—</b>			
9.		E	<u> </u>	<u> </u>	_ ' =
J.	The change(s) (was)(will be) completed by?	200	<u> </u>		
J.	The change(s) (was)(will be) completed by?	200	· · · · · · · · · · · · · · · · · · ·	= + 1	+ 1 = 200
J.	The change(s) (was)(will be) completed by?  already complete.	200	 - + + + + + 		+ 1 = 200
		200	 - +   +   		+ 1 = 200
	already complete.  If the point of diversion is a well:	100	· · · · · · · · · · · · · · · · · · ·		+ 1 = 200
	already complete.	100	   +   +	= - = 1 + 1 = -	+   = 200 +   = 100 - = 1
	already complete.  If the point of diversion is a well:	100		= - = 1 + 1 = -	+   = 200 +   = 100 - = 1
	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a	100	   +   +	= - = 1 + 1 = -	+   = 200 +   = 100 - = 1
	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?	100	   +   +	= - = 1 + 1 = -	+   - 200 - 100 - 100 - 100
10.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a	100	   +   +	= - = 1 + 1 = -	+   = 200 +   = 100 - = 1
10.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?	100	   +   +	= - = 1 + 1 = -	+   - 200 - 100 - 100 - 100
10.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a	100	   +   +	= - = 1 + 1 = -	+   - 200 - 100 - 100 - 100
10.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  Yes No	100	   +   +	= - = 1 + 1 = -	+   - 200 - 100 - 100 - 100 - 100 - 100 - 100
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  ☐ Yes ☑ No  Assisted by DLM STKFO	100			+   - 200 - 100 - 100
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  ☐ Yes ☑ No  Assisted by DLM STKFO  a. If the proposed point of diversion will be relocated more than 300	100	   +   +		+   - 200 - 100 - 100
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  ☐ Yes ☑ No  Assisted by DLM STKFO  a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater	100			+   - 200 - 100 - 100
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  Yes No  Assisted by DLM STKFO  a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile	100 West 0 HH  100 200 300		=	+   - 200 +   - 100 - 100 - 100 - 100 - 100 - 200 - 200 300 - 100 - 10
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  Yes No  Assisted by DLM STKFO  a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing	100 West 0 HH  100 September 200 September 2		=	+   - 200  +   - 100  - 100  +   - 100  - 200  - 200  - 200  - 300  - 4   - 200  - 300  - 4   - 200  - 300  - 4   - 300  - 5   - 300  - 6   - 300  - 6   - 300  - 7   - 300  -
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  ☐ Yes ☐ No  Assisted by DLM STKFO  a.If the proposed point of diversion will be relocated more than 300 feet but within 2.640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile	West 0 HH  100 L  200 L  300  13b.If the pof the diagrad divers		The "X" in	+   - 200  +   - 100  -
10. 11.	already complete.  If the point of diversion is a well:  (a) What are you going to do with the old well?  n/a  (b) When will this be done? n/a  Groundwater Management District recommendation attached?  ☐ Yes ☑ No  Assisted by DLM STKFO  a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the	West 0 HH  100 L  200 L  300  13b.If the pof the diagrad divers		The "X" in	+   - 200 +   - 100 - 100 - 100 - 100 - 100 - 200 - 200 300 - 100 - 10

RECEIVED

MAY. 0 6 2022

File No. 50,224

14. If the proposed groundwater point of divers			
<ul><li>(a) Does the undersigned represent all ow</li><li>× Yes ☐ No (If no, all ow</li></ul>	ners of the currently authorized purners must sign this application.)		cation?
(b) Will the ownership interest of any owr affected if this application is approved ☐ Yes ☑ No (If yes, all o	ner of the currently authorized pl as requested? owners must sign this application.		cation be adversely
(c) If this application is not approved expe	ditiously, will there be substantia	I damage to property, public health	or safety?
	wners must sign this application.)		greater than 200 fact
If the application proposes a surface water char or a change in place of use, the application musagent (attach notarized statement authorizing re-	st be signed by all owners of the	currently authorized place of use, or	their duly authorized
I hereby verify, being first duly sworn up age and the owner, the spouse of the owner behalf, in regards to the water right contained in this application are true, contained at	vner, or a duly authorized a ht(s) to which this applicati	gent of the owner(s) to make t on pertains. I further verify th	his application on
Nicola Bagnola. To	ristee		
Nicole Bagnole, Ti	rustee	(Spouse)	
Nicola Bognacia, Tra	45700	(Please Print)	
(Owner)		(Spouse)	
(Please Print)		(Please Print)	
(Owner)		(Spouse)	
(Please Print)		(Please Print)	
State of Kaneas OK  County of Tulsa			2
I hereby certify that the foregoing applied of	ication w#8990616d in my pr	esence and sworn to before m	e this <u>J</u> day
My Commission Expires 7-24-25	OF OKLANILI	Notary Public	
ONLY COMPLETE APPLICATIONS WILL BE PROC accurate information; maps, if necessary, must be inc the appropriate fee must be paid.	ESSED. To be complete, all of the a cluded; signatures of all the appropria	applicable portions of the application formate owners' must be affixed to the application	n must be completed with ation and notarized; and
	FEE SCHEDULE		
Each application to change the place of use or forth in the schedule below: Make checks paya (1) Application to change a point of di (2) Application to change a point of di (3) Application to change the place of	able to: Kansas Department of version 300 feet or less version more than 300 feet	Agriculture	\$100 \$200
		RECEIVED	
DWR 1-121 (Revised 04/5/2018)	Page 3	1444 0 0	File No. 50,224

MAY. 0 6 2022

RECEIVED

## SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS


This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq., and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and Division of Water Resources limitations of File No. 50,224 requesting that the place of use and / or point of A change application was received on diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. ☐ Applicable ☐ Not Applicable The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a \_\_\_\_\_\_ foot radius of the authorized point(s) of diversion. 

Applicable Not Applicable The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. 

Applicable 
Not Applicable The point(s) of diversion authorized herein shall not actually be located more than \_ authorized point(s) of diversion. ☐ Applicable ☐ Not Applicable feet from the previously As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. ☐ Applicable ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20\_\_\_\_\_, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. ☐ Applicable ☐ Not Applicable 8. Installation of the works for diversion of water shall be completed on or before December 31, 20\_\_\_\_\_, or within any authorized extension of time. By March 1, 20\_\_\_\_\_ the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. ☐ Applicable ☐ Not Applicable 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. ☐ Applicable ☐ Not Applicable 11. Additional Conditions are attached. ☐ Yes ☐ No 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the Kansas Water Appropriation Law and the Rules and Regulations promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for **SUMMARY ORDER ISSUED** Duly Authorized Designee of the Chief Engineer administrative review by the Secretary must be filed within **30** days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. (Print Name): Division of Water Resources - Kansas Department of Agriculture File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS Date of Issuance: \_ 66502. Failure to timely request a hearing or review may State of Kansas preclude review under the Kansas Judicial Review Act. SS For Use by Register of Deeds County of Acknowledged before me on \_\_\_\_\_ Signature: \_\_\_\_\_ **Notary Public** My commission expires: \_\_\_ (Notary Seal)

## RECEIVED

## Application to Change the Point of Diversion For Appropriation of Water File No. 50,224



- Presently Authorized Point of Diversion
- Proposed Point(s) of Diversion

1:24,000

WWC5's **Domestic Wells** 

1/2 mile radius

By signing this I am stating that to the best of my knowledge that all wells within 1/2 mile of proposed well location are identified on this map.

Signature Required

