NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



WATER RESOURCES RECEIVED

NOV 0 2 3007 \$W Jackson, Room 456 11:13 Topeka, KS 66612 KS DEPT OF AGRICULTURE 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

50904 File Number	
item to be completed by the Division of Water Resources	

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

This

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

1.	Name of Applicant (Please	Print): Tyler Pet	erson			
	Address: 1567 N. 110th R	RD				
	City: Minneapolis			State KS	Zip Code <u>67467</u>	
	Telephone Number: (785) 201-2561		_		
2.	The source of water is:	☐ surface wa	ter in	(strea	am)	
	OR	□ groundwate	er in <u>Solomon Ri</u>			
	when water is released fro	om storage for us e date we receiv	e by water assura e your applicatior	blished by law or ma	ay be subject to administrations. If your application is subject appropriate form to comple	ct
3.	The maximum quantity of	water desired is	<u>180</u> acr	e-feet OR	gallons per calendar yea	ır,
	to be diverted at a maxim	um rate of 800	gallons	per minute OR	cubic feet per secon	d.
	requested quantity of water	er under that prion and maximum	rity number can <u>N</u> quantity of water	OT be increased. Plare appropriate and	ate of diversion and maximu ease be certain your requeste reasonable for your propose ts.	ed
4.	The water is intended to b	e appropriated	Or (Check use inter	ded):		
	(a) ☐ Artificial Recharge	(b) ⊠ Irrigati	on (c) [☐ Recreational	(d) ☐ Water Power	
	(e) ☐ Industrial	(f) Munic	pal (g) [☐ Stockwatering	(h) ☐ Sediment Contro	ıl
	(i) Domestic	(j) ☐ Dewat	ering (k) [☐ Hydraulic Dredgin	g (I) ☐ Fire Protection	
	(m) Thermal Exchange	(n) 🗆 Conta	mination Remedia	ation		
	YOU <u>MUST</u> COMPLETE AND A SUBSTANTIATE YOUR REQUI				M(S) PROVIDING INFORMATION TREFERENCED ABOVE.	⁻ O
O	ice Use Only: GMD Meets K.A.R. RF2	5-3-1 (YES / NO) Fee \$ 300	IRR Use So TR #	urce G/S County _ Receipt Date \\	OT By ALB Date 2/22 Check # 1598	/2/22
				- /	1	

File No		

- 5. The location of the proposed wells, pump sites or other works for diversion of water is:
 - For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
 - *One in the NORTHWEST quarter of the NORTHWEST quarter of the SOUTHEAST quarter of Section 20, more particularly described as being near a point 2170 feet North and 2065 feet West of the Southeast corner of said section, in Township 9 South, Range 3 West, Ottawa County, Kansas. *GEO-CENTER
 - (B) One in the NORTHWEST quarter of the NORTHWEST quarter of the SOUTHEAST quarter of Section 20, more particularly described as being near a point 2470 feet North and 2065 feet West of the Southeast corner of said section, in Township 9 South, Range 3 West, Ottawa County, Kansas. *Batt. 1 of 4 wells.
 - (C) One in the SOUTHWEST quarter of the NORTHWEST quarter of the SOUTHEAST quarter of Section 20, more particularly described as being near a point 1870 feet North and 2065 feet West of the Southeast corner of said section, in Township 9 South, Range 3 West, Ottawa County, Kansas.*Batt. 1 of 4 wells.
 - (D) One in the NORTHEAST quarter of the NORTHWEST quarter of the SOUTHEAST quarter of Section 20, more particularly described as being near a point 2170 feet North and 1765 feet West of the Southeast corner of said section, in Township 9 South, Range 3 West, Ottawa County, Kansas. *Batt. 1 of 4 wells.
 - (E) One in the NORTHWEST quarter of the NORTHWEST quarter of the SOUTHEAST quarter of Section 20, more particularly described as being near a point 2170 feet North and 2365 feet West of the Southeast corner of said section, in Township 9 South, Range 3 West, Ottawa County, Kansas. *Batt. 1 of 4 wells.

If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (1/4) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well.

A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.

6. The owner of the point of diversion, if other than the applicant is (please print):

Tandis M. Peterson Trust #1 133 S. Country Estates Dr. Salina, KS 67401 785-822-1961 (name, address and telephone number)

(name, address and telephone number)

You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:

I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.

Executed on October Applicant's Signature

The applicant must provide the required information or signature irrespective of whether they are the landowner. Failure to complete this portion of the application will cause it to be unacceptable for filing and the application will be returned to the applicant.

The proposed project for diversion of water will consist of <u>a battery of 4 wells</u> (number of wells, pumps or dams, etc.) 7. and will be completed (by) 12/31/24 (Month/Day/Year - each was or will be completed)

The first actual application of water for the proposed beneficial use was or is estimated to be 5/1/24 8. **ER RESOUR** RECEIVED

9.		pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works? Yes X No If "yes", a check valve shall be required.
		••
	All	chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	sub	ou are planning to impound water, please contact the Division of Water Resources for assistance, prior to mitting the application. Please attach a reservoir area capacity table and inform us of the total acres of face drainage area above the reservoir.
		ve you also made an application for a permit for construction of this dam and reservoir with the Division of ter Resources? ☐ Yes ☒ No
	•	If yes, show the Water Structures permit number here n/a
	•	If no, explain here why a Water Structures permit is not required n/a
11.	sho	e application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat bying the following information. On the topographic map, aerial photograph, or plat, identify the center of the stion, the section lines or the section corners and show the appropriate section, township and range numbers. so, please show the following information:
	(a)	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b)	If the application is for groundwater, please show the location of any existing water wells of any kind within $\frac{1}{2}$ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within $\frac{1}{2}$ mile, please advise us.
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.
	(d)	The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	poi	t any application, appropriation of water, water right, or vested right file number that covers the same diversion nts or any of the same place of use described in this application. Also list any other recent modifications de to existing permits or water rights in conjunction with the filing of this application.
	No	ne. Applicant requests a waiver of K.A.R. 5-4-4(c)(1)(A). Applicant would agree to installing an obs well
	and	d monitoring equipment if required to ensure no impairment will occur.
		WATER RESOURCES
		RECEIVED

File No.

NOV 02 2022

KS DEPT OF AGRICULTURE

13.	Furnish the following well inf has not been completed, give					undwater. If the well
	Information below is from:	X Test holes	☐ Well a	s completed	☑ Drillers I	og attached
	Well location as shown in pa	aragraph	(A)	(B)	(C)	(D)
	No.		Hicha			
	Date Drilled	*	4/10/10			
	Total depth of well		260ft			e ab and the same
	Depth to water bearing form	ation				
	Depth to static water level	_	53ft			
	Depth to bottom of pump int	ake pipe				
14.	The relationship of the ap		proposed p	ace where the	e water will	be used is that of
15.	The owner(s) of the property	y where the wate	r is used, if	other than the a	pplicant, is (p	olease print):
	Tandis M. Peterson Trust #	1 133 S. Country	Estates Dr	Salina, KS 6	7401 785-822	2-1961
		(name, addre	ess and tele	phone number		
		(name, addre	ess and tele	phone number)	waterment of the second	
16.	The undersigned states that this application is submitted		et forth abov	ve is true to the	pest of his/her	knowledge and that
	Dated at Minneapolis	, Kansas	this 31	day of Oct	ober	2022
	Dated at	, ransas	, 1113	day or	(month)	(year)
-	Tyl D Akt	re)	_			
<u>B</u>	(Agent or Officer Sign	ature)				
-	(Agent or Officer - Pleas	se Print)	_			
Assist	ed by <u>DLM</u>	<u>E</u>	CRS II	ffice/title)	Date: <u>10</u>	0/27/22
			(0			

WATER RESOURCES RECEIVED

File No. _____

A grade process

in the lines of the H

The state of the s

The Control of the American Strategies of the Second Control of the Second Seco

The second promotors of the second to be the second to the

the State Option to the Character of the State of the Sta

Depth And the second SSA \$

4/18/22 21.5 24

Weight Start 1 Bout 1 Em 1 DL 1

The first bullet of the second properties as to be set and made button and provide the second of the second properties at the second provides and the second provides are second provides are second provides and the second provides are second provides are second provides are second provides and the second provides are seco

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250 More than 250	\$200.00 \$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.


CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES RECEIVED

New Application File No _____



Proposed Point of Diversion - Batt. of 4 wells

1:24,000

Proposed Place of Use

1/2 mile radius

Signature Required

By signing this I am stating that to the best of my knowledge that all wells within 1/2 mile of the proposed well location are identified on this map. WATER RESOURCES

RECEIVED

Photogram, a meste in the property of the prop

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No											
			Nan	ne of	Appli	cant (Pleas	e Prin	nt): <u>T</u>	yler I	eters	on						-	
1. I	Please lesign	supp ate th	ly the	e nam ial nu	e and	addr of ac	ress or	f each	land	lowned in e	er, the	legal orty ac	desc ere tra	riptio ct or	n of t	the la	nds to	be ir	rigated, and of:
Land	lowne	r of I	Recor	d 1	NAM	E: <u>Ta</u>	ndis I	M. Pe	tersor	Trus	st #1								
				ADI	ORES	S: <u>13</u>	3 S. C	Count	ry Est	ates I	Or. Sa	alina,	KS 6	7401					
				NE	E1/4			NV	V1/4			SV	V 1/4			SI	E1/4		
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
20	9 S	3 W													34	39.5	39	26	138.5
Land	lowne	er of I	Recor	d 1	NAM	E:													
				ADI	ORES	S:													
S	Т	R	NE¹/4			NW¹/4			SW ¹ / ₄			SE¹/4			TOTAL				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
													_	_					
								_											
-																			
Land	lowne	r of I	Recor	d 1	NAM	E:												<u> </u>	
				ADI	ORES	S:												*	
S	Т	R		NE	E1/4			NV	V1/4			sv	V ¹ / ₄			SE	E1/4		TOTAL
	1	K	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL

WATER RESOURCES RECEIVED Page 1 of 2

a.	Indicate the soils in the field(s)	and their intake rates:		
	Soil	Percent	Intake	Irrigation
	Name	of field (%)	Rate (in/hr)	Design Group
1	Crete Silt Loan	91.5%	(111/111)	Group
(Crete Silty Clay Lourn	6.9%		
U	ancaster Loum	.8%	****	
C	neary Silt Loam	.8%		
	Total:	100 %		
b. 1	Estimate the average land slope	e in the field(s):	%	
	Estimate the maximum land ale	one in the field(e).	%	
	Estimate the maximum land slo	ope in the field(s).		
c.	Type of irrigation system you p	propose to use (check one):		
	_X Center pivot	Center piv	ot - LEPA	"Big gun" sprinkler
	Gravity system (furro	ws) Gravity sy	stem (borders)	Sideroll sprinkler
33	Other, please describe:			
d.	System design features:			
3	i. Describe how you will co			
	i. Describe how you will co	ontion tanwater.		
]	ii. For sprinkler systems:			
1		rating pressure at the distrib	ution system: 40)psi
1	(1) Estimate the oper	rating pressure at the distrib		psi
1	(1) Estimate the oper (2) What is the sprint		800 gpm	F
1	(1) Estimate the oper(2) What is the sprinl(3) What is the wette	kler package design rate? _	gpm gpm	F
1	 Estimate the oper What is the sprint What is the wette the outer 100 feet 	kler package design rate? _ d diameter (twice the distar	gpm gpm gce the sprinkler throw	F
е. ((1) Estimate the oper (2) What is the sprinl (3) What is the wette the outer 100 feet (4) Please include a c Crop(s) you intend to irrigate.	kler package design rate? _ d diameter (twice the distar t of the system? copy of the sprinkler package	gpm gpm get the sprinkler throw feet ge design information. pp rotations:	rs water) of a sprinkler on
е. (Estimate the oper What is the sprint What is the wette the outer 100 feet Please include a contraction 	kler package design rate? _ d diameter (twice the distar t of the system? copy of the sprinkler package	gpm gpm get the sprinkler throw feet ge design information. pp rotations:	rs water) of a sprinkler on
е. ((1) Estimate the oper (2) What is the sprinl (3) What is the wette the outer 100 feet (4) Please include a c Crop(s) you intend to irrigate.	kler package design rate? _ d diameter (twice the distar t of the system? copy of the sprinkler package	gpm gpm get the sprinkler throw feet ge design information. pp rotations:	rs water) of a sprinkler on
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the c	d diameter (twice the distart of the system? copy of the sprinkler package Please note any planned cre Libert Alfal.	gpm ace the sprinkler throw feet ge design information. pp rotations:	rs water) of a sprinkler on
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the c	d diameter (twice the distart of the system? copy of the sprinkler package Please note any planned cre Likeat Alfal.	gpm ace the sprinkler throw feet ge design information. pp rotations:	rs water) of a sprinkler on
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the composition of t	d diameter (twice the distart of the system? copy of the sprinkler package Please note any planned cre Cheat Alfalt determine when to irrigate as full irrigation).	gpm ace the sprinkler throw feet ge design information. pp rotations: Grain Sorg and how much water to	apply (particularly
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the composition of t	d diameter (twice the distant of the system? copy of the sprinkler package Please note any planned cre Libert Alfali determine when to irrigate an full irrigation).	gpm ace the sprinkler throw feet ge design information. pp rotations: Grain Sorg and how much water to	apply (particularly
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the composition of t	d diameter (twice the distant of the system? copy of the sprinkler package Please note any planned cre Libert Alfali determine when to irrigate an full irrigation).	gpm ace the sprinkler throw feet ge design information. pp rotations: Grain Sorg and how much water to	apply (particularly
e. ((1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the content of	d diameter (twice the distant of the system? copy of the sprinkler package Please note any planned creater A/Fa/fall determine when to irrigate an full irrigation).	gpm ace the sprinkler throw feet ge design information. pp rotations: Scain Sociation and how much water to	s water) of a sprinkler on hum apply (particularly chedulize monits stage and ET rai
f. j	(1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the content of	d diameter (twice the distant of the system? copy of the sprinkler package Please note any planned cre Cheat Alfalt determine when to irrigate an full irrigation). istant fooder will assist in	gpm ace the sprinkler throw feet ge design information. pp rotations: Grain Sorg and how much water to grain sorg and how much water to a direction sorg a direct	apply (particularly cheduling monits Stage and ET rais on of the need for your WATER RESOURCES
f. j	(1) Estimate the oper (2) What is the sprint (3) What is the wette the outer 100 feet (4) Please include a composition of the content of	d diameter (twice the distant of the system? copy of the sprinkler package Please note any planned cre Cheat Alfalt determine when to irrigate an full irrigation). istant fooder will assist in	gpm ace the sprinkler throw feet ge design information. pp rotations: Grain Sorg and how much water to grain sorg and how much water to a direction sorg a direct	s water) of a sprinkler on hum apply (particularly chedulize monitor Stage and ET raise

DRILLER'S TEST LOG

Customer Name: Tyler Perterson												2022
Address		Ottown	0	C.F.	Castiani	20	1	Tavashia		Test No:	#1-	_
County:		Ottawa	Quarter:	SE	Section:	20	<u> </u>	Township:)	Range:	3
Drilled From	To		Description of	Strata			Indicate Te	st Location by	an X	998-9	en e	
0	3	Top soi										•
3	5	Gray cla	ay									
5	8	Brown	clay									
8	10	Yellow	gray shale									
10	21	Tan stic	ky clay									
21	22	Sand ro	ock - ironated									
22	28	Yellow	gray shale - fire c	lay								
28	31	Dark gr	ay shale							×		
31	35	Light gr	ray shale			ļ						
35	40	Fire cla	У									
40	42	Sand ro	ock									
42	45	Gray sh	nale				1	į				
45	54	Fire cla	у			Static V	Vater Leve	el:	53		Ft	
54	58	Flat tar	rock (hard)			Remark	(S:	iki king promovenskih promovenske promovenske promovenske promovenske promovenske promovenske promovenske promo				
58	64	Sand ro	ock - tan coarse						بينت ينته يليت	چېروندېندندندورد		-
64	66	Gray sh	nale									,
66	75	Gray sh	nale, flat rock, iro	n pyrite								
75	99	Sand ro	ock, gray shale 70	/30		Garmin	GPS: NA	D 83				
99	105	Sand ro	ock - tan coarse			Latitud	e: 39.253	87 N		-		
105	113	Gray sh	nale			Longitu	ide: 97.67	7450 W				
113	118	Sand ro	ock - tan coarse		No.	Elevation	on:	1				
118	120	Gray sh	nale						-			
120	130	Sand ro	ock, gray shale 50	0/50							et finalismissi del servicio e como fin	
130	130.5	Flat roo	ck, iron pyrite									
130.5	150	Sand ro	ock w/ gray shale	70/30								
150	218	Sand ro	ock - tan soft clea	n		Driller:	Luis Luna					
218	238	Gray sh				_	-	W/ SE/ NW/				· ·
National Control of the Control			DOCENIC	DANITZ	DENNICE	MADILIC	ENT CO	INC MAIN			OFC	

ROSENCRANTZ-BEMIS EQUIPMENT CO., INC
Telephone (620) 792-2488 or (620) 793-5512
WATER RESOURCES
RECEIVED

P.O. Box 713, Great Bend, KS 67530

DRILLER'S TEST LOG


Custome	er Name	: <u>T</u>	yler Perte	rson (cont)	*****			un en un marti (di trupa en il ulum	Provident such Anglique and a limited and a such a second		Date:	4/15/	
Address	-	Ottou		0 - 1	CE	· · ·		10			Test No:	#1-	
County:		Ottaw	/a	Quarter:	SE	_ Section:	2	20	Township		9	Range:	3
Drilled F From	To			Description of	Strata			Indicate 1	Test Location b	y an X			
238	247	li	ron pyrite	streaks, gray	shale				\$ 8 8		1		
247	255	S	and rock -	tan coarse							 		
255	260	0	ray black	shale					i i i				
									2 2 4 2		1		
									j		 		
	_												
											*		
				- Harriston - I	olice de montre de m	···		 			ļ		
									ë 1 2 2		1 1 1 1		
					***************************************					<u> </u>	<u> </u>	<u> </u>	
		_					1	Water Lev	vel:	53	the Mineral Control of the Control o	Ft	
							Remar	ks:					

			-							***************************************			-
			***************************************	ing and fight throated that they are proportion as an impact ground according to			Garmi	n GPS: N	AD 83			lariin ka rasuna aadankun ku ka liitu liiku ka ka ka	internitation de completit de des de l'estate de la completit de l'estate de la completit de l'estate de la co
				etelentetik kontrologiania eti eti ili izeneye e e valen gelua	ili sanchi in re villo in etter e i garerin esta		Latituc	le: 39.25	387 N			***************************************	-
							Longit	ude: 97.6	57450 W				
							Elevati	on:					
													1
													State Advantage of the Control of th
							Driller:	Luis Lun	а				
							Spot Lo	cation: N	NW/ SE/ NW	/ SE	eri mat till att landskripter skripter		

ROSENCRANTZ-BEMIS EQUIPMENT CO., INC

Telephone (620) 792-2488 or (620) 793-5512 P.O. Box 713, Great Bend, KS 67530 WATER RESOURCES RECEIVED







Valley Dealer

INMAN IRRIGATION

892 ARAPAHO ROAD INMAN, KS 67546-8002 United States

Dealer No.

00003440

Parent Order No.

Sprinkler Order No.

Tyler Peterson for Water Right

Plant VALLEY SHIPPING

Customer

Field Name

Tyler Peterson SE 1/4 20-9-3W Ottawa County

Dealer PO

Order Date 01/13/2022

Load Date 01/18/2022

Method Of Shipment UPSG

7 Span Valley Standard Pivot 8000
Machine Flow 800 (GPM)
Pivot Pressure 40 (PSI)

Dealer INMAN IRRIGATION

Sprinkler Order No

Right

Tyler Peterson for Water

KS DEPT OF AGRICULTURE

NOV 02 2022

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Summary

Span and Overhang

Model	Qty	Length	Pipe O.D.	Coupler Spacing	Qty	D. U. Profile	Tirə
		(ft)	(in)	(in)			
8000	1	184.8	6 5/8	108	21	Standard	11R x 22.5 Recap
8000	1	180.0	6 5/8	108	20	Standard	11R x 22.5 Recap
8000		160.0	6 5/8	108	18	Standard	11R x 22.5 Recap
8000	1	36.0	6 5/8	110	6		

Field Area

123.5 (Ac) Total

104.2 (Ac) Pivot 360°

19.3 (Ac) EG on 100% 1201.9 (ft) Machine Length

106.4 (ft) End Gun Radius

Flow

800 (GPM)

6.48 (GPM per Acre)

0.34 (in per day) App Rate 0.243 (in) App Depth @ 100%

120.2 (GPM) End Gun

Messages

Pressure

LRDU Drive Train

Caution: None

Dealer:

None

40 (PSI) Pivot Pressure Inlet Pressure

0.0 (ft) Highest Elevation

0.0 (ft) Lowest Elevation

34 RPM Center Drive @60 Hz freg.

11R x 22.5 Recap Tire

52:1Wheel GB Ratio, LRDU Dist 1165.7 (ft)

17.0 Hrs/360° @ 100% 7.18 (Ft per Min)

Sprinkler -- Computer Spacing

Sprinkler Configuration

Senninger U-Pipe 6(in) Plastic 3/4 M NPT x 3/4 M NPT

Valley Poly Drop Variable Length 72(in) Ground Clr

Komet Regulator KPR 10(PSI) 3/4 F NPT

Komet PrecisionTwister-KPT Black - Std Angle 3/4 M NPT



Range (ft)



KS DEPT OF AGRICULTURE

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Summary

Dealer INMAN IRRIGATION

Pressure Loss

Pipe	Pipe	Pipe		Loss
Length (ft)	I.D. (in)	Finish	C-Factor	(PSI)
1183.8	6.42	Galvanized	150	8.6
18.1	3.79	Galvanized	150	0.3
			Total =	= 8.9

End Gun(s) & Booster Pump Information



Primary End Gun Nelson SR100 End Gun 0.75 Nozzle Berkeley 2 HP Booster Pump

Right

Span Flow

Span	Irrigated	Area	Rqd	Act	Rqd	Act	
Number	Length (ft)	(Ac)	(GPM)	(GPM)	(GPM per Acre)	(GPM per Acre)	% Deviation
1	184.6	2.5	15.9	17.2	6.41	6.91	7.9
2	180.1	7.2	45.9	46.0	6.41	6.42	0.3
3	160.0	10.3	65.9	65.7	6.41	6.38	-0.4
4	160.0	14.0	89.6	89.7	6.41	6.42	0.1
5	160.0	17.7	113.3	113.2	6.41	6.40	-0.0
6	160.0	21.4	137.0	137.3	6.41	6.42	0.3
7	159.8	25.0	160.3	160.0	6.41	6.39	-0.2
O/H	36.2	6.2	40.7	40.9	6.59	6.61	0.3
EG	106.4	19.3	124.5	120.2	6.47	6.24	-3.5
Totals		123.6	And (The Control of Co	790.2			
	Drain Sprinkle	er	10.5	11.1			
	Total M	Iachine FI	OW	801.3			

Advanced Options

Drain Sprinkler = Senninger	Directional
Diain Springer - Seminger	Directional
Last Sprinkler Coverage = 1	
Sprinkler Coverage Length =	1202.9 ft
Use Last Coupler= YES	
Minimum Mainline Pressure =	6 PSI
The sale was the case and the sale are not an experience and the sale are the sale are the sale and the sale are	

Shipping Options

и	
ı	Ship Drop Hardware
۱	Ship Endgun Nozzle
ı	Ship Endgun & Hardware
ı	Do not ship Endgun Valve / Nozzle Valve Hardware
	Do not ship Boosterpump Hardware

Default Sprinkler Chart - 01/13/2022

Dealer INMAN IRRIGATION

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Sprinkler Chart

Cpl No	Dist From Pivot (ft)	Spk No	Dist Last Spk (ft)	Nozzle Size	Color	Spk Model	Wear Pad	Drop Length (in)	Regulator	Line (PSI)	Spk (PSI)	RQCEM)	Act (GPM	111
												WATER RESOL RECEIVE	0 2	FAGE
1	5.4			Gauge						40.0		R F	NOV	010
2	14.4			Plug								Ш	\geq	DEF
	Sprink	ler :	Komet Pred	cision T	wister - KPT 🔭	í						*		\$
					1									
3	23.4	1		10	Beige	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	39.4	10.8	0.4	0.6	
4	32.4	2	9.0	10	Beige	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	39.1	10.8	0.3	0.6	
5	41.4	3	9.0	10	Beige	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	38.8	10.8	0.3	0.6	
6	49.9	4	8.5	10	Beige	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	38.6	10.8	0.4	0.6	
7	58.3	5	8.4	10	Beige	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	38.4	10.8	0.5	0.6	
8	66.8	6	8.4	10	Beige	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	38.2	10.8	0.5	0.6	
. 9	75.3	7	8.5	10	Beige	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	38.0	10.8	0.6	0.6	
10	84.3	8	9.0	11	Beige Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	37.9	10.8	0.7	0.7	
11	93.3	9	9.0	11	Beige Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	37.8	10.8	0.8	0.7	
12	102.3	10	9.0	12	Gold	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	37.7	10.8	0.9	0.9	
13	111.3	11	9.0	12	Gold	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	37.6	10.8	0.9	0.9	
14	119.7	12	8.4	13	Gold Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	37.6	10.8	0.9	1.0	
15	128.1	13	8.4	13	Gold Notched	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	37.6	10.8	1.0	1.0	
16	136.5	14	8.4	13	Gold Notched	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	37.6	10.8	1.1	1.0	
17	145.0	15	8.5	14	Lime	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	37.6	10.8	1.2	1.2	
18	154.0	16	9.0	15	Lime Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	37.6	10.8	1.3	1.3	
19	163.0	17	9.0	15	Lime Notched	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	37.7	10.8	1.4	1.3	
20	172.0	18	9.0	15	Lime Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	37.8	10.8	1.4	1.3	
21	181.0	19	9.0	16	Lavender	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	37.9	10.8	1.5	1.5	
	185.6		Tower Numb	er : 1	Span Length(ft): 184.	. 6								
22	190.3	20	9.3	17	Lavender Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	37.8	10.8	1.6	1.7	
23	199.3	21	9.0	16	Lavender	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	37.5	10.8	1.7	1.5	
24	208.3	22	9.0	17	Lavender Notched	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	37.2	10.8	1.7	1.7	
25	217.3	23	9.0	18	Grey	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	36.9	10.8	1.8	1.9	
26	226.3	24	9.0	18	Grey	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	36.6	10.8	1.9	1.9	
27	235.3	25	9.0	18	Grey	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	36.4	10.8	2.0	1.9	
28	244.3	26	9.0	18	Grey	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	36.2	10.8	2.0	1.9	
D C 1		01	01/12/2020											

Dealer INMAN IRRIGATION

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

							and Tyler reterson SE 1/4		unty					***
						Valley Standar	rd Pivot 8000 Machine Sp	rinkler Chart				C.	1	JRE
	Cpl	Dist	Spk	Dist	Nozzle	Color	Spk	Wear	Drop	Regulator	Line	Spk C	Rqd	Act ULTURE
	No	From	No	Last	Size		Model	Pad	Length		(PSI)	(PSI)	GPM)	GPN)
		Pivot		Spk					(in)			O'S		A GF
_		(ft)		(ft)									C	UN 0 2 CUC
	29	253.3	27	9.0	19	Grey Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	30.0	10.0	E T	ع. ب <u>م</u>
	30	262.3	28	9.0	19	Grey Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.9	10.8	1	2.1 8
	31	271.3	29	9.0	20	Turquoise	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.8	10.8		
	32	280.2	30	8.9	20	Turquoise	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.7	10.8	2.3	
	33	289.2	31	9.0	20	Turquoise	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.6	10.8	2.4	2.4
	34	298.2	32	9.0	20	Turquoise	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.5	10.8		2.4
	35	307.2	33	9.0	21	Turq Notched	PrecisionTwister-KPT	Black-Std Angle	114	KPR 10A	35.5	10.7	2.6	2.6
	36	316.2	34	9.0	21	Turq Notched	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	35.5	10.7	2.6	2.6
	37	325.1	35	8.9	21	Turq Notched	PrecisionTwister-KPT	Black-Std Angle	108	KPR 10A	35.6	10.7	2.7	2.6
	38	334.1	36	9.0	22	Yellow	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	35.6	10.7	2.8	2.9
	39	343.1	37	9.0	22	Yellow	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	35.7	10.7	2.9	2.9
	40	352.1	38	9.0	22	Yellow	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	35.8	10.7	2.9	2.9
	41	361.1	39	9.0	23	Yellow Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	36.0	10.7	3.1	3.1
_		365.8		Tower Nu	mber: 2 Sp	an Length(ft): 180.	.1							
	42	370.4	40	9.3	23	Yellow Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	35.9	10.7	3.1	3.1
	43	379.4	41	9.0	23	Yellow Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	35.6	10.7	3.2	3.1
	44	388.4	42	9.0	23	Yellow Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	35.4	10.7	3.2	3.1
	45	397.4	43	9.0	24	Red	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	35.2	10.7	3.3	3.4
	46	406.4	44	9.0	24	Red	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	35.0	10.7	3.3	3.4
	47	414.9	45	8.5	23	Yellow Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.8	10.7	3.2	3.1
	48	423.3	46	8.4	24	Red	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.7	10.7	3.3	3.4
	49	431.7	47	8.4	24	Red	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.5	10.7	3.4	3.4
	50	440.2	48	8.5	24	Red	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.4	10.7	3.6	3.4
	51	449.2	49	9.0	25	Red Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.4	10.7	3.7	3.7
	52	458.2	50	9.0	25	Red Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.3	10.7	3.8	3.7
	53	467.2	51	9.0	26	White	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.2	10.7	3.9	4.0
	54	476.2	52	9.0	26	White	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	34.2	10.7	3.9	4.0
	55	485.1	53	8.9	26	White	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A			4.0	4.0
	56	494.1	54	9.0	26	White	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	34.3		4.1	
	57	503.1	55	9.0	27	White Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	34.3		4.2	
	58	512.1	56	9.0	27	White Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A				
	59	521.1	57	9.0	27	White Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A				
		525.8		Tower Nur		an Length(ft): 160.		3		and control to the property of the control of the c				

Dealer INMAN IRRIGATION

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Sprinkler Chart

Cpl No	Dist	Spk No	Dist Last	Nozzle Size	Color	Spk Model	Wear	Drop Length	Regulator	Line (PSI)	Spk (PSI)	Rqd (GPM)	Act (GPM)	3 E
	Pivot (ft)		Spk (ft)					(in)	-			DACE	022	KS DEPT OF AGRICULTURE
60	530.5	58	9.3	28	Blue	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	34.4	10.7	G.S.	3 205	GRE
61	539.5	59	9.0	28	Blue	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	34.2	10.7	14 th	4-6	ĒΑ
62	548.5	60	9.0	28	Blue	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	33.9	10.7	4 46	436	TO
63	557.5	61	9.0	28	Blue	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	33.7	10.7	4.6	4.6	H
64	566.5	62	9.0	28	Blue	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	33.6	10.7	3 .6	4.6	SS
65	575.0	63	8.5	27	White Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.4	10.7	4.5	4.3	
66	583.4	64	8.4	28	Blue	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.3	10.7	4.5	4.6	
67	591.8	65	8.4	28	Blue	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.2	10.7	4.6	4.6	
68	600.3	66	8.5	29	Blue Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.1	10.7	4.9	4.9	
69	609.3	67	9.0	29	Blue Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.0	10.7	5.1	4.9	
70	618.3	68	9.0	30	Dark Brown	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	33.0	10.7	5.1	5.3	
71	627.3	69	9.0	30	Dark Brown	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.9	10.7	5.2	5.3	
72	636.3	70	9.0	30	Dark Brown	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.9	10.7	5.3	5.3	
73	645.2	71	8.9	30	Dark Brown	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	33.0	10.7	5.3	5.3	
74	654.2	72	9.0	30	Dark Brown	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	33.0	10.6	5.4	5.3	
75	663.2	73	9.0	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	33.1	10.6	5.5	5.6	
76	672.2	74	9.0	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	33.2	10.6	5.6	5.6	
77	681.2	75	9.0	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	33.3	10.6	5.8	5.6	
	685.8		Tower N	Number: 4	Span Length(ft): 160.	. 0	-							
78	690.5	76	9.3	32	Orange	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	33.2	10.6	5.8	6.0	
79	699.5	77	9.0	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	33.0	10.6	5.8	5.6	
80	708.5	78	9.0	32	Orange	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	32.8	10.6	5.9		
81	717.5	79	9.0	32	Orange	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	32.6	10.6	6.0		
82	726.5	80	9.0	32	Orange	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	32.4	10.6	5.9	6.0	
83	735.0	81	8.5	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.3	10.6	5.7	5.6	
84	743.4	82	8.4	31	Dark Brown Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.2	10.6	5.8	5.6	
85	751.8	83	8.4	32	Orange	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.1	10.6	5.9	6.0	
86	760.3	84	8.5	33	Orange Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.0	10.6	6.1	6.2	
87	769.3	85	9.0	34	Dark Green	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	32.0	10.6	6.4	6.6	
88	778.3	86	9.0	33	Orange Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A			6.5		
89	787.3	87	9.0	34	Dark Green	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A		10.6	6.5		
90	796.3	88	9.0	34	Dark Green	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A		10.6	6.6	6.6	
91	805.2	89	8.9	34	Dark Green	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A			6.7		
Defaul			- 01/13/202						-				3	

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Sprinkler Chart

Cpl	Dist	Spk	Dist	Nozzle	Color	Spk	Wear	Drop	Regulator	Line	Spk	Rigid	Act
No	From	No	Last	Size		Model	Pad	Length		(PSI)	(PSI)	(GPM)	(CEM)
	Pivot		Spk					(in)				S	20
	(ft)		(ft)			D 11 T 1 1 1/DT	DI 1 0:14 1		KDD 404	20 1	10 6	SH	6.9
92	814.2	90	9.0	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A		10.6	S H	6.9
93	823.2	91	9.0	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A		10.6		6.9
94	832.2	92	9.0	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A		10.6	649	
95	841.2	93	9.0	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	32.4	10.6	1-1	6.9
	845.9		Tower		Span Length(ft): 160.						40.6		
96	850.5	94	9.3	36	Purple	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A		10.6	7.2	
97	859.5	95	9.0	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A		10.6	7.1	
98	868.5	96	9.0	36	Purple	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	32.0	10.6	7.2	
99	877.5	97	9.0	36	Purple	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.8	10.6	7.3	
100	886.5	98	9.0	36	Purple	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A		10.6	7.2	
101	895.0	99	8.5	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.5	10.6	7.0	
102	903.5	100	8.4	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A		10.6	7.0	
103	911.9	101	8.4	35	Dark Green Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A		10.6	7.1	
104	920.4	102	8.5	36	Purple	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.3	10.6	7.4	
105	929.4	103	9.0	37	Purple Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.3	10.6	7.7	
106	938.4	104	9.0	37	Purple Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.3	10.6	7.8	
107	947.4	105	9.0	38	Black	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A		10.6	7.9	
108	956.4	106	9.0	37	Purple Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.3	10.6	7.9	
109	965.3	107	8.9	38	Black	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A		10.6	8.0	
110	974.3	108	9.0	38	Black	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.5	10.6	8.1	
111	983.3	109	9.0	38	Black	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.6	10.6	8.2	
112	992.3	110	9.0	. 38	Black	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.7	10.5	8.3	8.2
113	1001.3	111	9.0	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	31.9	10.5	8.5	8.6
**************************************	1005.9		Tower :	Number: 6	Span Length(ft): 160.	0							
114	1010.6	112	9.3	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	31.9	10.5	8.6	8.6
115	1019.6	113	9.0	38	Black	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.7	10.5	8.5	8.2
116	1028.6	114	9.0	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.5	10.5	8.6	8.6
117	1037.6	115	9.0	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.3	10.5	8.6	8.6
118	1046.6	116	9.0	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.2	10.5	8.5	8.6
119	1055.1	117	8.5	38	Black	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.1	10.5	8.2	8.2
120	1063.5	118	8.4	38	Black	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.0	10.5	8.3	8.2
121	1071.9	119	8.4	38	Black	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.0	10.5	8.4	8.2
122	1080.4	120	8.5	39	Black Notched	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	30.9	10.5	8.7	8.6
Default	Sprinkler	Chart -	01/13/202	22						*			4

Dealer INMAN IRRIGATION

Customer

Field Name Tyler Peterson SE 1/4 20-9-3W Ottawa County

Valley Standard Pivot 8000 Machine Sprinkler Chart

Cpl	Dist	Spk	Dist	Nozzle	Color	Spk	Wear	Drop	Regulator	Line		Act
No	From	No	Last	Size		Model	Pad	Length		(PSI)	(PSI & GPME	GPM
	Pivot		Spk					(in)			20 / 10	SIC C
	(ft)		(ft)								S	
123	1089.4	121	9.0	40	Dark Turquoise	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	30.9	10.5 9.1	9.1 🖔
124	1098.4	122	9.0	40	Dark Turquoise	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	30.9	10.5 6.1	9.1 5
125	1107.4	123	9.0	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.0	10.5 9.2	9.5
126	1116.4	124	9.0	40	Dark Turquoise	PrecisionTwister-KPT	Black-Std Angle	102	KPR 10A	31.0	10.5 9.2	9.1
127	1125.3	125	8.9	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.1	10.5 9.3	9.5
128	1134.3	126	9.0	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.2	10.5 9.4	9.5
129	1143.3	127	9.0	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.3	10.5 9.5	9.5
130	1152.3	128	9.0	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.5	10.5 9.6	9.5
131	1161.3	129	9.0	41	Dark Turq Notch	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	31.6	10.5 9.5	9.5
132	1165.1			B.P.								
	1165.7		Tower 1	Number: 7	Span Length(ft): 159.	. 8						
133	1170.1	130	8.8	42	Mustard	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	31.7	10.5 9.7	10.0
134	1179.3	131	9.2	42	Mustard	PrecisionTwister-KPT	Black-Std Angle	84	KPR 10A	31.5	10.5 9.9	10.0
135	1182.8			Plug								
136	1188.2	132	8.9	42	Mustard	PrecisionTwister-KPT	Black-Std Angle	90	KPR 10A	31.3	10.5 9.9	10.0
137	1197.4	133	9.2	44	Maroon	PrecisionTwister-KPT	Black-Std Angle	96	KPR 10A	31.1	10.4 11.2	10.9
		Spri	nkler ·	Senninger	Spray							
120	1000 0			4.5		<u>.</u>				20.0	20 0 10 5	1
	1200.9	134		17	Dark Green	Directional				30.8	30.8 10.5	11.1
	1201.9			Overhand	Span Length(ft): 36.2	2					Control for his prompt approximation approximation and the second	

Sprinkler : Nelson Endgun

139 1201.9 **135** 0.75

SR100

30.8 56.8 124.5 120.2

11/1/2022 (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 109 SW 9th Street, 2nd Floor Topeka, Kansas 66612-1283

Re: Application
File No. ______

Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application.

Signature of Applicant

State of Kansas)

County of SALL JC) ss (Print Applicant's N

I hereby certify that the foregoing instrument was signed in my presence and sworn to before me this _________, 20__________, 20__________.

Notary Public

My Commission Expires: June 01,25

Kathy J. Hollis Notary Public State of Kansas My Appointment Expires June 1, 202

WATER RESOURCES
RECEIVED

MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

Voluntary Dismissal of an Application for Permit to Appropriate Water

	10/31/2022
	(Date)
Kansas Department of Agriculture Division of Water Resources 1320 Research Park Drive Manhattan, Kansas 66502	
	RE: Application File No. 50,684
Chief Engineer:	
	priority it may have had will be forfeited.
Sincerely,	
La Pote	
Mature of Applicant)	(Signature of Applicant)
yler Treteson pase print name here)	(Please print name here)
·	(rouse print name note)
167 N 110th R2 iling Address)	(Mailing Address)
Minnerpolis, KS 67467 y, State, Zip)	·
y, State, Zip)	(City, State, Zip)

WATER RESOURCES RECEIVED