Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

# DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

			F	File No	. <u>SA-3</u>	7	<u> </u>		7"	50						
1. Application is h	. Application is hereby made for approval of the Chief Engineer to change the (check one or both):															
	☑ Place of Use  ☑ Point of Diversion															
under the water	under the water right which is the subject of this application in accordance with the conditions described below.															
The source of s	upply is:		☐ G	Ground	water			Surfac	ce wate	er						
Name and address of Applicant: John C Short																
300 E Kansas S	Street, Assa	ria KS 6	3741 <u>6</u>				\ \ -									
Phone Number	: <u>(785)822-</u>	7007				Email	addres	ss: <u>jcs</u>	hort35	9@gm	าail.cor	m				
Name and addr	ess of Wate	r Use C	orresp	onden	t: <u>San</u>	ne as a	<u>above</u>		1100		1		79.1			
		l natur				111	7			h 7 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -						
Phone Number	: ()					Email	addre	ss:			The second second	1 11				16. a E i
3. The presently a																- g)-
Owner of Land	NAME:	John C	C. Sho	rt Trus	t <u>&amp; Lis</u>	a K. Sl	h <u>ort Tr</u>	ust	3	7 7 3		1.5		18	H - 1	
	ADDRESS:												1.7			
	(If there is more than one landowner, attach supplemental sheets as necessary.)															
Sec. Twp. Range			SE¼	NE¼	NW¼		SE¼	NE¼	NW¼		SE¼	NE¼	NW¼	5W1/4	SE¼	TOTAL ACRES
Sec. Twp. Nange	INE 74 INVV	L-1	L-1	INE 74	NVV74	SVV/4	L-1	INE 74	INVV74	SVV74	SE/4	NE74	INVV74	SVV/4	SE74	- 13
6 16 2w	<u> </u>	40	32				40					40	16	10	31	209
													l.			
					1								1	7.		ng in
4. If this application is for a change in place of use, it is proposed that the place of use be changed to:  Owner of Land NAME: John C. Short Trust & Lisa K. Short Trust  ADDRESS: 300 E Kansas Street, Assaria, KS 67416																
(If there is more than one landowner, attach supplemental sheets as necessary.)																
	<u> </u>	NE¼		NW¼		SW¼		SE1/4				TOTAL				
Sec. Twp. Range	NE¼ NW½	_	SE¼	NE¼	NW¼	SW1/4	SE¼	NE¼	NW¼		SE¼	NE¼	NW¼	SW¼	SE¼	ACRES
6 16 2w		L-1 37	L-1 13			.5	29	L-1 40	L-2 24	L-2 10	L-1 20	27.5	40	29	8	278
					100	7, 10, 10,	1 1	13.00		1	41.4		100		- 1, -	11.56
	<u> </u>			لــــــــــــــــــــــــــــــــــــــ								Ш				

5.	Presently authorized point of diversion:			
	One in the Lot 1 (S2 NE) Quarter of the		Quarter of the	Quarter
	of Section 6 , Township	16	South, Range	(W),
	in Saline County, Kansas, 3900 fee	et North _	1460 feet West of Southe	ast corner of section.
	Authorized Rate1200 Authorized Quantity	79.5	Depth of well	(feet)
	(DWR use only: Computer ID No. 1 GPS		feet North	_ feet West)
	☐This point will not be changed ☐This point will be changed as			
	Proposed point of diversion: (Complete only if change is	requeste	d or if existing point is better	described by GPS)
	One in the Quarter of the	NW	Quarter of theS	3W Quarter
	of Section5, Township	16	South, Range	(W),
l	in Saline County, Kansas, 1890 fee	et North	4860 feet West of Southe	ast corner of section.
	Proposed Rate 1200 gpm Proposed Quantity 7			
	This point is: Additional Well Geo Center List other			
L			•	
ء ٦	Presently authorized point of diversion:			
°.	One in the Quarter of the		Quarter of the	Quarter
	of Section, Township		South Range	(F/M)
	in County, Kansas, fee	et North	feet West of Southe	ast corner of section
	Authorized Rate Authorized Quantity			
	(DWR use only: Computer ID No GPS		feet North	feet West)
	☐ This point will not be changed ☐ This point will be changed as	follows:	No change point better describe	_ reet west)
	Proposed point of diversion: (Complete only if change is			
	One in the Quarter of the	100	Quarter of the	Quarter Quarter
	of Section5, Township	10	South, Range	(VV),
	in <u>Saline</u> County, Kansas, <u>1890</u> fee			
	Proposed Rate 1200 gpm (0 add) Proposed Quantity 79.5			
L	This point is: Additional Well Geo Center List other	water righ	its that will use this point 2839;	3063
7	The sharper havein are desired for the following recessors?			
7.	The changes herein are desired for the following reasons? (please be specific) Complete overlap in PU w/ Files 2,839		North	
	3,063; 37,091 & 38,545 & in PD w/ Files 2,839 & 3,063,	300		200 300
	with an additional pumpsite	F	<u>                           </u>	
_		E		
8.	If a well, is the test hole log attached?  Yes No	200	-   +   +   =   +	-   +   = 200
a	The change(s) (was)(will be) completed by?	E		
<i>3</i> .		E		
	On approval	100	-   +   +   =   +	-   +   = 100
10	If the point of diversion is a well:	F		- =
10.	·	West 0	# վետ (առիստ) առիս 👼 արակ	
	(a) What are you going to do with the old well?	E	* ****	· '
	n/a	E	- <u> </u>	
	(b) When will this be done?	100	·	-   <del>    ]</del> 100
	(b) When will this be done?	E		
	O I I I I I I I I I I I I I I I I I I I	E		1 1 7 200
11.	Groundwater Management District recommendation attached?	200		-   +   = 200
	☐ Yes        No	E		- =
12	Assisted by jkb MB MOD STK FO	Ē	<u>անավասհականա±անակ</u>	
		300		D 200 300 cale: 1 hashmark=10 ft
13a	. If the proposed point of diversion will be relocated more than 300	106 1446 -	proposed point of diversion will be	a rologated within 200 for
	feet but within 2,640 feet of the existing point of diversion, attach	i 3D.IT the	proposed point of diversion will be	s relocated <u>within 300 let</u>

feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile downstream and one-half mile upstream from your property of the proposed point of diversion will be relocated within 300 feet of the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.

lines

## APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR POINT OF DIVERSION SUPPLEMENTAL SHEET

FILE NO. SA-37
MAKE ADDITIONAL COPIES AS NECESSARY


Sec.			,																
Sec.			NE¼				NW¼				SW¼					SI	Ξ1/4		TOTAL
	Twp.	Range	NE1/4	[	SW1/4	SE1/4	NE1/4	T		SE¼	NE1/4	[	SW1/4	SE1/4	NE1/4		SW1/4	SE1/4	ACRES
	•																		
		·									IL				<u> </u>	<u> </u>	1	<u></u>	
Ow	ner of	Land -	NA ADDRI	NME: . FSS:															
			10011				T				ı				1			ı	
			NE¼				NW¼				SW¼			SE1/4				TOTAL ACRES	
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW¼	SW¼	SE¼	NE1/4	NW¼	SW1/4	SE¼	ACRES
					ļ														
																			******
Ow/	ner of	Land -	NA	ME.	_														
J 17			ADDRI	ESS:															
			l												T				
				T	≣¼ 			T	V¼	l			<b>√</b> /₄				=1/4		TOTAL ACRES
Sec.	Twp.	Range	NE¼	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE¼	
			<u> </u>								<u></u>								
		<i>d:</i> If th Land -	NA	AME:		all D &	Kathl	een A	Family	Trust			the pla	ace of	use be	chan	ged to		
				NI.	Ξ1/4		NW¼			SV	N <sup>1</sup> / <sub>4</sub>		SE1/4				TOTAL		
Sec.	Twp.	Range	NE¼	ſ	T	SE1/4	NE1/4	T	SW1/4	SE¼	NE1/4	T .	SW1/4	SE1/4	NE1/4	T	SW1/4	SE1/4	ACRES
5	16		INE./4	1900/4	3	SE/4	INE /4	1444/4	300/4	8.5	40	13	8	36	INL./4	32	24.5	JL/4	165
<u> </u>	10	2w		<u> </u>	3					0.5	40	13	0	30		32	24.5		100
												<b> </b>	<b></b>	<b></b>	ļ				
				<u> </u>		<u>L</u>		<u> </u>		<u> </u>						<u> </u>	<u> </u>		
Ow	ner of	Land -		AME: ESS:															
		/	אטטאו	ESS.											,				
				NE1/4			NW¼			SW¼		SE1/4			TOTAL				
Sec.	Twp.	Range	NE1/4	NW¼	SW1/4	SE1/4	NE¼	NW1/4	SW1/4	SE1/4	NE1/4	NW¼	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
_			<u> </u>		<u> </u>	L	<u>                                     </u>	1	I.	L	<u> </u>	1	<u> </u>		IL	<u> </u>			
(7	ner of	Land -		AME: ESS:	, <del> </del>														
OW		,	יטטעו				1				,,				n				
															11				
				NI	E¼	,	ļ	N	V¼		<b></b>	SV	N <sup>1</sup> / <sub>4</sub>			S	E¼		TOTAL
Ow Sec.	Twp.	Range	NE1/4	T	T	SE¼	NE¼	T	V¼ SW¼	SE1/4	NE¼	T	N1/4 SW1/4	SE1/4	NE¼		E¼ SW¼	SE¼	TOTAL ACRES
	Twp.	Range	NE¼	T	T	SE¼	NE1/4	T		SE¼	NE1/4	T	T	SE¼	NE¼			SE¼	

14. If the proposed groundwater point of diversion is 300 of lewe	reet from the existing point of diversion, complete the following.
(a) Does the undersigned represent all owners of the currer  ☐ Yes ☐ No (If no, all owners must sign the current of the curre	
<ul> <li>(b) Will the ownership interest of any owner of the current affected if this application is approved as requested?</li> <li>☐ Yes</li> <li>☐ No</li> <li>(If yes, all owners must sign</li> </ul>	ly authorized place(s) of use identified in this application be adversely this application.)
(c) If this application is not approved expeditiously, will ther ☐ Yes ☐ No (If no, all owners must sign the	e be substantial damage to property, public health or safety? his application.)
If the application proposes a surface water change in point of div or a change in place of use, the application must be signed by al agent (attach notarized statement authorizing representation).	ersion, a groundwater change in point of diversion greater than 300 feet, I owners of the currently authorized place of use, or their duly authorized
age and the owner, the spouse of the owner, or a duly their behalf, in regards to the water right(s) to which contained in this application are true, correct and com	r affirmation and under penalty of perjury, that I am of lawful authorized agent of the owner(s) to make this application on this application pertains. I further verify that the statements plete.
Dated at First Pank , Kans	sas, this 4th day of Mag, 20 22.
John C. Shut	Lisa K Short
(Owner)	(Spouse)
John C. Short	Lisa K Short
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Owner)	(Opouse)
(Please Print)	(Please Print)
(Owner)	(Spouse)
(Please Print)	(Please Print)
State of Kansas  County of McPherson SS	TREVOR J. WHITTAKER Notary Public - State of Kansas My Appt. Expires 2 23 26
	ned in my presence and sworn to before me this $\frac{y^k}{}$ day
of	Sur Lill
My Commission Expires 223/206.	Notary Public
ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be coraccurate information; maps, if necessary, must be included; signatures of the appropriate fee must be paid.	nplete, all of the applicable portions of the application form must be completed witl of all the appropriate owners' must be affixed to the application and notarized; and
<u>FEE</u>	SCHEDULE
forth in the schedule below: Make checks payable to: Kansas I  (1) Application to change a point of diversion 300 feet of  (2) Application to change a point of diversion more than	sion under this section shall be accompanied by the application fee set  Department of Agriculture or less

# SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

provisions of the Kansas Water Appropriation Law, K.S.A. 82a-	08b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable -701 et. seq., and rules and regulations promulgated thereunder in, this Summary Order does not change the terms, conditions and							
A change application was received on diversion authorized under the above-referenced file num	requesting that the place of use and / or point or ber be changed as described in the application.							
<ol><li>On and after the effective date of this summary order, the au the topographic map accompanying the application to cha</li></ol>	thorized place(s) of use shall be located substantially as shown or ange the place of use.  ☑ Applicable  ☐ Not Applicable							
<ol> <li>The change in point of diversion shall not impair existing rigl previously authorized. The point of diversion authorized k radius of the authorized point(s) of diversion.</li></ol>	hts and shall be limited to the same source or sources of water as by this summary order shall be located within a 300 <b>foot</b> ble ☐ Not Applicable							
<ol> <li>The point(s) of diversion described herein is administrative Positioning System (GPS), as described in the application</li> </ol>	ely corrected to be more accurately described using the Globa □. □ Applicable ☑ Not Applicable							
<ol> <li>The point(s) of diversion authorized herein shall not actually authorized point(s) of diversion.  ☐ Applicable ☑ N</li> </ol>	be located more than feet from the previously lot Applicable							
<ol> <li>As required by K.A.R. 5-3-5d, if the works for diversion is a vor other device suitable for making water level measuremed K.A.R. 5-6-13.</li> <li></li></ol>	well with a diversion rate of 100 gallons per minute or more, a tube ents shall be installed, operated and maintained in accordance with							
<b>December 31, 20<u>22</u>,</b> or before the first use of water, which and maintained in accordance with K.A.R. 5-1-4 through	operly install an acceptable water flow meter on or before never occurs first. The water flow meter shall be installed, operated 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. ading of the water flow meter and the total quantity of water diverted nd of each calendar year.							
<ol> <li>Installation of the works for diversion of water shall be authorized extension of time. By March 1, 2023 the applit for diversion has been completed, on the form provided by Applicable ☐ Not Applicable</li> </ol>	<b>be completed on or before December 31, 20<u>22</u>,</b> or within any icant shall notify the Chief Engineer that construction of the works y the Chief Engineer, as required by K.A.R. 5-8-4e.							
9. The completed well log shall be submitted with the requ	ired notice. ☐ Applicable         Not Applicable							
with an in-line, automatic, quick-closing check valve capa	foreign substance will be injected into the water shall be equipped ble of preventing pollution of the source of the water supply. The in accordance with K.A.R. 5-3-5c. ⊠ Applicable ☐ Not Applicable							
11. Additional Conditions are attached. ☐ Yes ☐ No								
water appropriated under the above-referenced file number limitations, as amended and/or supplemented by this Sun Appropriation Law and the Rules and Regulations promu	A.R. 5-5-14, all of the owners of the authorized place(s) of use of ber are responsible for compliance with its terms, conditions and mmary Order, and with applicable provisions of the <i>Kansas Water</i> ulgated thereunder. Failure to comply with these provisions may nended, and/or the suspension or revocation and dismissal of the ons authorized by law.							
Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY							
If you are aggrieved by this order, pursuant to K.S.A. 82a-1901,	APPLICATION APPROVED AND							
you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within 15 days of service of this Order and a request for administrative review by the Secretary must be filed within 30 days pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527.	By:							
File any request with Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS	Date of Issuance:							
66502. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.	State of Kansas )							
For Use by Register of Deeds	) SS County of)							
· -	Acknowledged before me on							
	by							
	Signature:Notary Public							
	My commission expires:(Notary Seal)							

# Application for Change in Place of Use and Point of Diversion Vested Right SA-37 & File No. 2,839 DWR - Stockton Field Office



- **Section Corners**
- Authorized P/D, SA-37 & 2,839
- Proposed P/Ds, SA-37 & 2,839

Authorized P/U

Date: 2/9/2022

Proposed P/U

Signature indicates names and addresses of all landowners within 1/2 mile upstream and 1/2 mile downstream of property lines are shown.

Signature Required

Date

1:24,000

