Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF **USE AND/OR THE** POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

APPLICATION COMPLETE 4 5 23

than 1	00 fee	los. 1, t, or if p and/or	lace of	use w	ill be ch	omple nanged	ted. C	omple de a top	e te all pograp	other a	applica ap or de	able po etailed p	ortions platsho	. If chowingt	ange i he auth	orized	of diversity	PP PS	is greater d point(s)
						F	ile No.	<u>4,509</u>					_		N	MAR 0	6 20	23	
1. A	. Application is hereby made for approval of the Chief Engineer to change the (check one or both): DEPT OF AGRICULTURE						Ξ.												
						⊠ P	lace of	Use			oint of	Divers	sion						
u	nder th	ne wate	r right	which i	is the s	ubject	of this	applic	ation ir	n acco	rdance	with th	e con	ditions	descri	bed be	low.		
Т	he sou	rce of	supply	is:		⊠G	roundy	vater			Surface	water							
		nd add					OR FA	RMS L	Р				_						
		(220 B							- "										
		Numbe																	
IN	iame a	nd add	iess oi	vvater	Use C	onesp	ondeni	. SAIVI	<u>E AS F</u>	ABOVE									-
- Р	hone I	Numbe	r: ()				E	Email a	ddress	s:							\	
		sently a						-			-								
	Owner of Land NAME: A. BESTIFOR FARMS LP B. THELMA E LARSON TRUST 1																		
	ADDRESS: PO BOX 220 BELLEVILLE, KS 66935 PO BOX 220 BELLEVILLE, KS 66935																		
(I	f there	is more	than o	ne land	downer	, attach	suppl	ementa	l sheet	s as ne	cessar	y.)							
-	-	-			<u> </u>		NW1/4				SW1/4 5 NW1/4 SW1/4 SE1/4			SE¼ NE¼ NW¼ SW¼ SE¼			TOTAL		
		Range	NE¼	NW1/4	SW1/4	SE¼	NE1/4	NW1/4	SW1/4	SE¼	NE¼	NW1/4	SW1/4	SE1/4				SE¼	ACRES
A. 33 B. 33		4W 4W		30	40	19									37.5	37.5	37.5	37.5	150 89
D. 33		1		- 50	10														0
	× ,																		
4. If	4. If this application is for a change in place of use, it is proposed that the place of use be changed to:																		
C	Owner of Land NAME: A. Bestifor Farms LP B. Thayne & Jeanne Larson Trust #1 C. Thelma E Larson Trust 1																		
												Bellevil	le, KS 6	66935-2	332	PO Box	220 Be	<u>,ellivəlk</u>	KS 66935
(If there is more than one landowner, attach supplemental sheets as necessary.) NE½ NW½ SW½ SE½ TOTAL									====										
	1_		NE1/4		=¼ SW¼	SE¼	NE1/4			SE¼	NE¼	SV NW1/4	V1/4	SE¼	NE¼	NW1/4		CEI	TOTAL
Sec. A. 34		Range 4W	INE/4	INVV 74	SVV 74	SE/4	38.9	38.9	SVV 74	SE/4	39.25	39.25	39.25	39.25	INE%	INVV 74	SVV /4	SE¼	234.8
B. 34	_	4W			38.9	38.9	30.3	30.3	38.9	38.9	33.23	33.23	33.23	33.23					155.6
A. 33		4W													37.5	37.5	37.5	37.5	150
C. 33	35	4W		30	40	19													89
F	or Off	ice Use	Only:	Code	CPU	_ Fee	\$ 2	OVE	_TR #			Rece	eipt Da	te 3	62	3ch	eck#_	38	5154



5.	Presently authorized point of diversion:						
٠. ا	One in the SW Quarter of the N	JW/	Quarter of	the	SE	Quarter	
	of Section 33, Township 3		South Ran	ne	4	quarter	
	in REPUBLIC County, Kansas, 1790 feet	North	2604 feet V	Vest of Sout	heast corr	er of section	
	Authorized Rate 1000 GPM Authorized Quantity 19						
	(DWR use only: Computer ID No GPS	JO AI	bepar or wen		feet W	(est)	
	☐ This point will not be changed ☐ This point will be changed as for	ollows:	No change, poin	t better desci	ibed with C	PS as follows:	
	Proposed point of diversion: (Complete only if change is re						
	One in the Quarter of the						
	of Section, Township						
	in founty, Kansas, feet						
	Proposed Rate Proposed Quantity						
	This point is: Additional Well Geo Center List other w						
- 1	This point is. In Additional Well In Geo Center Eist other w	ater rigi	ilis triat will use tri	із ропі		·	
ا م	Droppythy guthavized point of diversions						
6.	Presently authorized point of diversion:		0	41 ₀ a		0	
	One in the Quarter of the		Quarter of	tne		Quarter	
	of Section, Township	NI II	South, Rar	ige		(E/VV),	
	in County, Kansas, feet						
	Authorized Rate Authorized Quantity		Depth of well		(fe	et)	
	(DWR use only: Computer ID No GPS						
	☐ This point will not be changed ☐ This point will be changed as fo						
	Proposed point of diversion: (Complete only if change is r						
	One in the Quarter of the						
	of Section, Township		South, Rar	nge		W,	
	infeet	North_	feet V	Vest of Sou	theast corn	ner of section.	
	Proposed Rate Proposed Quantity		Proposed we	ll depth (feet	.)	·	
	This point is: Additional Well Geo Center List other w	ater rig	hts that will use th	is point		· · · · · · · · · · · · · · · · · · ·	
7	The change have a decired for the following account						
7.	The changes herein are desired for the following reasons? (please be specific) TO OLAP PU WITH FILES 4509,			N 1			
	9026, 30363 & 50399	300) 200 100	North 0	200	300	
		E	<u>uuluuluuluuluu</u>	$\overline{1}_{1111}$	վոովոովո	<u></u>	
•	· · · · · · · · · · · · · · · · · · ·	E		=		킄	
8.	If a well, is the test hole log attached? ☐ Yes ☐ No The change(s) (was)(will be) completed by? RECEIVED	200E	-1 + 1 +	1 - 1 -	+ 1 +	= 200	
9.	The change(s) (was)(will be) completed by 2015 TER RESOURCE	E		Ξ.		直	
٠.	The change(s) (was)(will be) completed by?	400 E	1 1 1 1	, Ē ,	1 (1	, 를	
	2023	3 100	- 1 + 1 +	1 <u>E</u> 1 .	+ + +	1 = 100	
10.	. If the point of diversion is a well:	E	-	=		킄	
	(a) What are you going to do with the old well?	Westo	#IIIII	ı ııı & ııı ııı	վուպուսի		
	KS DEPT OF AGRICU	E		Ξ		Ē	
		E		, <u>E</u> ,		=	
	(b) When will this be done?	100	-1 + 1 +	I = 1.	+ +	100	
		E		=		킄	
11.	. Groundwater Management District recommendation attached?	200 E	-1 + 1 +	ı <u>=</u> ı .	+ 1 +	1 = 200	
	Yes No	E		· Ē ·	1 ' .1	. ∃	
		E	- — — — 	, = ,		. 🖥	
12.	. Assisted by M BILLINGER	500 300			11111111111111111111111111111111111111		
12.	o If the proposed point of diversion will be releasted as one than 200	500	200 100	South	Scale: 1 hashm		
138	a.If the proposed point of diversion will be relocated <u>more than 300</u> feet but within 2,640 feet of the existing point of diversion, attach 1:	3b.If the	proposed point of	diversion wil	l be relocate	ed within 300 fee	
a topographic map or aerial photograph. For groundwater of the existing point of diversion, indicate its location of							
sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing diversion. (PLEASE NOTE: The "X" in center of di							
	addresses of the owners. For surface water sources, show the	abov	e represents t	he present	ly author	ized point of	
	names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property		rsion.)	•	7		
	lines						

Page 2

DWR 1-121 (Revised 04/5/2018)

File No.____

		vners of the currently auth vners must sign this applic		s) of use identified in this app	olication?
affected if thi	ership interest of any own s application is approved	er of the currently author	zed place(s) o	of use identified in this applic	ation be adversely
		editiously, will there be sul wners must sign this appli		age to property, public health	or safety?
or a change in place o	oses a surface water chan f use, the application mus d statement authorizing r	st be signed by all owners	groundwater of the currently	change in point of diversion g y authorized place of use, or	reater than 300 feet their duly authorized
age and the owner, their behalf, in rega	the spouse of the ow	mer, or a duly authoriz it(s) to which this app	zed agent of	nder penalty of perjury, the fithe owner(s) to make the tains. I further verify that	is application or
Dated at Belle	ville	, Kansas, this _	20th da	y of February	, 20 <u>23</u> .
- I hand	Laur				
	(Owner)	SON	,	(Spouse)	
_/nay we	(Please Print)			(Please Print)	
	(Owner)			(Spouse)	
	(Please Print)			(Please Print)	
		WATER RESOURCE	ES		
	(Owner)	RECEIVED		(Spouse)	
	(Please Print)	MAR 0 6 2023		(Please Print)	
state of Kansas)	A CRICIN	TURE	(,	
County of Repub	sic ss	KS DEPT OF AGRICU			
		cation was signed in m	y presence	and sworn to before me	this 20th day
AgNO	KATHERINE L. KLENDA Appt. Expires 5 2123	15	Wall.	" IN Day 1	
Contract of the owner owner of the owner of the owner		_	Mayre	in XX lind	
My Commission Expire	es 05/21/2023	<u> </u>			
ONLY COMPLETE APPL	ps, if necessary, must be inc	<u>ESSED</u> . To be complete, all luded; signatures of all the ap	of the applicable propriate owner	e portions of the application form rs' must be affixed to the applica	must be completed w tion and notarized; a
he appropriate fee mus					

Page 3


DWR 1-121 (Revised 04/5/2018)

File No.___

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

pro Wit	s Summary Order is issued under authority of K.S.A. 82a- visions of the <i>Kansas Water Appropriation Law, K.S.A. 82</i> h the exception of those conditions expressly contained her tations of File No. <u>4,509</u>	.708b, as amended, and K.A.R. 5-5-1, <i>et seq.</i> and other applicable a-701 et. seq., and rules and regulations promulgated thereunder, rein, this Summary Order does not change the terms, conditions and
1.	A change application was received on 3-6-2 diversion authorized under the above-referenced file	requesting that the place of use and / or point of number be changed as described in the application.
	On and after the effective date of this summary order, the a	authorized place(s) of use shall be located substantially as shown or change the place of use. Applicable
3.	The change in point of diversion shall not impair existing ri	ights and shall be limited to the same source or sources of water as zed by this summary order shall be located within a foot
4.		ively corrected to be more accurately described using the Global
5.		ually be located more than feet from the previously
6.	As required by K.A.R. 5-3-5d, if the works for diversion is a	a well with a diversion rate of 100 gallons per minute or more, a tube ments shall be installed, operated and maintained in accordance with
7.	The owner of the authorized place(s) of use shall p December 31, 2023, or before the first use of water, which and maintained in accordance with K.A.R. 5-1-4 through	properly install an acceptable water flow meter on or before chever occurs first. The water flow meter shall be installed, operated h 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. eading of the water flow meter and the total quantity of water diverted
8.	Installation of the works for diversion of water shall authorized extension of time. By March 1, 2024 the application of diversion has been completed, on the form provid Applicable ☑ Not Applicable	be completed on or before December 31, 2023 , or within any plicant shall notify the Chief Engineer that construction of the works ded by the Chief Engineer, as required by K.A.R. 5-8-4e.
9.	The completed well log shall be submitted with the re	equired notice. 🛛 Applicable 🔲 Not Applicable
10.	All diversion works into which any type of chemical or othe with an in-line, automatic, quick-closing check valve cal check valve(s) shall be installed, operated and maintained	er foreign substance will be injected into the water shall be equipped pable of preventing pollution of the source of the water supply. The ed in accordance with K.A.R.5-3-5c. ☑ Applicable ☐ Not Applicable
11.	Additional Conditions are attached. \square Yes \square No	
12.	water appropriated under the above-referenced file nur limitations, as amended and/or supplemented by this S	A.A.R. 5-5-14, all of the owners of the authorized place(s) of use of mber are responsible for compliance with its terms, conditions and ummary Order, and with applicable provisions of the Kansas Water mulgated thereunder. Failure to comply with these provisions may amended, and/or the suspension or revocation and dismissal of the actions authorized by law.
į	Administrative Appeal and Effective Date of Order	FOR OFFICE USE ONLY
you Eng Agr filed adn revi File Leg 665	ou are aggrieved by this order, pursuant to K.S.A. 82a-1901, may request an evidentiary hearing before the Chief ineer or request administrative review by the Secretary of iculture. A request for hearing by the Chief Engineer must be divithin 15 days of service of this Order and a request for ninistrative review by the Secretary must be filed within 30 s pursuant to K.S.A. 77-531. Any request for administrative ew must state a basis for review pursuant to K.S.A. 77-527. any request with Kansas Department of Agriculture, al Division, 1320 Research Park Drive, Manhattan, KS 02. Failure to timely request a hearing or review may clude review under the Kansas Judicial Review Act.	By: Duly Authorized Designee of the Chief Engineer (Print Name): Division of Water Resources - Kansas Department of Agriculture Date of Issuance: State of Kansas) SS
	For Use by Register of Deeds	County of 10000)
		Acknowledged before me on 4-5-23 by Ark Ballinger Signature: Agents Nøfary Public
		My commission expires: ————————————————————————————————————
DWI	R 1-121 (Revised 04/5/2018)	Age 4 NANCY HAGEMAN My Appointment Expires September 27, 2025

CHANGE APPLICATION PLACE OF USE, FILE NO. 4,509



MAR 06 2023

Stockton Field Office 820 S. Walnut Stockton, KS 67669-0192



Phone: 785-425-6787 Fax: 785-425-6842 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

April 5, 2023

BESTIFOR FARMS LP PO BOX 220 BELLEVILLE, KS 66935

Re: Water Right, File Nos. 4,509; 9,026; 30,363; 39,924;44,609 & 50,399

Dear Sir or Madam:

Enclosed are six (6) orders executed by Earl Lewis, Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the terms, conditions, and limitations specified in these approvals for change.

Since these orders modify the original certificates, they should be recorded with the Register of Deeds as other instruments affecting real estate.

These documents are summary orders by this agency regarding these matters. These orders shall become final if requests for hearings are not filed with the Chief Engineer within 15 days of the date of service of these orders.

If you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Mark Billinger

Assistant Water Commissioner

Wall Bil

MB:ndh Enclosures

CERTIFICATE OF SERVICE

On this 5th day of April 2023, I hereby certify that the attached <u>SUMMARY ORDERS</u> <u>APPROVING APPLICATIONS FOR CHANGE in</u> Place of Use for water right, File Nos. 4,509; 9,026; 30,363; 39,924;44,609 & 50,399, dated on the 5th day of April 2023, were mailed postage prepaid, first class, U.S. mail, to the following:

BESTIFOR FARMS LP PO BOX 220 BELLEVILLE, KS 66935

Nancy Hageman

Administrative Assistant