Kansas

Department of Agriculture

Division of Water Resources

Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, Kansas 66619

Jackie McClaskey, Secretary David W. Barfield, Chief Engineer Katherine A. Tietsort, Water Commissioner Phone: (785) 296-5733 Fax: (785) 296-8298 www.agriculture.ks.gov

Sam Brownback, Governor

December 29, 2016

RICHARD H & JODY D COTT 1047 20TH RD CLAY CENTER KS 67432-8118

Re:

Water Right, File Nos.

38,724 & 39,090

Dear Mr. and Mrs. Cott:

Enclosed are the orders executed by David W. Barfield, Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the terms, conditions, and limitations specified in these approvals for change. Also, the approval of these orders require the installation of a water flow meter on the point of diversion authorized under the above referenced file number by December 31, 2016. Please note that all meters must be installed and maintained in accordance with the Chief Engineer's specifications for water flow meters. A copy of these specifications are found in K.A.R. 5-1-4 through K.A.R. 5-1-12 and can be obtained from our website at the following web address:

http://agriculture.ks.gov/meters .

A list of those meters found to be acceptable can be obtained from the same web address.

Because these orders modify the original certificate issued under your water right file, they should be recorded with the Register of Deeds as other instruments affecting real estate.

These documents are summary orders by this agency regarding this matter. These orders shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order.

If you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely, Lietsont

Katherine A. Tietsort Topeka Field Office

Water Commissioner

KAT:lhh Enclosures

PC: Robert J & Jana L Cott

Submit completed application to: Kansas Department of Agriculture Division of Water Resources Field Office for your area. Call for address:

Topeka -- (785) 296-5733 Stafford -- (620) 234-5311 Stockton -- (785) 425-6787 Garden City -- (620) 276-2901 http://agriculture.ks.gov/dwr

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended. Fee Schedule is on the third page of this application form.

oint(s)		ersion					igeu,	IIICIGG	5 a 10	pograp									and propos
						ı	File No	. <u>3872</u>	24			q	ccep	tab	le t	rig	inal	RECE AUG 0 3:00 opeka Fin	2016
. Ар	plicati	on is he	reby n	nade f	or app				ngine					ne or b	ooth):	I FOI	DIVISIO	N OF WAT	ERRESON
							lace o				Point							DEC	0 7 2016
		e water ce of su			s the s		of this Fround		ation i		Surfa			ndition	s des	cribed		Topeka	BO PA Field Office WATER RESO
. Na	me ar	nd addre	ess of	Applic	ant: R	ICHA	RD H 8	L JOD	YDC	ОТТ		ni heā						Lypny	ni kao
10	47 20 ¹	H RD C	CLAY	CENT	ER KS	6743	2					ALL H	-196					REC	EIVED
Ph	one N	umber:)	Jasky	1821			Email	addre	ss:		Table.	3 (1.12	UG. 1	12m-1		3:0	OPM
Na	me ar	nd addre	ess of	Water	Use C	orresp	onder	t: RIC	HARE	COT	T							AUG U	2010
_											- Albe					177.00			ield Office ATER RESOU
		umber:				The state of			Email	addre	ss:			-	776.0	20.119	DIVISI	ON OF W	ATER RESUC
		ently a					. 10	DV D	OTT										
Ow	vner o	f Land -				20 TH R				KS 6	7422						PR. CALIF		
(If t	there is	more th																	
												SI	V1/.	(-)		SI	E1/4		TOTAL
Sec. Twp. Range		Range	NE¼ NW¼ SW¼ SE¼		NE¼ NW¼ SW¼		SE1/4	NE1/4	SW¼ ¼ NW¼ SW¼ SE¼		SE1/4					ACRES			
22	7	2E									34	34	34	34	Mil lete	1.79	799.74	772 724	136
		Fall	-																
1			-		4 1		Mile.						7-4			i de la constante de la consta			
Ow	vner o	plication f Land - / more th	NA	AME: ESS:	RICHA 1047 2	ARD H	& JOI	DY D C	NTER	KS 6	7432	ace of	use be	e chan	ged to			ne la	galli i iv ii): inga
			NE¼				NW1/4			SW1/4			SE½		Ε1/4		TOTAL		
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
22	7	2E		1000	~ *0		W.1038	07:01	34	33	39.5	39.5	34	32		2		11.7	212
	T LEVE	CO AND	TE JE			TEN T F			100					950		2/4.15	Ta	<u> </u>	stajnon s
r Sici	Ing s		HEIM	O He S	1. 450	100	ohs n	The Thir					77 440	924			Harris Ha		

Presently auth				HAD I	AJal TS	in q					barolome Marine	
One in the	NW	11.12	Quarter of	the	SE	0.138	Qua	arter of	the	SW		_ Quart
of Section	22	100	_, Townshi	p	7		_ Sou	uth, Rai	nge	2E		(E/V
n CLAY		_ County,	Kansas, _	900	_ feet Nort	th3	860	_ feet \	Nest of	Southeast	corner of	section
Authorized Rate												
DWR use only									382	27 fe	et West)	
☐ This point v	will not be o	changed		point wil	I be chang	ed as	follow	/s:				
Proposed poir	nt of diversi	ion: (Com	plete only	if chang	ge is reque	ested)						
One in the	NW		Quarter of	the	SE		Qu	arter of	the	SW		Quar
of Section	22		_, Townshi	p	7		_ Soi	uth, Rai	nge	2E		(E/V
in CLAY		_ County,	Kansas, _	1048	_ feet Nort	th3	914	_ feet \	Nest of	Southeast	corner of	section
Proposed Rate												
This point is:	Additional	Well	Geo Cent	er List o	ther water	rights t	that wi	ill use th	nis point			
	1.0.0	North	Applica						4.1			
Presently auth	orized poir	nt of diver	rsion:	The second	7	ALTERNATION OF THE PARTY OF THE			1			
One in the		THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		the			Qu	arter of	the			Quar
of Section	0.2	Wind -	. Townshi	p			Soi	uth. Ra	nge			(E/V
in		County.	Kansas.	90, 600 8	feet Nort	th	2 41	feet \	Nest of	Southeast	corner of	section
Authorized Rat												
(DWR use only												
☐ This point							_					
Proposed poir						HILL SEL						
One in the							Qu	arter of	the			Quai
of Section												
in												
Proposed Rate	-	_ oounty,	Proposed C	Quantity	_ 100111011		Pron	osed we	ell denth	(feet)	comor or	0000
This point is:												
PREVIOUS WE	LL NEEDED	TO BE R	E-DRILLEI	0		the dia	gram b	pelow in DTE:	relation The "X"	liversion, in to the exist in center rized point	ing point of diag	of divers
						SI TEN			o back	North		
If a well, is the v	well log attac	hed? X	/es	☐ No			10	n	50	0		
							10	пπ	1111	ПП		
When do you	propose t	to comple	te the ne	w point	of			F		. +		
diversion?								-		-		
THE WELL HA	S ALREADY	BEEN CO	OMPLETED				50	L	+	T.	+	
If the point of di	version is a	well:					50	-				
(a) What are y			old well?				45018			4 July 1		
(a) villat are y	ou going to t	JO WILLI LITE	Old Well!			10/	+ 0	- , ,	1111	11711	1111	111
PLUG IT		Program.		Total Control		Wes	st U			11 <u>X</u> 11	1111	1 1-
							11 500	-		rie w		
(b) When will t	his be done?	ALREAD	Y COMPLE	ETED	RECEI	VED						
				1-2-1-0	AUG 0 S	2010	50	_	+		+	_
Groundwater	Manageme	ent Dist	rict reco	mmendat		2010			1			
attached?	Yes 🛛				Topeka Fie			E				-
				DIVI	ISION OF WAT	ER RESO	URCES	ed point	of diver	sion will be	relocated	more
Assisted by BR		ER 5-25-16	ECEIVED			100 fe	et but	within	1320 f	eet from t	he existir	g poir
	RECEIVED	K	ECEIAED			diversion	on, att	ach a	topograp	hic map c	or aerial p	hotogr
DE	C 0 7 2016		00201	6		within o	one-ha	If mile o	of the pro	ow all wells posed poin	t of divers	ion and
		HU				names	and r	mailing	address	es of the c	owners.	or sur
Top	eka Field Office OF WATER RESO	Тор	oeka Field Offi OF WATER RE	SOURCES		water landow	ner(s)	es, sno one-ha	w the	names and downstream	n address	e-half
DIVISITION	JE WATER RESC	RCENCION	OF WATER KE		-	unstrea	am fron	m vour r	roperty	ines		J.Idii
		DIAISIO				apolice		" Jour P	poilty			

14. If the proposed groundwater point of diversion is 300 or fewer feet from	m existing point of diversion, complete the following:
(a) Does the undersigned represent all owners of the currently authors. Yes ☐ No (If no, all owners must sign this applied	
 (b) Will the ownership interest of any owner of the currently author affected if this application is approved as requested? ☐ Yes ☐ No (If yes, all owners must sign this application) 	
(c) If this application is not approved expeditiously, will there be sub Yes No (If no, all owners must sign this application proposes a surface water change in point of diversion, a or a change in place of use, the application must be signed by all owners agent (attach notarized statement authorizing representation).	cation.) TFO groundwater change in point of diversion greater than 300 feet,
I hereby verify, being first duly sworn upon my oath or affirm age and the owner, the spouse of the owner, or a duly author their behalf, in regard to the water right(s) to which this appropriation are true, correct and complete.	zed agent of the owner(s) to make this application on lication pertains. I further verify that the statements
Dated at Clay Cortor , Kansas, this	2016.
Packard H. Cott	ada Cott
(Owner)	(Spouse)
Richard H. Cott	lody DCott
(Please Print)	Please Print)
	The property of the property o
(Owner)	(Spouse)
CONTROL OF THE STATE OF THE STA	WHIRE OUR DELEASED THE SET OF THE SERVEN HOURS.
(Please Print)	(Please Print)
no enchance dimension due en siche en siche en siche en and den des en and des	ALLERO AL PROPERTO DE PROPERTO DE PROPERTO DE LA COMPANIONE DEL COMPANIONE DE LA COMPANIONE DEL COMPANIONE DE LA COMPANIONE DE LA COMPANIONE DE LA COMPANIONE DE LA COMPANIONE D
(Owner)	(Spouse)
mita l'exemple amorphisacus es com secoles qui minne de comite e	Control of the contro
(Please Print)	(Please Print)
State of Kansas	
County of Clay	i Palika Kanada na Kanada na managani nga ngangan di Palika na managan di Palika. Langga kanada na Manada na Manada na managan
I hereby certify that the foregoing application was signed in my	presence and sworn to before me this 29 th day of
July , 20/6	0 11011
All the sail of the sail of the sail the sail of the s	Chames H Yhusa
My Commission Expires JAMES H. SCHULZE Notary Public • State of Kansas Notary Public • State of Kansas	Notary Public
My Commission Expires Notary Public - State of National My Appt. Expires July 1, 2019	
ONLY COMPLETE APPLICATION'S WILL BE PROCESSED. To be complete, all accurate information; maps, if necessary, must be included; signatures of all the apthe appropriate fee must be paid.	of the applicable portions of the application form must be completed with propriate owners' must be affixed to the application and notarized; and
FEE SCHEDU	LE
Each application to change the place of use or the point of diversion under forth in the schedule below: Make checks payable to: Kansas Department	r this section shall be accompanied by the application fee set
 (1) Application to change a point of diversion 300 feet or less (2) Application to change a point of diversion more than 300 feet (3) Application to change the place of use	\$200
JUHIGMEN GYOLLI RECEIVED RECEIVE	D
LLOYD HEMPILE LIOYD HEMPILE My Appointment Expires	RECEIVED
9 2 0 DUA Occember 27, 2020	016 DEC Q 7 2016
Topeka Field Office Topeka Field C	Office -
DIVISION OF WATER RESOLVCES DIVISION OF WATER RESOLVCES Page 3 Page 3	Topeka Field Orice RESOURGESSION OF WATER RESOURCES File No. 38724

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-14-3 and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et. seq.*, and rules and regulations promulgated thereunder, K.A.R. 5-1-1 *et.seq.* With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 36,724 A change application was received on December 7, 2016 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable
Not Applicable on the topographic map accompanying the application to change the place of use. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a Applicable radius of the authorized point(s) of diversion. ☐ Not Applicable The point(s) of diversion authorized herein shall not actually be located more than feet from the previously Mot Applicable authorized point(s) of diversion. ☐ Applicable As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. **Applicable** ☐ Not Applicable The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 20_17, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable Installation of the works for diversion of water shall be completed on or before December 31, 20 17, or within any authorized extension of time. By March 1, 20 18 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. X Applicable ☐ Not Applicable The completed well log shall be submitted with the required notice. X Applicable ■ Not Applicable All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable Additional Conditions are attached. Yes X No 11. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law. FOR OFFICE USE ONLY Administrative Appeal and Effective Date of Order APPLICATION APPROVED AND You have the right to a hearing in accordance with K.A.R. 5-14-3 SUMMARY ORDER ISSUED before this Summary Order becomes final action of the Kansas Department of Agriculture. Any request for a hearing must be filed with the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Topeka, Kansas 66502, within 15 days after the date Duly Authorized Designee of the Chief Engineer shown on the Certificate of Service attached hereto. If a hearing is not requested in accordance with K.A.R. 5-14-3, this Summary Order will become effective on the 15th day after the date shown Katherinet lie-sort (Print Name): Division of Water Resources - Kansas Department of Agriculture on the Certificate of Service. 1000m Del 28 2016 Date of Issuance: For Use by Register of Deeds State of Kansas SS County of Shawner ECEIVED RECEIVED Acknowledged before me on Pecember 28, 2016 by Katherine AUG 0 9 2016 Topeka Field Office Topeka Field Office Signature: VISION OF WATER RESOURCE DIVISION OF WATER RESOURCE Notary Public TATE O LLOYD HEMPHILL NOTARY My Appointment Expires December 27, 2020 My commission expires: (Notary Seal)

RECEIVED

A JAMES H. SCHULZE TENTON NOTICE State of Kensus

1:12,000 Authorized Place of Use & Point of Diversion File No. 38724



1:12,000 Proposed Place of Use & Point of Diversion File No. 38724

