NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.





KANSAS DEPARTMENT OF AGRICULTURE

DIVISION OF WATER RESOURCES

Jackie McClaskey, Secretary of Agriculture

David W. Barfield, Chief Engineer

File Number 4975 |
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

DEC 3 0 2016
10:09
KS DEPT OF AGRICULTURE

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	City: MERIDEN		State KS	Zip Code 66512
	Telephone Number: (785	<u>5</u>) <u>221-8572</u>		
2.	The source of water is:	☐ surface water in		
	OR	⊠ groundwater in <u>KA</u>	(streated) NSAS RIVER (drainage)	
	when water is released from	om storage for use by wat ne date we receive your ap	lows established by law or ma er assurance district member oplication, you will be sent the	s. If your application is subjec
3.	The maximum quantity of	f water desired is 64	acre-feet OR	gallons per calendar yea
	to be diverted at a maxim	num rate of 1000 **	gallons per minute OR	cubic feet per second
			ganone per minate en	cubic leet per second
	requested quantity of water maximum rate of diversion	s been assigned a priority er under that priority numb on and maximum quantity	y, the requested maximum rate can NOT be increased. Plate of water are appropriate and Vater Resources' requirement	ate of diversion and maximun ease be certain your requeste reasonable for your propose
1.	requested quantity of wate maximum rate of diversic project and are in agreem	s been assigned a priority er under that priority numb on and maximum quantity	y, the requested maximum ra per can <u>NOT</u> be increased. Pla of water are appropriate and Vater Resources' requirement	ate of diversion and maximun ease be certain your requeste reasonable for your propose
4.	requested quantity of wate maximum rate of diversic project and are in agreem	is been assigned a priority or under that priority number and maximum quantity nent with the Division of World appropriated for (Check	y, the requested maximum ra per can <u>NOT</u> be increased. Pla of water are appropriate and Vater Resources' requirement	ate of diversion and maximum ease be certain your requested reasonable for your proposed
1.	requested quantity of water maximum rate of diversic project and are in agreen. The water is intended to leave the second secon	is been assigned a priority or under that priority number and maximum quantity nent with the Division of World appropriated for (Check	y, the requested maximum rates can NOT be increased. Please of water are appropriate and vater Resources' requirement use intended):	ate of diversion and maximum ease be certain your requested reasonable for your proposed is.
1.	requested quantity of water maximum rate of diversic project and are in agreem. The water is intended to I. (a) Artificial Recharge	is been assigned a priority er under that priority number and maximum quantity nent with the Division of Wheeled to the appropriated for (Check (b) Irrigation	y, the requested maximum raper can NOT be increased. Plet of water are appropriate and vater Resources' requirement use intended): (c) Recreational	ate of diversion and maximum ease be certain your requested reasonable for your proposed is. (d) Water Power (h) Sediment Control
1.	requested quantity of water maximum rate of diversion project and are in agreem. The water is intended to be (a) ☐ Artificial Recharge (e) ☐ Industrial	is been assigned a priority er under that priority number and maximum quantity nent with the Division of Work (b) Irrigation (f) Municipal (j) Dewatering	y, the requested maximum raper can NOT be increased. Play of water are appropriate and vater Resources' requirement (c) Recreational (g) Stockwatering	ate of diversion and maximum ease be certain your requested reasonable for your proposed is. (d) Water Power (h) Sediment Control

5.	The I	ocation of the proposed wells, pump sites or other works for diversion of water is:	
	Note	: For the application to be accepted, the point of diversion location must be described to acre tract, unless you specifically request a 60 day period of time in which to locate the specifically described, minimal legal quarter section of land.	
	(A)	One in LOT 2 quarter of the quarter of the quarter of Section 20, more part	cularly described
		as being near a point 4270 feet North and 1960 feet West of the Southeast corner of	f said section, in
		Township <u>11</u> South, Range <u>17</u> EAST, <u>JEFFERSON</u>	County, Kansas.
	(B).	One in the quarter of the quarter of the quarter of Section,	more particularly
		described as being near a point feet North and feet West of the Southea	ast corner of said
	•	section, in Township South, Range East/West (circle one),	County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section,	more particularly
		described as being near a point feet North and feet West of the Southea	
		section, in Township South, Range East/West (circle one),	County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section,	more particularly
		described as being near a point feet North and feet West of the Southea	ast corner of said
		section, in Township South, Range East/West (circle one),	County, Kansas.
	wells the s	e source of supply is groundwater, a separate application shall be filed for each proposed, except that a single application may include up to four wells within a circle with a quarter ame local source of supply which do not exceed a maximum diversion rate of 20 gallons puttery of wells is defined as two or more wells connected to a common pump by a manifold;	· (¼) mile radius ir er minute per well
	four v	wells in the same local source of supply within a 300 foot radius circle which are being op o exceed a total maximum diversion rate of 800 gallons per minute and which supply wa bution system.	erated by pumps
6.	The	owner of the point of diversion, if other than the applicant is (please print):	
		NNE L GANTZ 4123 SOUTH ST GRANTVILLE KS 66429	
	ROD	D BIGHAM 5268 58 TH ST_MERIDEN KS_66512 (name, address and telephone number)	
	lando	must provide evidence of legal access to, or control of, the point of diversion from the owner's authorized representative. Provide a copy of a recorded deed, lease, easement of this application. In lieu thereof, you may sign the following sworn statement:	
		I have legal access to, or control of, the point of diversion described in this application landowner or the landowner's authorized representative. I declare under penalty of perjetoregoing is true and correct. Executed on	ury that the
	Failu	applicant must provide the required information or signature irrespective of whether they a are to complete this portion of the application will cause it to be unacceptable for filing and to the applicant.	re the landowner.
7.	The	proposed project for diversion of water will consist of ONE WELL (number of wells, pumps or dar	ne oto)
	and	(was) completed (by) LATE 1980'S	ns, etc.)
		(Month/Day/Year - each was or will be completed)	

5.

File No.

The first actual application of water for the proposed beneficial use was or is estimated to be <u>JULY 2016</u> (Mo/Day/Year) 8.

9.	A	Il pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works' Yes No If "yes", a check valve shall be required. If prace, we presently but chemigation safety requirements must be met including a chemigation permit and reporting requirements.
	ΑII	chemigation salety requirements must be met including a chemigation permit and reporting requirements.
10.	sub	rou are planning to impound water, please contact the Division of Water Resources for assistance, prior to omitting the application. Please attach a reservoir area capacity table and inform us of the total acres of face drainage area above the reservoir.
		ve you also made an application for a permit for construction of this dam and reservoir with the Division o ater Resources? $\ \square$ Yes $\ \boxtimes$ No
	•	If yes, show the Water Structures permit number here
	•	If no, explain here why a Water Structures permit is not required NOT APPLICABLE
11.	sho sec	e application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed pla bying the following information. On the topographic map, aerial photograph, or plat, identify the center of the ction, the section lines or the section corners and show the appropriate section, township and range numbers to, please show the following information:
	(a)	The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b)	If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c)	If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile downstream and $\frac{1}{2}$ mile upstream from your property lines must be shown.
	(d)	The location of the proposed place of use should be shown by crosshatching on the topographic map, aeria photograph or plat.
	(e)	Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point or diversion to the place of use.
		A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence Kansas 66047.
12.	poi	t any application, appropriation of water, water right, or vested right file number that covers the same diversion nts or any of the same place of use described in this application. Also list any other recent modifications made existing permits or water rights in conjunction with the filing of this application.
	<u>P/C</u>) & P/U - 37928
		MATERIAL
		WATER RESOURCES

DEC 3 0 2016

File No. _

13.	Furnish the following well inf has not been completed, giv					oundwater. If th	ne well
	Information below is from:	☐ Test holes	⊠ We	ell as complete	d 🔲 Drillers	s log attached	
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)	
	Date Drilled	_	1988				
	Total depth of well	_	67'				
	Depth to water bearing form	ation _					
	Depth to static water level		21'				
	Depth to bottom of pump in	ake pipe _					
14.	The relationship of the approximately TENANT (owner, tenant, agent or otherwise)	e) .					hat of
15.	The owner(s) of the propert			if other than th	ie applicant, is (please print):	
	SEE IRRIGATON USE SUF	(name, add	ress and t	elephone num	ber)		
		/nama add	rose and t	olonbono num	nor\		
		•		elephone num			
16.	The undersigned states that this application is submitted	in good faith.					
	Dated at December 3	27, Kansas	s, this <u>2</u>	day of	December (month)	∠ , <u>Ĵ ⊘ (</u> (yea	<u>⟨</u> r)
	Jeanne J. La (Applicant Signatu	in J					
<u>By</u>	(Agent or Officer Sign	ature)					
	(Agent or Officer - Pleas	se Print)					
Assiste	d by BRETT BUNGER		TFO/ ASS	T WATER CO (office/title)	MM Date: <u>{</u>	5-25-16	

File No.

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No	·										
			Nar	ne of	Appli	icant	(Pleas	se Prir	nt): <u>F</u>	ROD I	BIGH	AM_						_	
1. I	Please lesign	supp ate th	ly the	e nam ial nu	e and mber	l addı of ac	ess ores to	f eacl be in	n land rigate	lowne d in e	er, the ach fo	e lega orty a	l desc ere tra	riptio	on of fracti	the la onal p	nds to	o be i n ther	rrigated, and eof:
Land	lowne	er of l	Recor	d :	NAM	E: JE	ANN	IE L	GAN	TZ									
				ADI	DRES	SS: <u>41</u>	23 S	<u>OUT</u>	H ST	GR	ANT	VILLI	E KS	664	29				
	_	_		NI	E1/4			NV	W1/4			SV	V¹/4			SI	E1⁄4		mom 4.
S 	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
20	11	17E	4 L-1	28 L-2	28 L-2	4 L-1													64
Land	lowne	er of l	Recor																
	Т	R		NI	E¼			NV	V1/4			SV	V1⁄4			SI	Ε1/4		TOTAL
		K	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Land	lowne	er of l	Recor		NAM DRES														
s	Т	R			Ε¼	I _			V1/4	_		Γ	V1/4			1	E1/4		TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																			•••

WATER RESOURCES RECEIVED

Page 1 of 2

	icate the	soils in the field(s) and the	ieir intake rates:		
		oil ame	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
_					
_		otal:	100 %		
b. Est	imate the	e average land slope in the	e field(s):	%	
		e maximum land slope in		%	
c. Typ		gation system you propos		1 DD 4	HTD: H 11:
		enter pivot ravity system (furrows)		- LEPA	
— Otl		se describe:			
	• •	ign features:			
i.		ibe how you will control	tailwater:		
ii.	For sp	orinkler systems:			
	(1)	Estimate the operating p	pressure at the distributi	ion system:	psi
	(2)	What is the sprinkler pa	ickage design rate?	gpm	
	(3)	What is the wetted dian	neter (twice the distance	e the sprinkler throw	s water) of a sprinkler
		41	e system?	feet	
		the outer 100 feet of the	. system:	1001	
	(4)	Please include a copy o			
e. Cro			f the sprinkler package	design information.	

WELLS WITHIN ONE-HALF MILE

- #1) File Nos. 7349 & 45989 (IRR)
 Robert Shirley
 3703 South St
 Grantville KS 66429
- #2) File No. 7350 (IRR) Owner = Same as #1
- #3) File No. 29351 (IRR) Owner = Same as #1
- #4) File Nos. 39927 & 43078 (IRR)
 Ralph E Rose
 4020 NW Huxman Rd
 Silver Lake KS 66539
- #5) File No. 48583 (IRR) H R H Inc. 5616 SW 38th St Topeka KS 66610
- #6) Dennis Spreer (DOM.) 4708 21st St Grantville KS 66429
- #7) David C Linquist (DOM.) 4612 21st St Grantville KS 66429
- #8) Diane Drummond (DOM.)
 4459 21st St
 Grantville KS 66429
- #9) David Stanwix (DOM.) 4865 21st St Grantville KS 66429

WATER RESOURCES RECEIVED

DEC 3 0 2016

IRRIGATION USE SUPPLEMENTAL SHEET

							Fi	le No											
			Nar	ne of	Appli	cant ((Pleas	e Prir	nt): R	OD I	BIGH	AM						_	
1. F	Please lesign	supp ate th	ly the	e nam ıal nu	e and mber	addr of ac	ress o	f each be in	land	lowne d in e	er, the	lega orty ac	l desc ere tra	riptic ict or	n of fracti	the la onal p	nds to	be in there	rigated, and of:
Land	lowne	r of I	Recor	·d]	NAM	E: JE	ANN	EL	GAN	TZ									
				ADI	ORES	S: <u>41</u>	23 S	OUT	H ST	GR	<u>ANT\</u>	VILLE	E KS	664	29				
	т	n		NI	Ε1/4			NV	V 1/4			SV	V1/4			SI	Ε1/4		TOTAL
S	T	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	TOTAL
20	11	17E	4 L-1	27 L-2	28 L-2	4 L-1													63
					$C_{i}^{(i)}$								ļ						
Land	lowne	r of l	Recor	• d]	NAM	E:													
				ADI	ORES	S:								<u>-</u>					
s	Т	R		NI	E1/4			NV	V¹⁄4			sv	V¹⁄4			SE	E1/4		TOTAL
	•		NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
T		c I	.	. د	NT A N 1	г.													
Land	owne	er 01 1	xecor	d]	nam DRES		-					-							
				ADI	JKES	S:	1				1				T			п	
s	Т	R	NE	NW NW	E¼ SW	SE	NE	NW NW	V¼ SW	SE	NE	SV NW	√¼ SW	SE	NE	SE NW	SW	SE	TOTAL
			INE	14 44	S WV	JE.	IAE	14 44	٧٧ و.	OL.	IAE	14 44	۷۷	SE	1415	1444	5 **	JL	
										`									
													14	IATE					

WATER RESOURCES RECEIVED

DWR 1-100.23 (Revised 07/07/2000)

DEC 3 0 2016

Page 1 of 2

	Indicate the	e soils in the field(s) and t	heir intake rates:		
	N	Soil Iame	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
		Γotal:	100 %		
b.	Estimate th	ne average land slope in th	e field(s):	%	
	Estimate th	ne maximum land slope in	the field(s):		
c.	Type of irr	igation system you propos			
		enter pivot	-	vot - LEPA	
		ravity system (furrows) ase describe:			
d.	• •	sign features:		-	
u.	•	ribe how you will control			
	ii. For s	prinkler systems:			
	ii. For s	prinkler systems: Estimate the operating	pressure at the distril	oution system:	psi
				-	psi
	(1)	Estimate the operating What is the sprinkler p	ackage design rate?	gpm	-
	(1) (2)	Estimate the operating What is the sprinkler p	ackage design rate?	gpm gpm	psi vs water) of a sprinkler o
	(1) (2)	Estimate the operating What is the sprinkler p What is the wetted dian	ackage design rate? meter (twice the dista	gpm	vs water) of a sprinkler o
e.	(1)(2)(3)(4)	Estimate the operating What is the sprinkler p What is the wetted diar the outer 100 feet of th	ackage design rate? meter (twice the distate system? of the sprinkler packate	gpm ince the sprinkler throv feet ge design information.	vs water) of a sprinkler
e.	(1) (2) (3) (4) Crop(s) yo	Estimate the operating What is the sprinkler p What is the wetted diar the outer 100 feet of th Please include a copy of	ackage design rate? meter (twice the distate system? of the sprinkler packate note any planned c	gpm ince the sprinkler throw feet ge design information rop rotations:	vs water) of a sprinkler

You may attach any additional information you believe will assist in informing the Division of the need for your request.

DEC 27, 2016 (Date)

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re: Application File No. Minimum Desirable Streamflow River Assurance District KANSAS Water Reservation Rights Dear Sir: I understand that a Minimum Desirable Streamflow requirement has been established, an Assurance District has been formed and established or a Water Reservation Right is held by the Kansas Water Office (circle the appropriate item) for the source of supply to which the above referenced application applies, namely the KANSAS RIVER I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met, Assurance District or Water Marketing releases are being made from storage in Federal Reservoirs or when a Reservation Right upstream of a Federal Reservoir is being administered. I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water. I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above referenced application. Janne S. Santa Signature of Applicant

Jeanne L. Gantz

Print Applicant Name State of Kansas) SS County of TELEPON I hereby certify that the foregoing instrument was signed in my presence and sworn to before me 27th day of December , 2016 this NOTARY PUBLIC. State of Kansas TIFFANY MARIE McCALL

My Commission Expires: October 25, 2020

My Appt. Exp. VG-25

ry Fublic

WATER RESOURCES RECEIVED

DEC 3 0 2016

FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River Big Blue River Chapman Creek Chikaskia River Cottonwood River Delaware River Little Arkansas River Little Blue River

Marais des Cygnes River Medicine Lodge River

Mill Creek (Wabaunsee Co. area)

Neosho River

Ninnescah River

North Fork Ninnescah River

Rattlesnake Creek Republican River Saline River Smoky Hill River Solomon River

South Fork Ninnescah

Spring River Walnut River Whitewater River

Assurance Districts have been formed on the following rivers:

Kansas River

Marias des Cygnes River

Neosho River

The Kansas Water Office has Water Reservation Rights for the following reservoirs:

Big Hill

Clinton

Council Grove

Elk City

Hillsdale

John Redmond

Marion


Melvern

Milford Perry

Pomona

Tuttle Creek

New Application



1320 Research Park Drive Manhattan, Kansas 66502



Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey, Secretary

December 30, 2016

ROD BIGHAM 5268 58TH ST MERIDEN KS 66512

FILE COPY

RE: Application File No. 49751

Dear Sir or Madam:

Your application for permit to appropriate water in 20-11S-17E in Jefferson County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent A Turney, P.G.

Change Application Unit Supervisor Water Appropriation Program

BAT: dlw

TOPEKA Field Office pc:

GMD 0