

Kansas Department of Agriculture
Division of Water Resources
CHANGE: P/D WORKSHEET

1. File Number: 21,372	2. Status Change Date: 6/7/2018	3. Change Num: C1	4. Field Office: 01	5. GMD:
6. Status: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied by DWR/GMD <input type="checkbox"/> Dismiss by Request/Failure to Return				7. Filing Date of Change: 5/31/18
8a. Applicant(s) New to system <input type="checkbox"/> FRANKLIN RWD 04 BECKY GOAD 1506 OLD HWY 50 WILLIAMSBURG KS 66095-8132		Person ID 15223 Add Seq# 1	8c. Landowner(s) New to system <input type="checkbox"/> 8A.	
8b. Landowner(s) New to system <input type="checkbox"/>		Person ID _____ Add Seq# _____	8d. Water Use Correspondent New to system <input type="checkbox"/> 8A.	
9. Documents and Enclosure(s): <input checked="" type="checkbox"/> DWR Meter(s) Date to Comply: 12/31/18 <input checked="" type="checkbox"/> N & P Date to Comply: 12/31/18				
<input type="checkbox"/> Anti-Reverse Meter <input type="checkbox"/> Meter Seal <input type="checkbox"/> Check Valve <input checked="" type="checkbox"/> N & P Form <input type="checkbox"/> Water Tube <input type="checkbox"/> Driller Copy <input type="checkbox"/> H & E Letter <input type="checkbox"/> Conservation Plan Date Required: _____ Date Approved: _____ Date to Comply: _____				
10. Use Made of Water From: _____ To: _____				
			Date Prepared: 6/6/18 By: LHH/TFO	
			Date Entered: _____ By: _____	

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE
DIVISION OF WATER RESOURCES
TOPEKA FIELD OFFICE
6531 SE FORBES AVE., SUITE B
TOPEKA, KS 66619



PHONE: (785) 296-5733
FAX: (785) 296-8298
www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.
JACKIE McCLASKEY, SECRETARY OF AGRICULTURE

June 8, 2018

FRANKLIN RWD 04
1506 OLD HWY 50
WILLIAMSBURG KS 66095-8132

Re: Water Right, File No. 21,372

Dear Sir or Madam:

Enclosed is the order executed by David W. Barfield, Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the application for change under the above referenced file number.

Your attention is directed to the terms, conditions, and limitations specified in this approval for change. A condition of this order requires the installation of water flow meter(s) before the first use of water in accordance with the Chief Engineer's specifications found in K.A.R. 5-1-4 through K.A.R. 5-1-12. A copy of these specifications and a list of acceptable meters can be obtained from our website at the following web address:

<http://agriculture.ks.gov/meters>

This order also requires that the diversion works should be completed, including installation of the flow meter(s), by December 31, 2018 and reported to the Division of Water Resources using the enclosed Notice of Completion of Diversion Works form. The form is also available on our website at: <http://agriculture.ks.gov/wa-forms>. If you do not have access to the internet, please contact this office and we will send you a paper copy of the referenced information.

Because this order modifies the original certificate issued under your water right file, it should be recorded with the Register of Deeds as other instruments affecting real estate.

This document is a summary order by this agency regarding this matter. This order shall become final if a request for a hearing is not filed with the Chief Engineer within 15 days of the date of service of this order.

If you have any questions, please feel free to contact this office. If you wish to refer to a specific file, please reference it when you contact us.

Sincerely,

Brett L. Bunger
Assistant Water Commissioner

BLB:lh
Enclosures
PC by e-mail: Douglas Helmke, KRWA

Submit completed application to:
 Kansas Department of Agriculture
 Division of Water Resources
 Field Office for your area.
 Call for address:

Topeka -- (785) 296-5733
 Stafford -- (620) 234-5311
 Stockton -- (785) 425-6787
 Garden City -- (620) 276-2901
<http://agriculture.ks.gov/dwr>

DWR FIELD OFFICE APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE AND/OR THE POINT OF DIVERSION



STATE OF KANSAS

Filing Fee Must Accompany the Application, K.S.A. 82a-708b(b), as amended.
 Fee Schedule is on the third page of this application form.

Paragraph Nos. 1, 2, 3 & 5 must be completed. Complete all other applicable portions. If change in point of diversion is greater than 100 feet, or if place of use will be changed, include a topographic map or detailed plat showing the authorized and proposed point(s) of diversion and/or place of use.

File No. 21,372

RECEIVED

MAY 31 2018
8:30 AM
 Topeka Field Office
 DIVISION OF WATER RESOURCES

1. Application is hereby made for approval of the Chief Engineer to change the (check one or both):

Place of Use Point of Diversion

under the water right which is the subject of this application in accordance with the conditions described below.

The source of supply is: Groundwater Surface water

2. Name and address of Applicant: RURAL WATER DISTRICT NO. 4, FRANKLIN COUNTY
1506 OLD HWY 50, WILLIAMSBURG, KS 66095

Phone Number: (785) 746-5571 Email address: _____

Name and address of Water Use Correspondent: SAME AS ABOVE - NO CHANGE

Phone Number: () _____ Email address: _____

3. The presently authorized place of use is:

Owner of Land --- NAME: RURAL WATER DISTRICT NO. 4, FRANKLIN COUNTY
WATER RIGHT ADDRESS: 1506 OLD HWY 50, WILLIAMSBURG, KS 66095

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>11-17-18E</u>			<u>MUNICIPAL USE WITHIN THE BOUNDARIES OF RURAL WATER DISTRICT NO. 4, FRANKLIN COUNTY & IMMEDIATE VICINITY</u>																
<u>PUSE 24337</u>																			

4. If this application is for a change in place of use, it is proposed that the place of use be changed to:

Owner of Land --- NAME: NO CHANGE
WATER RIGHT ADDRESS: _____

(If there is more than one landowner, attach supplemental sheets as necessary.)

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL ACRES
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
			<u>/</u>																


For Office Use Only: Code _____	Fee \$ _____	TR # _____	Receipt Date _____	Check # _____
---------------------------------	--------------	------------	--------------------	---------------

5. **Presently authorized point of diversion:** PDIV 43855
 One in the NW Quarter of the NW Quarter of the NW Quarter of the NW Quarter of Section 15, Township 17 South, Range 18 (E/W), in FRANKLIN County, Kansas, 5275 feet North + 5250 feet West of Southeast corner of section. Authorized Rate 50 GPM Authorized Quantity NA Depth of well 156 (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS)
 One in the NW Quarter of the NW Quarter of the NW Quarter of Section 15, Township 17 South, Range 18 (E/W), in FRANKLIN County, Kansas, 5296 feet North 5206 feet West of Southeast corner of section. Proposed Rate 50 GPM Proposed Quantity NA Proposed well depth (feet) 156
 This point is: Additional Well Geo Center List other water rights that will use this point _____

6. **Presently authorized point of diversion:** PDIV 1242
 One in the SE Quarter of the NE Quarter of the SE Quarter of Section 9, Township 17 South, Range 18E (E/W), in FRANKLIN County, Kansas, 1600 feet North + 30 feet West of Southeast corner of section. Authorized Rate 51 GPM Authorized Quantity NA Depth of well 151 (feet)
 (DWR use only: Computer ID No. _____ GPS _____ feet North _____ feet West)
 This point will not be changed This point will be changed as follows: No change, point better described with GPS as follows:
Proposed point of diversion: (Complete only if change is requested or if existing point is better described by GPS) *
 One in the SE Quarter of the NE Quarter of the SE Quarter of Section 9, Township 17 South, Range 18 (E/W), in FRANKLIN County, Kansas, 1340 feet North + 50 feet West of Southeast corner of section. Proposed Rate 51 GPM Proposed Quantity NA Proposed well depth (feet) _____
 This point is: Additional Well Geo Center List other water rights that will use this point _____

* TO BE WELL NO. 9

7. The changes herein are desired for the following reasons?
 (please be specific) THE CASING OF THE EXISTING WELL IS LEAKING AND NEAR FAILURE.
8. If a well, is the test hole log attached? Yes No
9. The change(s) (was)(will be) completed by?
DECEMBER 31, 2018
10. If the point of diversion is a well:
 (a) What are you going to do with the old well?
OLD WELL WILL BE PLUGGED
 (b) When will this be done? AS SOON AS NEW WELL IS DEEMED SUCCESSFUL.
11. Groundwater Management District recommendation attached?
 Yes No
12. Assisted by _____
- 13a. If the proposed point of diversion will be relocated more than 300 feet but within 2,640 feet of the existing point of diversion, attach a topographic map or aerial photograph. For groundwater sources, show all wells (including domestic) within one-half mile of the proposed point of diversion and the names and mailing addresses of the owners. For surface water sources, show the names and addresses of the landowner(s) one-half mile downstream and one-half mile upstream from your property lines



13b. If the proposed point of diversion will be relocated within 300 feet of the existing point of diversion, indicate its location on the diagram shown above in relation to the existing point of diversion. (PLEASE NOTE: The "X" in center of diagram above represents the presently authorized point of diversion.)

14. If the proposed groundwater point of diversion is 300 or fewer feet from the existing point of diversion, complete the following:
- (a) Does the undersigned represent all owners of the currently authorized place(s) of use identified in this application?
 Yes No (If no, all owners must sign this application.)
 - (b) Will the ownership interest of any owner of the currently authorized place(s) of use identified in this application be adversely affected if this application is approved as requested?
 Yes No (If yes, all owners must sign this application.)
 - (c) If this application is not approved expeditiously, will there be substantial damage to property, public health or safety?
 Yes No (If no, all owners must sign this application.)

If the application proposes a surface water change in point of diversion, a groundwater change in point of diversion greater than 300 feet, or a change in place of use, the application must be signed by all owners of the currently authorized place of use, or their duly authorized agent (attach notarized statement authorizing representation).

I hereby verify, being first duly sworn upon my oath or affirmation and under penalty of perjury, that I am of lawful age and the owner, the spouse of the owner, or a duly authorized agent of the owner(s) to make this application on their behalf, in regards to the water right(s) to which this application pertains. I further verify that the statements contained in this application are true, correct and complete.

Dated at May 25, Williamsburg, Kansas, this 25 day of MAY, 2018.

Phillip R. DePriest
 (Owner) operator
Phillip R DePriest

(Spouse)

(Please Print)

(Please Print)

(Owner)

(Spouse)

(Please Print)

(Please Print)


(Owner)

(Spouse)

(Please Print)

(Please Print)

State of Kansas }
 County of Franklin } SS



I hereby certify that the foregoing application was signed in my presence and sworn to before me this 25th day of May, 2018.

Rebecca L. Goad
 Notary Public

My Commission Expires 03/08/22.

ONLY COMPLETE APPLICATIONS WILL BE PROCESSED. To be complete, all of the applicable portions of the application form must be completed with accurate information; maps, if necessary, must be included; signatures of all the appropriate owners' must be affixed to the application and notarized; and the appropriate fee must be paid.

FEE SCHEDULE

Each application to change the place of use or the point of diversion under this section shall be accompanied by the application fee set forth in the schedule below: Make checks payable to: **Kansas Department of Agriculture**

- (1) Application to change a point of diversion 300 feet or less \$100
- (2) Application to change a point of diversion more than 300 feet \$200
- (3) Application to change the place of use \$200

SUMMARY ORDER APPROVING APPLICATION FOR CHANGE AND IMPOSING CONDITIONS

This Summary Order is issued under authority of K.S.A. 82a-708b, as amended, and K.A.R. 5-5-1, et seq. and other applicable provisions of the *Kansas Water Appropriation Law, K.S.A. 82a-701 et seq.*, and rules and regulations promulgated thereunder, With the exception of those conditions expressly contained herein, this Summary Order does not change the terms, conditions and limitations of File No. 21,372.

- 1. A change application was received on May 31, 2018 requesting that the place of use and / or point of diversion authorized under the above-referenced file number be changed as described in the application.
- 2. On and after the effective date of this summary order, the authorized place(s) of use shall be located substantially as shown on the topographic map accompanying the application to change the place of use. Applicable Not Applicable
- 3. The change in point of diversion shall not impair existing rights and shall be limited to the same source or sources of water as previously authorized. The point of diversion authorized by this summary order shall be located within a 50 foot radius of the authorized point(s) of diversion. Applicable Not Applicable
- 4. The point(s) of diversion described herein is administratively corrected to be more accurately described using the Global Positioning System (GPS), as described in the application. Applicable Not Applicable
- 5. The point(s) of diversion authorized herein shall not actually be located more than _____ feet from the previously authorized point(s) of diversion. Applicable Not Applicable
- 6. As required by K.A.R. 5-3-5d, if the works for diversion is a well with a diversion rate of 100 gallons per minute or more, a tube or other device suitable for making water level measurements shall be installed, operated and maintained in accordance with K.A.R. 5-6-13. Applicable Not Applicable
- 7. **The owner of the authorized place(s) of use shall properly install an acceptable water flow meter on or before December 31, 2018**, or before the first use of water, whichever occurs first. The water flow meter shall be installed, operated and maintained in accordance with K.A.R. 5-1-4 through 5-1-12. As required by K.S.A. 82a-732, as amended, and K.A.R. 5-3-5e, the owner shall maintain records and report the reading of the water flow meter and the total quantity of water diverted annually to the Chief Engineer by March 1 following the end of each calendar year. Applicable Not Applicable
- 8. **Installation of the works for diversion of water shall be completed on or before December 31, 2018**, or within any authorized extension of time. By March 1, 2019 the applicant shall notify the Chief Engineer that construction of the works for diversion has been completed, on the form provided by the Chief Engineer, as required by K.A.R. 5-8-4e. Applicable Not Applicable
- 9. **The completed well log shall be submitted with the required notice.** Applicable Not Applicable
- 10. All diversion works into which any type of chemical or other foreign substance will be injected into the water shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The check valve(s) shall be installed, operated and maintained in accordance with K.A.R. 5-3-5c. Applicable Not Applicable
- 11. Additional Conditions are attached. Yes No
- 12. In accordance with K.S.A. 82a-708a, as amended, and K.A.R. 5-5-14, all of the owners of the authorized place(s) of use of water appropriated under the above-referenced file number are responsible for compliance with its terms, conditions and limitations, as amended and/or supplemented by this Summary Order, and with applicable provisions of the *Kansas Water Appropriation Law* and the *Rules and Regulations* promulgated thereunder. Failure to comply with these provisions may result in civil penalties pursuant to K.S.A. 82a-737, as amended, and/or the suspension or revocation and dismissal of the water or appropriation right or any other enforcement actions authorized by law.

Administrative Appeal and Effective Date of Order

If you are aggrieved by this order, pursuant to K.S.A. 82a-1901, you may request an evidentiary hearing before the Chief Engineer or request administrative review by the Secretary of Agriculture. A request for hearing by the Chief Engineer must be filed within **15 days** of service of this Order and a request for administrative review by the Secretary must be filed within **30 days** pursuant to K.S.A. 77-531. Any request for administrative review must state a basis for review pursuant to K.S.A. 77-527. File any request with **Kansas Department of Agriculture, Legal Division, 1320 Research Park Drive, Manhattan, KS 66502**. Failure to timely request a hearing or review may preclude review under the Kansas Judicial Review Act.

For Use by Register of Deeds

FOR OFFICE USE ONLY
APPLICATION APPROVED AND SUMMARY ORDER ISSUED

By: Brett L. Bunger
Duly Authorized Designee of the Chief Engineer

(Print Name): BRETT L. BUNGER
Division of Water Resources - Kansas Department of Agriculture

Date of Issuance: JUNE 8, 2018

State of Kansas)


County of Shawnee) SS

Acknowledged before me on June 8, 2018

by Ann M. Murphy

Signature: [Signature]
Notary Public

My Commission Expires April 28, 2021
My Appointment Expires (Notary Seal)



CERTIFICATE OF SERVICE


On this 8th day of June, 2018, I hereby certify that the attached **APPROVAL OF APPLICATION FOR CHANGE IN POINT OF DIVERSION**, Water Right, File No. 21,372, dated June 7, 2018 was mailed postage prepaid, first class, US mail to the following:

FRANKLIN RWD 04
1506 OLD HWY 50
WILLIAMSBURG KS 66095-8132

With an e-mailed copy to:

DOUGLAS HELMKE, KRWA

Staff

A handwritten signature in blue ink, appearing to read "Ann McMurphy", is written over a horizontal line. The signature is cursive and stylized.



FIELD BORING LOG

Boring No. TH-01-17

Project Franklin Co. RWD # 4 Job No. 67070 Date 8/21/17

Location Williamsburg, KS Crew K. Gabel

Drilling Method: HSA CFA Rotary Rock Coring Drilling Fluid

DEPTH, FT.		DESCRIPTION	SAMPLE			SPT Blows N/6"
FROM	TO		TYPE	DEPTH, FT.	RECOVERY	
0.0	5.0	EMPTY				
5.0	10.0	EMPTY				
10.0	15.0	Clay				
15.0	20.0	Clay				
20.0	25.0	Shale				
25.0	30.0	Shale				
30.0	35.0	Shale				
35.0	40.0	EMPTY				
40.0	45.0	Coal - Lignite				
45.0	50.0	Limestone				
50.0	55.0	Shale				
55.0	60.0	Shale				
60.0	65.0	Shale				
65.0	70.0	Shale				
70.0	75.0	Sandstone				
75.0	80.0	Sandstone				
80.0	85.0	Shale				
85.0	90.0	Shale				
90.0	95.0	Shale / Sandstone				
95.0	100.0	Shale w/ some Sandstone				

WATER LEVEL OBSERVATIONS				NOTES
DURING DRILLING	_____	FT.		
AT COMPLETION	_____	FT.		
AFTER	_____ HRS	_____ FT.		
AFTER	_____ HRS	_____ FT.		
AFTER	_____ HRS	_____ FT.		



FIELD BORING LOG

Boring No. TH-01-17

Project Franklin Co. RWD # 4 Job No. 67070 Date 8/21/17
 Location Williamsburg, KS Crew K. Gabel
 Drilling Method: HSA CFA Rotary Rock Coring Drilling Fluid

DEPTH, FT.		DESCRIPTION	SAMPLE			SPT Blows N/6"
FROM	TO		TYPE	DEPTH, FT.	RECOVERY	
100.0	105.0	Shale w/ some Sandstone				
105.0	110.0	Sandstone				
110.0	115.0	Poorly Cemented Sandstone (fine sand)				
115.0	120.0	Poorly Cemented Sandstone (fine sand)				
120.0	125.0	Poorly Cemented Sandstone (fine sand)				
125.0	130.0	Poorly Cemented Sandstone (fine sand)				
130.0	135.0	Poorly Cemented Sandstone (fine sand)				
135.0	140.0	Poorly Cemented Sandstone (med. sand)				
140.0	145.0	Poorly Cemented Sandstone (med. sand)				
145.0	150.0	Sandstone				
150.0	155.0	Sandstone				
155.0	160.0	Sandstone				
160.0	165.0	Limestone				

WATER LEVEL OBSERVATIONS				NOTES
DURING DRILLING	_____	FT.		
AT COMPLETION	_____	FT.		
AFTER _____	HRS _____	FT.		
AFTER _____	HRS _____	FT.		
AFTER _____	HRS _____	FT.		