NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number 49909
This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

JAN 08 2018

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application KS DEPT OF AGRICULTURE (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	Name of Applicant (Please Print): MILL CREEK WATERSHED DISTRICT #85 - OPERATOR					
	Address: 32409A E SPR	ING RD	<u> </u>			
	City: PAXICO	· · · · · · · · · · · · · · · · · · ·		State: KS	Zip Code <u>66526</u>	
	Telephone Number: (785	<u>s) 636-5462</u>				
2.	The source of water is:	⊠ surface	water in SNOk	OMO CREEK TRIB 2 (KA	NSAS)	
	OR 、	☐ groundv	vater in	KANSAS RIVER (drainage	basin)	
	when water is released	from storage ns on the dat	for use by wat e we receive yo	ter assurance district men our application, you will be	y be subject to administration nbers. If your application is sent the appropriate form to	
3.	The maximum quantity of	water desired	d is <u>27</u>	acre-feet OR	gallons per calendar year,	
	to be diverted at a maximum rate of NF gallons per minute OR cubic feet per second.					
					•	
	requested quantity of warequested maximum rate	ater under the of diversion	ned a priority, that priority numerand maximum	ne requested maximum rat ber can <u>NOT</u> be increase	te of diversion and maximum ed. Please be certain your propriate and reasonable for	
4.	requested quantity of warequested maximum rate	ater under the of diversion d are in agree	ned a priority, the at priority numed and maximumement with the [ne requested maximum rat ber can <u>NOT</u> be increase quantity of water are app Division of Water Resource	te of diversion and maximum ed. Please be certain your propriate and reasonable for	
4.	requested quantity of warequested maximum rate your proposed project and	ater under the of diversion d are in agree be appropriate	ned a priority, the at priority numed and maximume and the E	ne requested maximum rat ber can <u>NOT</u> be increase quantity of water are app Division of Water Resource	te of diversion and maximum ed. Please be certain your propriate and reasonable for	
4.	requested quantity of warequested maximum rate your proposed project and The water is intended to be	ater under the of diversion d are in agree be appropriate (b) Irrig	ned a priority, the at priority numend maximume and maximume ement with the Eart of the control	ne requested maximum rate ber can <u>NOT</u> be increased quantity of water are appointed by the cource of the cource o	te of diversion and maximum ed. Please be certain your propriate and reasonable for es' requirements.	
4.	requested quantity of warequested maximum rate your proposed project and The water is intended to be (a) Artificial Recharge (e) Industrial	ater under the of diversion d are in agree oe appropriate (b) (f) Mu	ned a priority, the at priority numend maximume ment with the Eart of the control	ne requested maximum rail ber can <u>NOT</u> be increased quantity of water are appointed by the control of the cont	te of diversion and maximumed. Please be certain your propriate and reasonable for es' requirements. (d) □ Water Power (h) ☒ Sediment Control	
4.	requested quantity of warequested maximum rate your proposed project and The water is intended to be (a) Artificial Recharge (e) Industrial	ater under the of diversion dare in agree to e appropriate (b)	ned a priority, the at priority numend maximum mement with the Eart of the control of the contro	ne requested maximum rate ber can NOT be increased quantity of water are approximated of water Resource intended): (c) Recreational (g) Stockwatering (k) Hydraulic Dredging	te of diversion and maximumed. Please be certain your propriate and reasonable for es' requirements. (d) □ Water Power (h) ☒ Sediment Control	

Receipt Date

Code

5.	The location of the proposed wells, pump sites or other works for diversion of water is:
	Note: For the application to be accepted the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
* -	(A) One in the <u>SW</u> quarter of the <u>NE</u> quarter of the <u>NW</u> quarter of Section 29, more particularly
	described as being near a point 4300 feet North and 3480 feet West of the Southeast corner of said
•	section, in Township 12 South, Range 12 EAST, WABAUNSEE County, Kansas. Pdiv ID: 78658
	(B) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(C) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(D) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
÷ .	If the source of supply is groundwater, a separate application shall be filed for each proposed well or battery of wells, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons perminute per well.
	A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.
6.	The owner of the point of diversion, if other than the applicant is (please print):
	Waldo & Marilyn Poovey, 18530 Longhorn Rd, Paxico, KS 66526 785-256-6773 (name, address and telephone number)
	(name, address and telephone names)
•	(name, address and telephone number)
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
	Executed on Jan. 1, 2018 August August C.O. Applicant's Signature
7	
7.	The proposed project for diversion of water will consist of ONE DAM AND RESERVOIR (number of wells, pumps or dams, etc.)
6	and (will be) completed (by) Summer 2018 (Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be SUMMER 2018. (Mo/Day/Year)

File No. __

File No. 49964

	0 8 2018
WATER RE	RESOURCES CEIVED
ismissed File No. 47,809 (Failure to complete by deadline).	
ist any application, appropriation of water, water right, or vested right file number that iversion points or any of the same place of use described in this application. Also list modifications made to existing permits or water rights in conjunction with the filing of this a	at any other recen
A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, to numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of I Kansas 66047.	Kansas, Lawrence
Show the location of the pipelines, canals, reservoirs or other facilities for conveying w of diversion to the place of use.	ater from the point
The location of the proposed place of use should be shown by crosshatching on the aerial photograph or plat.	e topographic map,
If the application is for surface water, the names and addresses of the landowner(s) is and ½ mile upstream from your property lines must be shown.	∕₂ mile downstream
o) If the application is for groundwater, please show the location of any existing water within ½ mile of the proposed well or wells. Identify each existing well as to its use an and mailing address of the property owner or owners. If there are no wells within ½ r us.	d furnish the name
a) The location of the proposed point(s) of diversion (wells, stream-bank installation diversion works) should be plotted as described in Paragraph No. 5 of the application North-South distance and the East-West distance from a section line or southeast correction.	ation, showing the
he application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph howing the following information. On the topographic map, aerial photograph, or plat, idea section, the section lines or the section corners and show the appropriate section, to the umbers. Also, please show the following information:	entify the center of
STRUCTURES PERMIT NO. DWB-0108.	· · · · · · · · · · · · · · · · · · ·
If no, explain here why a Water Structures permit is not required ALREADY PEI	•
If yes, show the Water Structures permit number here DWB-0108	
ave you also made an application for a permit for construction of this dam and reservoir value. If the value of this dam and reservoir value. If the value of this dam and reservoir value. If the value of the valu	with the Division of
you are planning to impound water, please contact the Division of Water Resources for a ubmitting the application. Please attach a reservoir area capacity table and inform us ourface drainage area above the reservoir.	
Il chemigation safety requirements must be met including a chemigation permit and repor	ting requirements.
Yes 🖾 No If "yes", a check valve shall be required.	
rill pesticide, fertilizer, or other foreign substance be injected into the water pumped to orks?	from the diversion
	sticide, fertilizer, or other foreign substance be injected into the water pumped

13.	Furnish the following well in well has not been completed					groundwater. If t	he
	Information below is from:	☐ Test holes	☐ Well	as completed	☐ Drillers I	og attached	
	Well location as shown in pa	aragraph	(A)	(B)	(C)	(D)	
	Date Drilled	_					
	Total depth of well						
	Depth to water bearing form	nation _					
	Depth to static water level						
	Depth to bottom of pump in	take pipe					
14.	The relationship of the appli Agent (owner, tenant, agent or otherwis		osed place	where the water	will be used is	s that of	
15.	The owner(s) of the propert	y where the wate	er is used, i	f other than the	applicant, is (p	lease print):	
	Waldo & Marilyn Poovey, 18	8530 Longhorn F (name, addi	Rd, Paxico, ress and te	KS 66526 785- lephone number	<u>256-6773</u>)		
	Dorothy Kissling, 7421 SW	Carlson Rd, Mar (name, addi	ole Hill, KS ress and te	66507 785-256 lephone number	-6329 ')		
16.	The undersigned states tha that this application is subm	itted in good fait	h.				ınd
	Dated at	, Kansas	s, this	_ day of	(month)	,2018 (year)	<u> </u>
					(monary	· (year)	
	Dune Hund	c.o.					
	(Applicant Signatu				S) SOCIAL SECU ATION NUMBER		
By	1						
	(Agent or Officer Sign	ature)		APPLICANT(S)	and/or TAXPAYER I.D.	NO.(S)	
_	(Agent or Officer - Pleas	se Print)					
^ ~ ~ ! - t =	ed by DWC		TODEKA E	-	Doto: 40	/10/2017	
45SISTE	ed by <u>DWS</u>	<u> </u>	TOPEKA F	(office/title)	Date: 12	/19/2017	

File No. _____

SEDIMENT CONTROL USE SUPPLEMENTAL SHEET

File No. 499 64

1.	Name of Applicant (Please Print): MILL CREEK WATERSHED #85
2.	Please summarize how the water will be used and justify the quantity of water requested: Sediment Control Use. Surface Area of Reservoir = 6.53 acres. 6.53 acres x 12" / 12 = 6.53 acre-fee
	of annual evaporation 6.53 acre-feet x 3 years = 19.59 acre-feet. Seepage = 7.41 acre-feet
	Total Qty. requested = 27 AF.
_	

3. Please complete the following table showing estimated future water requirements:

ESTIMATED FUTURE WATER DIVERTED/STORED

ESTABLES TOTAL WITHER STYLET STATES				
NEXT 5 YEARS	WATER TO BE DIVERTED (ACRE-FEET OR GALLONS)			
Year 1	27 AF			
Year 2				
Year 3				
Year 4				
Year 5	27 AF			

Please attach any additional information, tables, or curves showing past, present and estimated future water requirements to substantiate the amount of water requested.

4. Please designate the legal description of the location where the water is to be used by providing the fractional part of the Section, Township and Range.

Reservoir Located in the Northwest Quarter of Section 29, in Township 12 South, Range 12 East. Wabaunsee County.

You may attach any additional information you believe will assist in informing the Division of the need for your request.

WATER RESOURCES RECEIVED

JAN 08 2018

1320 Research Park Drive Manhattan, Kansas 66502



Phone: (785) 564-6700 Fax: (785) 564-6777 Email: ksag@kda.ks.gov www.agriculture.ks.gov

Sam Brownback, Governor

Jackie McClaskey, Secretary

January 11, 2018

MILL CREEK WATERSHED DISTRICT #85 32409A E SPRING RD **PAXICO KS 66526**

> **RE**: Application File No. 49964

Dear Sir or Madam:

Your application for permit to appropriate water in 29-12S-12E in Wabaunsee County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any questions, please contact me at (785) 564-6637. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely.

Kristen A. Baum

New Applications Unit Supervisor

ristenaBaum

Water Appropriation Program


BAT:

DC:

TOPEKA Field Office

GMD

MILL CREEK WATERSHED #85 - SITE MAP NEW APPLICATION SEC. 29, T12S, R12E



1:24,000

Proposed Point of Diversion

All Landowners within 1/2 mile of property lines, adjacent to the stream, are shown on this map.

WATER RESOURCES Dune Hund C.O

JAN 08 2018