NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number 5005
This item to be completed by the Division of Water Resources.

Water Resources
Received

MAR 26 2018 ようし KS Dept Of Agriculture

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture,

1320 Research Park Drive, Manhattan, KS 66502: Name of Applicant (Please Print): WAYNE HEINEN Address: 1441 96™ ROAD _____ State: KS Zip Code 66428 City: GOFF Telephone Number: (785) 336-1073 □ Surface water in WOLF CREEK TRIB 1 (VERMILLION) The source of water is: VERMILLION RIVER
(drainage basin) groundwater in OR Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources. Redivert 100 acre-feet at 1,000 gpm for IRR use The maximum quantity of water desired is 112 (storage) acre-feet OR _____ gallons per calendar year, to be diverted at a maximum rate of NF gallons per minute OR cubic feet per second. Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements. The water is intended to be appropriated for (Check use Intended): (a) Artificial Recharge (b) X Irrigation (c) Recreational (d) Water Power (g) Stockwatering (f) Municipal (h) Sediment Control (e) Industrial (i) Domestic (i) Dewatering (k) Hydraulic Dredging (I) Fire Protection (m) ☐ Thermal Exchange (n) ☐ Contamination Remediation YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE. or Office Use Only On the use of the second of th By ATW Date 3/27/16

•

5.	The location of the proposed wells, pump sites or other works for diversion of water is:
	Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A) One in the <u>SW</u> Quarter of the <u>SW</u> quarter of the <u>NE</u> quarter of Section 25, more particularly
	described as being near a point 2698 feet North and 2203 feet West of the Southeast corner of said
	section, in Township 5 South, Range 12 EAST, NEMAHA County, Kansas. (PDIV ID: 84494)
	(B) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(C) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	(D) One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
	radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons pe minute per well. A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system.
6.	The owner of the point of diversion, if other than the applicant is (please print):
	APPLICANT (name, address and telephone number)
	(name, address and telephone number)
	(name, address and telephone number)
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or the landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document with this application. In lieu thereof, you may sign the following sworn statement:
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on
	Executed on March 20th, 2018. Applicant's Signature
7.	The proposed project for diversion of water will consist of ONE DAM AND RESERVOIR (number of wells, pumps or dams, etc.)
	and (was)(will be) completed (by) EXISTING (Month/Day/Year - each was or will be completed)
8.	The first actual application of water for the proposed beneficial use was or is estimated to be SUMMER 2018

8.

Water Resourcés/Day/Year)
Received

	•
9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☑ Yes ☐ No if "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☑ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required <u>DAM QUALIFIED FOR HAZARD</u>
	CLASS A PERMIT EXEMPTION. It has been registered.
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that overs the same diversion points or any of the same place of use described in this application. Also list an received ent modifications made to existing permits or water rights in conjunction with the filing of this application. FILE NO. 49,425 - COMPLETE OVERLAP IN PU AND PD (After Change in Place of Use is Approved)
	FILE NO. 49,425 - COMPLETE OVERLAP IN PU AND PD (After Change in Place of Use is Approved)
	*Calculated Runoff (20% chance) from 334 acres of drainage = 362 acre-feet. KS Dept Of Agriculture
	File No. 49,425 is authorized 250 AF of Storage and 242 AF of Direct Use
	New Application requested Storage Quantity based on Runoff – Authorized (362 AF – 250 AF) = 112 AF of

storage, and redivert 100 AF. No limitations to senior file are required.

3.	Furnish the following well in well has not been complete						If the
	Information below is from:	☐ Test holes	☐ Well	as completed	☐ Driller	s log attached	
,	Well location as shown in pa	aragraph	(A)	(B)	(C)	(D)	
	Date Drilled						
	Total depth of well						
	Depth to water bearing form	nation					
	Depth to static water level						
	Depth to bottom of pump in	take pipe			· 		
4 . 5.	The relationship of the application of the property of the property of the property of the property of the application of the a	e) '	·				
		·		ephone number) ephone number)			
5.	The undersigned states that that this application is subm	t the information	set forth a	bove is true to the	ne best of h		
	Wayne Hen (Applicant Signatur	(e)		APPLICANT(S IDENTIFICA) SOCIAL SEC		-
Ву	(Agent or Officer Sign	ature)		APPLICANT(S)	and/or TAXPAYER I.[D. NO.(S)	-
	(Agent or Officer - Pleas	e Print)					
siste	d by <u>DWS</u>		OPEKA FO) office/title)	Date: 1	I <u>/31/2018</u>	

Water Resources Received MAR 26 2018



FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300:00 plus \$20.00 for each additional 100 agre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

Water Resources Received

IRRIGATION USE SUPPLEMENTAL SHEET

File No. 5005

			Nan	ne of	Appli	cant (Pleas	e Prir	nt): _										
1. I	Please lesign	supp ate th	ly the	nam al nu	e and mber	addr of ac	ess o	f each be irr	land	lowne d in e	r, the	legal	desc ere tra	riptio ct or	n of t fraction	the late	nds to ortion	be in there	rrigated, and eof:
Land	lowne	r of l	Recor	d]	NAM	E:													
																	_		
			NE¼				NW¼			SW¼				SE¼					
	Т	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	TOTAL
25	5S	12E		40	40		40	36	24	40	40	40	40	39					379
Land	lowne	er of J	Recor	·d]	NAM	E:						10.							
				ADI	ORES	S:								818A					
	ПТ			NI	NE¼		NW¼			SW1/4			SE¼						
S	T	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
		,										:							
Land	lowne	er of l	Recor	·d]	NAM	E:													
				ADI	ORES	SS:						_				. <u></u>			
				NI	Ξ1/4			NV	V1/4		SW1/4				SE¼				
	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL

DWR 1-100.23 (Revised 07/07/2000)

Page 1 of 2

* Copied from Change in PU for 49,425 ADW/OWK

		soils in the field(s) and the			
		Soil	Percent	Intake	Irrigation
	N	ame	of field	Rate	Design
		•	(%)	(in/hr)	Group
					
		otal:	100 %		
b.	Estimate th	e average land slope in the	field(s):	%	•
	Estimate th	e maximum land slope in	the field(s):	%	
c.	Type of irri	igation system you propos	e to use (check one):		
		enter pivot		ot - LEPA	"Big gun" sprinkle
		ravity system (furrows)	_	stem (borders)	6:1 11 : 11
		se describe:			
d.	•	ign features:			
u.	System des	ign reatures.			
	i. Descr	ribe how you will control t	ailwater:		
	ii. For sp	prinkler systems:			
	(1)	Estimate the operating p	ressure at the distribu	ition system:	psi
	(2)	What is the sprinkler pa	 ckage design rate?	gpm	
	(3)	What is the wetted dian	neter (twice the distan	ce the sprinkler throw	s water) of a sprinkler o
		the outer 100 feet of the	system?	feet	
	(4)	Please include a copy o	the sprinkler packag	e design information.	
e.	Crop(s) you	u intend to irrigate. Please	note any planned cro	pp rotations:	
f.		cribe how you will determ		nd how much water to	apply (particularly
	important i	f you do not plan a full irr	igation).		
			i .		

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE Manhattan, KS 66502 PHONE: (785) 564-6700 Fax: (785) 564-6777

900 SW Jackson, Room 456 TOPEKA, KS 66612 PHONE: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McCLASKEY, SECRETARY OF AGRICULTURE

April 2, 2018

WAYNE HEINEN 1441 96TH RD **GOFF KS 66428**

> **RE:** Application File No. 50025

Dear Sir or Madam:

Your application for permit to appropriate water in 25-5S-12W in Nemaha County, was received and has been assigned the file number noted above.

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. Once review of your application has begun, we will contact you, if additional information is required.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water as proposed prior to approval of the application is unlawful. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, ... it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor . . .

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense.

If you have any guestions, please contact me at (785) 564-6637. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

Water Appropriation Program

BAT: dlw

TOPEKA Field Office

GMD

WAYNE HEINEN - NEW APPLICATION SITE MAP 50025 SEC. 25, T5S, R12E





1:24,000



Proposed Place of Use

Proposed Point of Diversion

All landowners adjacent to the stream within 1/2 mile of the proper witter Resources this map. Received

FILE NO. 49,425 - WAYNE HEINEN PROPOSED PLACE OF USE MAP





All landowners adjacent to the stream within 1/2 mile of the property line page விரும் வரியாக வ Received

MAR 26 2018


KS Dept Of Agriculture

Proposed Place of Use

1:24,000

FILE NO. 49,425 - WAYNE HEINEN AUTHORIZED PLACE OF USE MAP





1:12,000

Authorized Place of Use