Kansas Department of Agriculture Division of Water Resources PERMIT OF NEW APPLICATION WORKSHEET

1. File Number: 50,128	2. Status Change Date:	4. GMD:	
5. Status: ☐ Approved ☐ Denied b	by DWR/GMD	Dismiss by Request/Failur	e to Return
6. Enclosures: ⊠ Check Valve ⊠ N of C Forr	m ☐ Water Tube	☐ Driller Copy	⊠ Meter
7a. Applicant(s) Person ID New to system ☐ Add Seq#	21345 7c. Landown New to sy		Person IDAdd Seq#
MARYSVILLE COUNTRY CLUB INC PO BOX 45 MARYSVILLE KS 66508			
7b. Landowner(s) Person ID New to system ☐ Add Seq#	7d. Misc. New to sy	ystem □	Person IDAdd Seq#
8. WUR Correspondent Person ID New to system Add Seq# Overlap File (s) WUC Agree Yes No	9. Use of Wa orm	☐ Groundwater	Yes ⊠ No Surface Water DEW □ MUN
7a.	<u> </u>	☐ WTR PWR ☐ A	DOM ☐ CON ART RECHRG R:
10. Completion Date: 12/31/2019 11. P	erfection Date: 12/31/ 2	2023 12. Ехр Г	Date:
13. Conservation Plan Required? ☐ Yes ☒ No Date F			
	,	Date Prepared: 10/22 Date Entered: 11/5/	

File No	o. 50,1 2	28		15.	Formati	ion Co	de:			Drair	nage B	asin:	BIG B	LUE R	IVER	Co	ounty:	MS		Spe	ecial U	se:	·	Stream 1(BIG		IG CREE	K 1 TRIB
16. Po T MOD	oints of Div	version			-								1	17. Rate and Quantity MOD A			IOD A	ADDL QTY Additional			7 33						
DEL ENT	PDIV		Quali	fier	s	Т		R	ID	ʻN	1	٩V	1			Ra ^s gpi			Quar at		,	Rate gpm		Quantity af	C	Overlap PI	D Files
1	6550		CS	3	27	2	: 7	7E	2	72	2	268	30			50	0		64	1.5		500	l	0	40,	665 & 4	41,136
-											٠.	ŧ					<u></u>										
	-																										
18. Sto	orage: Rat	te		NF			Qu	antity		11	14.5		_ ac/f	t £	∖dditio	nal Ra	ite			NF		Add	litional Qu	antity	1	14.5	ac/ft
	nitation: nitation:)
	eter Requir					-																					_
21. PI T	lace of Use)					NE	Ξ1/4			ΝV	V1/4			sv	V 1/4			Si	E¼		Total	Owner	Ch	g? NO	Overla	ap Files
MOD DEL ENT	PUSE	S	т	R	ID	NE ¼	NW 1/4	SW 1/4	SE ¼	NE ¼	NW ¼	SW 1/4	SE ¼	NE ¼	NW ¼	SW 1/4	SE 1/4	NE 1/4	NW 1/4	sw ¼	SE ¼						
	17655				1															22	21	43	7a.	NO		,262; 4 [,] 3,322 &	
																			<u> </u>								
-																											
																									-		
								,																			
Comm	ents:																										

KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources M E M O R A N D U M

TO: Files DATE: October 22, 2018

FROM: Doug Schemm **RE:** Applications, File Nos. 50,127 & 50,128

Marysville Country Club Inc. has filed the referenced new applications. Application, File No. 50,127 is requesting to appropriate 64.5 acre-feet of groundwater from an existing well at a rate of 600 gallons per minute for irrigation use. The well is located in the Southwest Quarter of Section 21, Township 2 South, Range 7 East, Marshall County, within the Big Blue River Drainage Basin. The well is currently authorized under Water Right, File No. 46,322, which is authorized 21 acre-feet at a diversion rate of 105 gallons per minute. The place of use (golf course) is owned by the applicant and a representative has signed the application form stating they has access to the point of diversion. The applicant exceeded their authorized quantity of water in 2017 under File No. 46,322, and this new application is designed to provide additional water and prevent over-pumping in the future.

Application, File No. 50,128 is requesting to appropriate 114.5 acre-feet of surface water storage at the rate of natural flows to be stored in an existing reservoir located near the south side of Section 27, in Township 2 South, Range 7 East, Marshall County. The dam is located on Spring Creek 1 Trib 1 in the Big Blue River basin. The point of diversion is located on property owned by the applicant, and a representative of the applicant has signed the application form stating that they have legal access to the point of diversion. The reservoir is currently authorized for REC use under File No. 40,665, and for IRR use under File No. 41,136. File No. 40,665 is authorized 21 acre-feet of surface water storage (2 years of evaporation), while File No. 41,136 is authorized 20 acre-feet of storage and the re-diversion (direct use) of 4.8 acre-feet at 32 gpm for irrigation use at the golf course.

The requested quantity under File No. 50,128 was based on 1 year of direct use on 43 acres x 1.5 AF/acre = 64.5 AF + capacity of reservoir of 50 AF = 114.5 acre-feet. The 1.5 AF/acre is reasonable for the special grass grown by golf courses, the need to mow frequently, very short grass, and the heavy foot and cart traffic.

Finally, Water Right, File No. 35,262 overlaps in place of use at the golf course. It is authorized 19 acre-feet of direct diversion of surface water from the Big Blue River. However, it has not been pumped in many years (since 2006), and due to a dam collapse on the river, it will likely not be pumped in the future. The three senior IRR files authorize a combined 44.8 acre-feet (21 AF + 4.8 AF + 19 AF) for use at the golf course. In order to ensure adequate water for the golf course, it is proposed that File No. 50,127 be limited to 64.5 acre-feet when combined with the senior files, providing 19.7 acre-feet of additional water. File No. 50,128 will also be limited to 64.5 acre-feet for direct irrigation use, providing 0 additional water.

Two wells were identified within one-half mile of the well under File No. 50,127, and four upstream and downstream landowners were identified for File No. 50,128. Nearby notification letters were sent out for both files on September 26, 2018. No responses of any kind were received. In addition, a representative of the applicant personally visited with the nearby landowners and they expressed no concerns. The proposed point of diversion under File No. 50,127 meets minimum well spacing criteria to all existing wells per the requirements in K.A.R. 5-4-4. It is located over 2,300 feet from the nearest irrigation well, and over 2,000 feet from the nearest domestic well.

Note that Water Right, File No. 41,136 contains a significant amount of information related to discussions between the City of Marysville who own the REC use water right, File No. 40,665, and the Country Club. The City was previously concerned that irrigation use from the lake would lower levels and affect recreational use at the lake. However, the parties reached an agreement. The City was sent a nearby letter regarding this new application on the lake, but they have not responded. The application states that they will not pump water from the lake when it will significantly decrease water level in the lake, and will use the groundwater well if this were to happen.

Marysville Country Club Inc. - Memorandum File Nos. 50,127 and 50,128 Page 2

For File No. 50,127 the point of diversion consists of a single well completed in the Big Blue River alluvium. K.A.R. 5-3-11 states that safe yield is based on the extent of the alluvium (per topographic and LIDAR data) for the area of consideration, which provides a total of 2,535 acres (per Lidar data). Based on a potential recharge of 4.2 inches, with 100% available for appropriation, safe yield was determined to be 887.25 acre-feet. Existing water rights have appropriated 212.83 acre-feet within the area of consideration, leaving 674.42 acre-feet available, and the application requesting 64.5 acre-feet complies with safe yield criteria.

A review of senior File No. 41,136 shows that runoff computations for this reservoir determined that the 631-acre drainage area will yield 480 acre-feet of runoff quantity in 1 out of every five (5) years (a 20% chance), so runoff is NOT the limiting factor. The capacity of the reservoir is 50 acre-feet, and the annual evaporation is approximately 10.4 acre-feet.

The total direct use quantity of 64.5 acre-feet, is equivalent to 1.3 times the capacity (50 AF), which is well within the normal "rule of thumb" of direct use quantity being no more than 5 times capacity for reasonable storage quantity.

The existing dam was previously reviewed by DWR Water Structures Program under File No. DMS-144, and was determined to be non-jurisdictional for structures permitting. In addition, File No. 46,322 was reviewed by Bob Lytle, who determined that it was not subject to any requirements under the Big Blue River Compact with Nebraska.

The applicant has submitted signed Minimum Desirable Streamflow forms, which have been properly notarized. By completing this statement, the applicant affirms his/her knowledge that there could be times when the diversion of water may not be allowed under these permits.

In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R 5-1-12. If any chemical or foreign substance is injected into the water pumped under these permits, check valves will also need to be installed.

In an October 22, 2018 e-mail, Katie Tietsort, Water Commissioner, Topeka Field Office, recommended approval of the referenced new applications. Based on the above discussion, well spacing and safe yield criteria are met for File No. 50,127, this will address an over pumping issue, and approval of the applications will not impair senior water rights nor prejudicially or unreasonably affect the public interest, it is recommended that the referenced new applications be approved.

Douglas W. Schemm Environmental Scientist Topeka Field Office

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 FAX: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

November 5, 2018

MARYSVILLE COUNTRY CLUB INC % JOE KROGMAN PO BOX 45 MARYSVILLE KS 66508

Re: Appropriation of Water, File Nos. 50,127 and 50,128

Dear Mr. Krogman:

There are enclosed permits to appropriate water authorizing you to proceed with construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a), to divert such unappropriated water as may be available from the source and at the locations specified in these permits, and to use it for the purpose and at the location described in these permits.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approval documents. Water meters are required on the proposed diversion works and you must install them prior to water being put to beneficial use in order for you to maintain accurate records of water use. The meters should be used to provide the information required on the annual water use reports.

Failure to notify the Chief Engineer of the Division of Water Resources of the completion of the diversion works within the time allowed, or within any authorized extension of time thereof, will result in the dismissal of these permits. Enclosed are forms which may be used to notify the Chief Engineer that the proposed diversion works have been completed. All requests for extensions of time to complete diversion works, or to perfect appropriations, must be submitted to the Chief Engineer before the expiration of time originally set forth in these permits to complete diversion works or to perfect an appropriation. If for any reason, you require an extension of time, you must request it before the expiration of time set forth in these permits. Failure to comply with this regulation will result in the dismissal of your permits or your water rights. Any request for an extension of time shall be accompanied by the required statutory fee, which is currently \$100.00 per file number. There is also enclosed an information sheet setting forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your water rights.

Sincerely,

Kristen A. Baum

New Application Unit Supervisor Water Appropriation Program

KAB:dws Enclosures

pc: Topeka Field Office

KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCESDavid W. Barfield. Chief Engineer

APPROVAL OF APPLICATION and PERMIT TO PROCEED

(This is not a Certificate of Appropriation)

This is to certify that I have examined Application, File No. 50,128 of the applicant

MARYSVILLE COUNTRY CLUB INC PO BOX 45 MARYSVILLE KS 66508

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

- 1. That the priority date assigned to such application is **September 10, 2018.**
- 2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

				NE	=1/4			NV	V1/4			SV	V1/4				TOTAL		
Sec. Tw	vp.	Range	NE1/4	NW1⁄4	SW1/4	SE¼	NE1/4	NW¼	SW1/4	SE1/4	NE¼	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	TOTAL
27	28	7E															22	21	43

- 3. That the appropriation sought shall be limited to all natural flows of an unnamed tributary to Spring Creek 1, designated in the office of the Chief Engineer as Spring Creek 1 Trib 1 (Big Blue), not needed to satisfy all vested rights and prior appropriation rights to be incrementally accumulated as reservoir storage space becomes available to a maximum extent of **114.5 acre-feet** per calendar year in one (1) reservoir created by a dam located near the center of the South side of Section 27, more particularly described as being near a point 72 feet North and 2,680 feet West of the Southeast corner of said section, in Township 2 South, Range 7 East, Marshall County, Kansas, to provide **64.5 acre-feet** of water as needed for direct irrigation use to be withdrawn, released or otherwise diverted from the reservoir at a re-diversion rate of approximately **500 gallons per minute** (1.11 c.f.s.). A reasonable maximum re-diversion rate will be established during the perfection period and assigned at certification.
- 4. That installation of works for diversion of water shall be completed on or before <u>December 31</u>, <u>2019</u> or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee, which is currently \$400.00, when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.

File No. 50,128 Page 2 of 4

5. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before <u>December 31, 2023</u> or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee, which is currently \$100.00.

- 6. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.
- 7. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.
- 8. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.
- 9. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.
- 10. That all re-diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the re-diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.
- 11. That an acceptable water flow meter shall be installed and maintained on the re-diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).
- 12. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.
- 13. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.
- 14. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.
- 15. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.
- 16. That the quantity of water approved for direct irrigation use under this permit is further limited to the quantity which combined with Water Right, File Nos. 35,262; 41,136; and 46,322, and Appropriation of Water, File No. 50,127, will provide a total not to exceed 64.5 acre-feet of water per calendar year for direct irrigation use on the land described herein.

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary. To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 18 days after this Order was mailed to you), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 33 days after this Order was mailed to you), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

Ordered this and day of Sember

, 2018, in Topeka, Shawnee County, Kansas.

Lane P. Letourneau, P.G.

Program Manager

Water Appropriation Program
Division of Water Resources

Kansas Department of Agriculture

State of Kansas

, SS

County of Riley

The foregoing instrument was acknowledged before me this day of day of Durante, 2018, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of Agriculture.

DANIELLE WILSON
My Appointment Expires
August 23, 2020

Notary Public

CERTIFICATE OF SERVICE

On this 54 day of November , 2018, I hereby certify that the foregoing Approval of Application, File No. 50,128, dated November 2018, was mailed postage prepaid, first class, US mail to the following:

MARYSVILLE COUNTRY CLUB INC PO BOX 45 MARYSVILLE KS 66508

With photocopies to:

Topeka Field Office

Division of Water Resources



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number (

This item to be completed by the Division of Water Resources.

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

Water Resources Received

SEP 10 2018 KS Dept Of Agriculture

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502:

Name of Applicant (Please Print): <u>Marysville Country Club Inc</u>										
	Address: PO BOX 45									
	City: MARYSVILLE		State <u>KS</u> Z	ip Code 66508						
	Telephone Number: (785)	<u>562-6779 (Joe Krogman)</u>	ogman)							
2.	The source of water is:	⊠ surface water in <u>Sprir</u>	ng Creek 1 Trib 1 (Big Blue) (stream)	· 						
	OR	groundwater in	(drainage ba	asin)						
	when water is released fron	n storage for use by water date we receive your appl	s established by law or may assurance district members. ication, you will be sent the a	If your application is subject						
3.	The maximum quantity of w	vater desired is <u>64.5 AF (d</u>	lirect use) and 114.5 AF (stor	age)_OR gallons per						
	calendar year, to be diverte	d at a maximum rate of na	atural flows to be re-diverted	at <u>500</u> gallons per minute.						
	requested quantity of water maximum rate of diversion	under that priority number and maximum quantity of	the requested maximum rate can <u>NOT</u> be increased. Pleas water are appropriate and reter Resources' requirements.	se be certain your requested						
4.	The water is intended to be	appropriated for (Check us	e intended):	•						
	(a) ⊠ Artificial Recharge	(b) ⊠ Irrigation	(c) Recreational	(d) ☐ Water Power						
	(e) ☐ Industrial	(f) ☐ Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control						
	(i) □ Domestic	(j) ☐ Dewatering	(k) ☐ Hydraulic Dredging	(I) ☐ Fire Protection						
	(m) ☐ Thermal Exchange	(n) ☐ Contamination Re	emediation							
			OF WATER RESOURCES FORM(S ER FOR THE INTENDED USE REFE							
- 063	an Una Oak	- 1								

Meets K.A.R. 5-3-1 (YES)/NO) Use TO Source G (S) County M

Receipt Date

F.O.

Code

5.	The	location of the proposed wells, pump sites or other works for diversion of water is:
	Note	For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One near the center of the south side of Section <u>27</u> , more particularly described as being near a point <u>72</u>
		feet North and <u>2680</u> feet West of the Southeast corner of said section, in Township <u>2</u> South, Range <u>7</u> East,
うめゃ	i FJ Fitura z	Marshall County, Kansas.
	. ,	
£.		One in the quarter of the quarter of the quarter of Section, more particularly
Ø		described as being near a point feet North and feet West of the Southeast corner of said
5)tilluc	Agri	section, in Township South, Range East/West (circle one), County, Kansas.
	(Č)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	wells the sa A bat four v	source of supply is groundwater, a separate application shall be filed for each proposed well or battery of a except that a single application may include up to four wells within a circle with a quarter (½) mile radius in ame local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. Itery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps of exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common bution system.
6.	The	owner of the point of diversion, if other than the applicant is (please print):
	<u>Appli</u>	cant
		(name, address and telephone number)
	lando	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on
	Failu	re to complete this portion of the application will cause it to be unacceptable for filing and the application will turned to the applicant.
7	The r	proposed project for diversion of water will consist of one dam & pump
		vas completed on 423-1996 Pond built in 19605. LHH/TFO
		(Month/Day/Year - each was or will be completed)

8. The first actual application of water for the proposed beneficial use was or is estimated to be <u>upon approval</u>

File No. __

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes In No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
	Previously reviewed under WSN: DMS-144 and determined pre-jurisdictional; no modifications are planned
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) $\frac{1}{2}$ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	Point of Diversion overlap - Water Right, File No. 41,136 (IRR) & 40665 (REC)
	Place of Use overlap - Water Right, File Nos. 35,262; 41,136; & 46,322
\	This application is being filed concurrently with a groundwater application at PDIV ID: 72067 that will serve the
	same place of use.
	Security and the second

SET TO 2018

KS Dept Of Agricultura

File No. _

13.	Furnish the following well information if the p has not been completed, give information of	roposed ap otained fron	propriation is notes, if	for the use of gro available.	oundwater. If the well
	Information below is from: Test holes	— □ Wel	l as completed	d ☐ Drillers	log attached
	Well location as shown in paragraph No.	(A)	(B)	(C)	(D)
	Date Drilled				
	Total depth of well				· ·
	Depth to water bearing formation			***	· · · · · · · · · · · · · · · · · · ·
	Depth to static water level				····
	Depth to bottom of pump intake pipe				
14.	The relationship of the applicant to the Owner (owner, tenant, agent or otherwise)	proposed	place where	the water will	be used is that of
15.	The owner(s) of the property where the water Applicant (name, add)		f other than th		please print):
	(name, add	ress and te	lephone numb	per)	
16.	The undersigned states that the information this application is submitted in good faith.	set forth abo	ove is true to t	ne best of his/he	r knowledge and that
	Dated at, Kansas	s, this	_ day of		
				(month)	(year)
N 41	BYSUKLE COUNTRY CLO (Applicant Signature)	<u>31</u> 2			
<u>B</u> :	y Hal Moenne GC. (Agent or Officer Signature)	2			
· <u> </u>	(Agent or Officer - Please Print)	_			
Assiste	ed by <u>Lloyd Hemphill</u> <u>T</u>	FO/ESII		Date: <u>8/</u>	17/2018
		. ((office/title)		

Water Resources Received

SEP 10 2018

KS Dept Of Agriculture

IRRIGATION USE SUPPLEMENTAL SHEET

File No. 50128

Name of Applicant (Please Print): MARYSVILLE COUNTRY CLUB INC

1. I	Please lesign	supp ate th	ly the	nam ial nu	e and mber	addr of ac	ess o	f each be irr	land igated	owne d in ea	r, the ach fo	legal orty ac	desc ere tra	riptio ct or	n of t fraction	the latonal p	nds to ortio	be in there	rrigated, and eof:
Land	lowne	r of I	Recor	d]	NAM	E: <u>M</u>	ARYS	SVILI	LE CO	DUN	ΓRY (CLUB	INC						·
				A:DI	ORES	S: <u>PC</u>) BO	X 45	MAR	YSV	ILLE	KS 6	6508						
		_		NI	E1/4			NV	V1/4			SV	V 1/4			SE	E1/4		TOTAL
S	Т	R	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	sw	SE.	TOTAL
27	2S	7E															22	21	43
																			,
Land	lowne	er of l	Recor																
				ADI	DRES	SS:						· · · · · ·							
S	Т	R		NI	Ξ1/4			NV	V1/4		SW1/4				SE ¹ / ₄				TOTAL
		IX.	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
													. <u>-</u> .						
								·											
Land	lowne	er of]	Recor																
	-			ADI	DRES	SS:							-				-		
s	Т	R		NI	E1⁄4			N	W¹/4			sv	V1⁄4			SI	E1⁄4		TOTAL
	1	K	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	TOTAL
				<u></u>	ļ						·				 				
				ļ															
				ļ				ļ											

Water Resources Received

Page 1 of 2

SEP 10 2018

	Indicate the soils in the field Soil	Percent	Intake	Irrigation
	Name	of field	Rate	Design
	Kennebec	(%) 	0.6-20	Group
	Kenne bec Wymore	55	0.2-0.6	
	Total:	100 %	0.2-2.0	3
b.	Estimate the average land sl		%	
	Estimate the maximum land	I slope in the field(s):	%	
c.	Type of irrigation system yo	ou propose to use (check one)		
	Center pivot	Center pi	vot - LEPA	_ "Big gun" sprinkler
	Gravity system (fu		ystem (borders)	_ Sideroll sprinkler
	Other, please describe:	DOD - UP - S	priokles	
d.	System design features:	, , ,		
	i. Describe how you will	l control tailwater:		
	ii. For sprinkler systems:			÷
	1	perating pressure at the distrib	oution system: 120	psi
	(1) Estimate the o			psi
	(1) Estimate the of(2) What is the spin(3) What is the week	perating pressure at the distrib rinkler package design rate?	gpm gpm	
	(1) Estimate the of(2) What is the spin(3) What is the week	perating pressure at the distrib rinkler package design rate?	gpm gpm	
	 (1) Estimate the open (2) What is the specification (3) What is the week the outer 100 features. 	perating pressure at the distribution processor in processor at the distribution of the processor in the processor in the distribution of the di	gpm nce the sprinkler throws	
e.	 (1) Estimate the open (2) What is the specific the outer 100 f (4) Please include 	perating pressure at the distribution of the package design rate?	gpm nce the sprinkler throws feet ge design information.	
e.	(1) Estimate the of (2) What is the spi (3) What is the we the outer 100 f (4) Please include Crop(s) you intend to irrigat TURF GRASS TYPICAL F	perating pressure at the distribution of the package design rate? etted diameter (twice the distance of the system?	gpm nce the sprinkler throws feet ge design information. rop rotations:	

2. Please complete the following information for the description of the operation for the irrigation project. Attach

You may attach any additional information you believe will assist in informing the Division of the need for your request.

THE PARTY OF THE

64.50 AF

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A 50128 00

AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A

Water Right and Points of Diversion Within 2.00 miles of point defined as:

72 Feet North and 2680 Feet West of the Southeast Corner of Section 27 T 2S R 7E SURFACE WATER ONLY

File 1	Number		Use	ST	SR	Dist	(ft)	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Batt Auth_Quan	Add_Quan	Unit
A	35262	00	IRR	NK	S		10181		NE	NW	SW	2373	4121	21	2	7E	8	19.00	19.00	AF
A	40665	00	REC	NK	s		0				CS	72	2680	27	2	7E	2	21.00	21.00	AF
A	41136	00	IRR	NK	S		0				CS	72	2680	27	2	7E	2	4.80	4.80	AF
A	45035	00	REC	NK	S		8894		NE	SE	SE	1125	50	32	2	7E	11	.00	.00	AF

50128 00 IRR

0 -- -- CS 72 2680 27 2 7E 2 64.50

Total Net Quant	ities A	uthor	ized:	Direct	Storage
Total Requested	Amount	(AF)	=	64.50	114.50
Total Permitted	Amount	(AF)	=	.00	.00
Total Inspected	Amount	(AF)	=	.00	.00
Total Pro_Cert	Amount	(AF)	=	.00	.00
Total Certified	l Amount	(AF)	=	44.80	235.00
Total Vested	Amount	(AF)	=	.00	.00
TOTAL AMOUNT		(AF)	=	109.30	349.50

An \star after the source of supply indicates a pending application for change under the file number.

An * after the ID indicates a 15 AF exemption was granted under the file number.

A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery. The number in the Batt column is the number of wells in the battery.

Water Rights and Points of Diversion Within 2.00 miles of point defined as:

72 Feet North and 2680 Feet West of the Southeast Corner of Section 27 T 2S R 7E SURFACE WATER ONLY

WATER USE CORRESPONDENTS:

50128 00 IRR AY S

File Number Use ST SR

A__ 35262 00 IRR NK S

> MARYSVILLE COUNTRY CLUB INC

> PO BOX 45

> MARYSVILLE KS 66508

A 40665 00 REC NK S

> CITY OF MARYSVILLE

> CITY BUILDING

> 209 N 8TH ST

> MARYSVILLE KS 66508

>-----

41136 00 IRR NK S

MARYSVILLE COUNTRY CLUB INC

> PO BOX 45

> MARYSVILLE KS 66508

>-----

A 45035 00 REC NK S

>	CITY OF MARYSVILLE	
>	CITY BUILDING	
>	209 N 8TH ST	બં
>	MARYSVILLE KS 66508	
>-		
A_	_ 50128 00 IRR AY S	
>	MARYSVILLE COUNTRY CLUB INC	
>		
>	PO BOX 45	
>	MARYSVILLE KS 66508	
>-		
==		=======
##	****	##

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES TOPEKA FIELD OFFICE 6531 SE FORBES AVE., SUITE B TOPEKA, KS 66619

STATE OF KANSAS

PHONE: (785) 296-5733 FAX: (785) 296-8298 www.agriculture.ks.gov



GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

September 26, 2018

CITY OF MARYSVILLE 209 N 8TH ST MARYSVILLE KS 66508

Re:

Pending New Application, File No. 50,128

Dear Sir or Madam:

This is to advise you that Marysville Country Club Inc. has filed the new application referred to above for a permit to appropriate 114.5 acre-feet of surface water per calendar year to be stored in an existing reservoir and re-divert 64.5 acre-feet of the stored water for irrigation use. Please note that this is <u>an</u> <u>existing reservoir</u> currently authorized under Water Right, File Nos. 40,665 (REC) and 41,136 (IRR). The point of diversion (where the dam crosses the centerline of the stream) is located near the center of the South side of Section 27, Township 2 South, Range 7 East, Marshall County, Kansas.

Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

You can find the application and site map posted by the file number referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist

Topeka Field Office

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES TOPEKA FIELD OFFICE 6531 SE FORBES AVE., SUITE B TOPEKA, KS 66619



PHONE: (785) 296-5733 FAX: (785) 296-8298 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D. JACKIE McClaskey, Secretary of Agriculture September 26, 2018

MARY J WIEGERS 1110 BROADWAY MARYSVILLE KS 66508

Re:

Pending New Application, File No. 50,128

Dear Sir or Madam:

This is to advise you that Marysville Country Club Inc. has filed the new application referred to above for a permit to appropriate 114.5 acre-feet of surface water per calendar year to be stored in an existing reservoir and re-divert 64.5 acre-feet of the stored water for irrigation use. Please note that this is <u>an</u> <u>existing reservoir</u> currently authorized under Water Right, File Nos. 40,665 (REC) and 41,136 (IRR). The point of diversion (where the dam crosses the centerline of the stream) is located near the center of the South side of Section 27, Township 2 South, Range 7 East, Marshall County, Kansas.

Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office **within 15 days** from the date of this letter.

You can find the application and site map posted by the file number referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist

Topeka Field Office

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES TOPEKA FIELD OFFICE 6531 SE FORBES AVE., SUITE B TOPEKA, KS 66619

STATE OF KANSAS

PHONE: (785) 296-5733 FAX: (785) 296-8298 www.agriculture.ks.gov



September 26, 2018

DON & LYNDA BRUNA 1084 JUNIPER ROAD MARYSVILLE KS 66508

Re: Pending New Application, File No. 50,128

Dear Sir or Madam:

This is to advise you that Marysville Country Club Inc. has filed the new application referred to above for a permit to appropriate 114.5 acre-feet of surface water per calendar year to be stored in an existing reservoir and re-divert 64.5 acre-feet of the stored water for irrigation use. Please note that this is <u>an</u> <u>existing reservoir</u> currently authorized under Water Right, File Nos. 40,665 (REC) and 41,136 (IRR). The point of diversion (where the dam crosses the centerline of the stream) is located near the center of the South side of Section 27, Township 2 South, Range 7 East, Marshall County, Kansas.

Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

You can find the application and site map posted by the file number referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist Topeka Field Office

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE DIVISION OF WATER RESOURCES TOPEKA FIELD OFFICE 6531 SE FORBES AVE., SUITE B TOPEKA, KS 66619



PHONE: (785) 296-5733 FAX: (785) 296-8298 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

September 26, 2018

GRAUER TRUST
PATRICIA S GRAUER TRUSTEE
1029 KEYSTONE ROAD
MARYSVILLE KS 66508

Re:

Pending New Application, File No. 50,128

Dear Sir or Madam:

This is to advise you that Marysville Country Club Inc. has filed the new application referred to above for a permit to appropriate 114.5 acre-feet of surface water per calendar year to be stored in an existing reservoir and re-divert 64.5 acre-feet of the stored water for irrigation use. Please note that this is anm.existing reservoir currently authorized under Water Right, File Nos. 40,665 (REC) and 41,136 (IRR). The point of diversion (where the dam crosses the centerline of the stream) is located near the center of the South side of Section 27, Township 2 South, Range 7 East, Marshall County, Kansas.

Records in this office indicate that you own land along the stream in this vicinity and you are being notified of receipt of this application in order that you may be fully informed of the proposed location of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

You can find the application and site map posted by the file number referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist Topeka Field Office

Quick Ref ID = 2037 Tax Year = 2018 LANDOLL CORPORATION Owner Mailing Address: P O BOX 111	ACRES=11.4 Neighborhood=512	BEG 470'S OF NEC SW4 NW4 TH S430' W370' S370' W490' N570' E221.75' N200' E638.25' TO POB		
MARYSVILLE, KS 66508 058-078-27-0-00- 00-008.00-0 Quick Ref ID = 2040 Tax Year = 2018 LANDOLL RENTALS, LLC	1906 NORTH, Marysville, KS 66508 ACRES=3.1 Neighborhood=512	S27, T02, R07, ACRES 3.1, BEG 30'W & 20'N OF SE COR SW4 NW4 TH W370' N370' E370' S370' TO POB	\$145,330	Commercial & Industrial
Owner Mailing Address: PO BOX 111 MARYSVILLE, KS 66508				
058-078-27-0-00- 00-010.00-0 Quick Ref ID = 2041 Tax Year = 2018 WIEGERS, MARY J Owner Mailing Address: 1110 BROADWAY MARYSVILLE, KS 66508	2602 NORTH, Marysville, KS 66508 ACRES=35.3 Neighborhood=566	S27, T02, R07, ACRES 35.3, E592' OF W2 NE4 & BEG 670.4'E & 35'N OF SW COR NE4 TH N484.5' E53.5' S484.55' W53.5' TO POB & LESS R/W	\$4,930 A \$167,070 F	Farm Homesite
058-078-27-0-00- 00-012.00-0 Quick Ref ID = 2043 Tax Year = 2018 BRUNA, DON & LYNDA Owner Mailing Address: 1084 JUNIPER RD MARYSVILLE, KS 66508	1084 JUNIPER RD, Marysville, KS 66508 ACRES=48.1 Neighborhood=566	S27, T02, R07, ACRES 48.1, BEG 35'S & 530'E NW COR N2 SE4 TH E1450' S702' E630' S220' W249' S165' W592' S35' E352' S165' E1592' N1315' TO POB LESS R/W & ESMT	\$8,360 A \$240,000 F	Farm Homesite
058-078-27-0-00- 00-013.00-0 Quick Ref ID = 2046 Tax Year = 2018 CHURCH, ROMAN CATHOLIC ARCHDIOCESE OF K C IN KS	00000 NORTH, Marysville, KS 66508 ACRES=10.4 Neighborhood=561	S27, T02, R07, ACRES 10.4, BEG 30'W & 35'S OF NE COR SE4 TH S702' W630' N702' E630' TO POB	\$31,760	Exempt
Owner Mailing Address: 12615 PARALLEL PARKWAY KANSAS CITY, KS 66109				
058-078-27-0-30- 01-001.00-0 Quick Ref ID = 2052	2103 NORTH, Marysville, KS 66508 ACRES=1.5 Neighborhood=504	OUTLOTS, S27, T02, R07, ACRES 1.5, BEG 679'W NE COR	\$84,060	Residential

DILL		NE215' W325.79'		.
Owner Mailing Address: 1051 KEYSTONE RD MARYSVILLE, KS 66508		N548.54' TO POB		
058-078-34-0-00- 00-018.00-0 Quick Ref ID = 3745 Tax Year = 2018 GRAUER TRUST Owner Mailing Address: Attn: PATRICIA S. GRAUER, TRUSTEE 1029 KEYSTONE RD MARYSVILLE, KS 66508	1029 KEYSTONE RD, Marysville, KS 66508 ACRES=18.2 Neighborhood=561	S34, T02, R07, ACRES 18.2, BEG 1177.5'S & 1217.5'E NW COR NW4 TH W304.75' S1178.68' E584.23' NE935.75' NW734.25' SW383.54' W260' N500' LESS R/W	\$10,290 A \$92,180 F	Farm Homesite
058-078-34-0-00- 00-018.01-0 Quick Ref ID = 3746 Tax Year = 2018 McCOY FAMILY TRUST Owner Mailing Address: 1027 KEYSTONE RD	1027 KEYSTONE RD, Marysville, KS 66508 ACRES=2.7 Neighborhood=561	S34, T02, R07, ACRES 2.7, BEG 1177.5'S & 1292.5'E OF NWCOR NW4 TH W75' S500' E260' N383.54' NW262' TO POB LESS R/W	\$151,280	Residential
MARYSVILLE, KS 66508				
058-078-34-0-20- 03-001.01-0 Quick Ref ID = 3761 Tax Year = 2018 MARYSVILLE, CITY OF Owner Mailing Address: 209 N 8TH ST MARYSVILLE, KS 66508	00000 Landlocked, , KS ACRES=0.06 Neighborhood=543	S34 , T02 , R07 , BEG 455.06'E & 100'S INTER W LINE NW4 & S R/W CO RD TH E100 S25' W100' N25' TO POB	\$70	Exempt
058-078-34-0-20- 03-006.00-0 Quick Ref ID = 3766 Tax Year = 2018 HOOYER, DANIEL & JANET Owner Mailing Address:	611 S 17TH ST, Marysville, KS 66508 ACRES=5.3 Neighborhood=512	INDUSTRIAL PARK #1, S34, T02, R07, Lot 5 - 7, ACRES 5.3	\$116,970	· Commercial & Industrial
405 S 7TH ST MARYSVILLE, KS 66508				
Back to Search Page Home				
usu				

9/26/2018

#50,128

Print Page

Back to Search Page --- Home

Parcel Search Results (Click on the Parcel ID Number for Detailed Results)

Owner Information	Property Address	Property Description	Apr Amount	Prop Class
058-078-27-0-00- 00-001.00-0 Quick Ref ID = 2020 Tax Year = 2018 BGMM, Inc Owner Mailing Address: 1819 MEADOWLARK RD CLAY CENTER, KS 66432	00000 11TH RD, Marysville, KS 66508 ACRES=72.4 Neighborhood=561	S27, T02, R07, ACRES 72.4, E2 NE4 LESS BEG 53.31'N SW COR TH N375' E400' S375' W400' TO POB & LESS R/W	`\$31,400	Agricultural Use
058-078-27-0-00- 00-003.00-0 Quick Ref ID = 2023 Tax Year = 2018 MARYSVILLE, CITY OF Owner Mailing Address: 209 N 8TH ST MARYSVILLE, KS 66508	2500 NORTH, Marysville, KS 66508 ACRES=116.5 Neighborhood=561	S27, T02, R07, ACRES 116.5, E2 NW4 & W2 NE4 LESS E592' OF W2 NE4 & LESS BEG 592'W & 35'N OF SE COR W2 NE4 TH W53.5' N484' E53.5' S484' TO POB & less R/W	\$385,780	Exempt
058-078-27-0-00- 00-003.02-1 Quick Ref ID = 2025 Tax Year = 2018 DILLEY, ROLAND JR Owner Mailing Address: 859 FAIRVIEW DR HENDERSON, NV	00000 AIRPORT RD, MARYSVILLE, KS 66508 ACRES=0 Neighborhood=543	S27 , T02 , R07 , IMPROVEMENTS ONLY ON LEASED LA ND	\$700	Residential
89015 058-078-27-0-00- 00-003.04-1 Quick Ref ID = 2026 Tax Year = 2018 LANDOLL, DONALD R Owner Mailing Address: P O BOX 111 MARYSVILLE, KS 66508	00000 AIRPORT RD, MARYSVILLE, KS 66508 ACRES=0 Neighborhood=543	S27 , T02 , R07 , IMPROVEMENTS ONLY ON LEASED LA ND	\$1,450	Commercial & Industrial
058-078-27-0-00- 00-003.05-1 Quick Ref ID = 2027 Tax Year = 2018 HOWLAND, GARY M	00000 AIRPORT RD, MARYSVILLE, KS 66508 ACRES=0 Neighborhood=543	S27 , T02 , R07 , IMPROVEMENTS ONLY ON LEASED LA ND	\$3,260	Residential

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 FAX: (785) 564-6777



900 SW Jackson, Room 456 Topeka, KS 66612 Phone: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

JACKIE McClaskey, Secretary of Agriculture

9/13/2018

MARYSVILLE COUNTRY CLUB, INC PO BOX 45 MARYSVILLE, KS 66508

RE:

Application, File No. 50128

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Application Unit Supervisor

ristenaBaum

Division of Water Resources

50128

Attachment "A"

Justification of proposed quantities:

Direct Use:

43 acres of golf course grounds

1.5 AF/acre of water needed to support turf grasses (specialty crop)

43 AF X 1.5 AF/ac. = 64.5 AF

Storage:

Evaporation - covered under File No. 40,665 (REC)

One year of direct use - 64.5 AF

Estimated capacity of lake - 50 AF

64.5 AF + 50 AF = 114.5 AF

This application proposes to divert water from the lake when conditions allow without significantly decreasing the water level in the lake. The applicant will utilize their groundwater source of water when this is not possible.

Water Resources Received

SEP 10 2018

KS Dept Of Agriculture

Submit To:

CHIEF ENGINEER Division of Water Resources Kansas Department of Agriculture 1320 Research Park Drive Manhattan, Kansas 66502 http://agriculture.ks.gov/dwr

APPLICATION FOR TEMPORARY PERMIT

☐ SURFACE WATER (check one)

Water Resources Received

OCT 26 2018



10:31 Sta

. Applicant: (Please print or type)			
Name Nelson Farms Inc	6. Period of Use (6 months maximum):		
Mailing Address Box 38	Commencing Date: August 15, 2018 - Ending Date: December 31,		
City and State Long Island, KS			
Zip Code <u>67647</u> Telephone No. <u>(785) 854-7611</u>	Ending Date. December 31, 40 \$ 000 (7)		
E-mail Address terry@valleyfeeds.com	Location of the proposed point of diversion shall be indicated on the diagram below. <u>Use the center section</u>		
Prairie Dog Location of Point of Riversion:	If surface water, indicate on the diagram the course o the stream, and its name.		
Sec. 10 , Twp. 2 , Rng. 21 , West, Norton County, Kansas.	The scale of the diagram is 2 inches = 1 mile Each small square represents 10 acres		
Distance from Southeast Corner of Section:			
77feet North from Southeast Corner (FSL)			
546 feet West from Southeast Corner (FEL)			
Existing well? Yes ⊠ No □			
Existing permit or water right? Yes ⊠ No □	North Section Line 5,280'		
If yes, File No. 49423	5,280		
•	NORTH 8		
Water Use Data:	MORTH 2 3,960' F- 3		
Proposed Max. Pumping Rate (gpm) 90 gpm	A §		
Amount Requested (gallons) 1303000 (not to exceed four million gallons unless for dewatering)	2,640′ 1		
Depth of Well (feet), OR	NORTH		
Name of Stream			
Water is to be used for (briefly describe proposed use):			
Industrial use at a truckwashing facitlity	3,300° 1,980° 1,980° 660°		
Please note that K.A.R. 5-9-4 limits temporary permits to			
one (1) project per application.			
Location of Place of Use:			
Sec. <u>10</u> , Twp. <u>2</u> , Rng. <u>21</u> , West,	* small @ needed to finish a		
Project name and description:	the year. Nearby IRR well h		
Nelson Farms Inc Truck Wash (SE NE) & (NE SE)	a that can then be moved		
[PD & PU overlap w/ #49,423]	this PD w/Change. KABIDWR		
[1 B & 1 B OVERIAD W. 11 10, 120]	10-26-18		
	10-86-18		

Water Resources

8.	For groundwater use, list below all wells within ½ mile of the proposed well, and plot locations upon the diagram on reverse side. If additional space is needed, attach sheet. Other wells –					
	Well A	Owner(s):	WR# 18321 / 26193-D1: NTN LP			
		Address	PO Box 560 Norton, KS 67654-0560			
	Well B	Owner(s):				
		Address:	The state of the s	e de de la companya		
9.	For surface water use, list below the names and addresses of all landowners from a point ½ mile upstream to a point ½ mile downstream of the tract of land upon which the point of diversion is located. If additional space is needed, attach sheet.					
	Tract A	Owner(s): Address:		·		
	Tract B	Owner(s):				
10.	The land	owner at the	e location of the point of diversion and water source is (please print):			
	NTN LP, PO Box 560 Norton, KS 67654-0560 (785) 854-7611					
			(name, address and telephone number)			
	landow	ner's autho	e evidence of legal access to, or control of, the point of diversion orized representative. Provide a copy of a recorded deed, lease, ease on lieu thereof, you may sign the following sworn statement:	from the landowner or the ment or other document with		
	I Ia E	have legal a andowner's a executed on	access to, or control of, the point of diversion described in this application authorized representative. I declare under penalty of perjury that the forego x	pplidant		
11. _] × /	1	//	hat the information set forth herein is true and accurate to the best of his/he	knowledge. V		
V	Sig	nature of A	Authorized Representative	Date		
	App	licant's Nam	ne Printed Title	<u> </u>		
DO NOT WRITE BELOW THIS LINE						

CONDITIONS OF APPROVAL:

kina matematan di Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Kabupatèn Ka Kabupatèn Kabupatèn

The applicant shall maintain records from which the quantity of water actually diverted may be readily determined.


The use of water herein authorized shall not be made so as to impair any use under existing water rights or prejudicially and unreasonably affect the public interest.

K.S.A. 82a-728 states in part "(a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water . . ."

Water wells must be properly constructed by the well driller to comply with Article 30 of the Rules and Regulations as adopted by the Kansas Department of Health and Environment.

All applications filed after April 12, 1984, are subject to minimum desirable streamflow (MDS) requirements identified and established by the Kansas Legislature pursuant to K.S.A. 82a-703c. There may be times, as determined by the Division of Water Resources; when you would be required to cease diversion of water in order to satisfy MDS requirements.

New Application - Marysville Country Club Inc



Map prepared by LHH/TFO 8.24.18

SEP 10 2018

New Application - Marysville Country Club Inc

