Kansas Department of Agriculture Division of Water Resources CHANGE: PD WORKSHEET

1. File Number:	2. Status Change Date:	3. Change Num:	4. Field Office:	5. GMD:
40197	4/2/2019	C2	01	
6. Status: Approved Deni	ed by DWR/GMD	Dismiss by Reques	t/Failure to Return	7. Filing Date of Change:
				26-DEC-2018
8a. Applicant(s) New to system □	Person ID <u>34865</u> Add Seq# <u>1</u>	8c. Landown		Person ID
MORRIS RWD 01 PO BOX 146 DWIGHT KS 66849				
8b. Landowner(s) New to system □	Person ID 34865 Add Seq# 1	8d. WUC New to sy		Person ID <u>34865</u> Add Seq# <u>1</u>
MORRIS RWD 01 PO BOX 146 DWIGHT KS 66849		РО ВО	SKAADOL	NO CHANGE
9. Documents and Enclosure(s): 🛛 DV	VR Meter(s) Date to Comp	ly: 12/31/19	N & P Date	to Comply: 12/31/19
☐ Anti-Reverse Meter ☐ <u>Meter</u>	<u>Seal</u> ⊠ Check Valve	⊠ N & P Form	☑ Water Tube ☐	Driller Copy
☐ Conservation Plan Date Requir	ed: Da	ite Approved:	Date	to Comply:
10. Use Made of Water From:		To: _		
			Date Prepared: 4/01 Date Entered: 닉 여	-

File No. 40197	11. County: G	Е Ва	asin: KANS	SAS RIV	ER	-		Stream	n:					i	Fo	rmation Cod	le: 113	Spe	cial Use:	
12. Points of Diversion CHK MOD								-					uantity zed		A	dditional				
DEL PDIV ENT Qualifier	S T	R	ID	'N .	'W	,	Comme	ent (AKA	\ Line)		Rate gpm/c		Quanti af/mg	ty y			tity gy C	verlap PD	Files	
ENT87408 SW14 NE14 S	W1⁄4 24	11 6E		1434	4 3	756	. (GEO (CTR	30	00 g.	p.m.	54	m.g.	y. 0 g	J.p.m. 54	l m.g	y.	40196	}
ENT 42131 SW¼ NE¼											LS								40196	3
MOD 13686 SW1/4 NE1/	4 SW1/4 24	11 6	E 3	142	3 3	903 ^w	, BA	TT 1 (OF 2	WEL	LS			1 2					40190	6
Battery # 2	2135											-								
JOSTICI 9																	<u> </u>			
13. Storage: Rate	NF	Qua	ntity	· · · · · · · · · · · · · · · · · · ·			ac/ft	Additio	onal Ra	te				NF	Addi	tional Quanti	ity			_ac/ft
14. KEEP LIMITATION:	300GP	M CON	1/W #40	196 C	N LA	AND	LISTE	DIN	APP	ROV	AL					cfs) when co	mbined	with file r	umber(s)	
Limitation:	af/yr at			_ gpm (cfs) when	combin	ed with	file nu	ımber	(s)							
15. 5YR Allocation: Allocation	Туре	Start Yea	r	5 YR	Amou	nt		mount	Unit		Base /	Acres		_ C	omment _					
16. Place of Use CHK		N	E¼		NV	V1/4		5	6W1/4			s	E¼		Total	Owner	Chg?	Overlap	Files	
MOD DEL ENT PUSE S T R	•	NE NW 1/4	SW SI		NW ¼	SW 1/4		IE NW	SW 1/4	SE 1/4	NE 1⁄4	NW ¼	SW 1/4	SE 1/4						
NO CHANGES		1													-					
																-10		***		
-t	•												•							
			·																	
													,							
								1												
Base Acres: Year:	Minir	mum Reas	onable Qu	uantity:			<u>!</u>		!	<u></u>					-					
. Comments:																			¢.	
								· .							•				-	
		•														- P				

KANSAS DEPARTMENT OF AGRICULTURE **Division of Water Resources** <u>MEMORANDUM</u>

TO: Files

DATE:

April 1, 2019

FROM: Richelle A. Krueger

RE:

Water Right File No. 40,196

Appropriation of Water

File No. 40.197

Stephen L. Euler, on behalf of Rural Water District No 1, Morris County, Kansas, owner of the referenced water rights, filed applications for approval to change the authorized points of diversion.

The referenced water rights do not appear abandoned. The perfection period for File No. 40.197 expires December 31, 2021.

The referenced water rights, located in the Kansas River basin, are authorized along with Appropriation of Water, File No. 41,161 for: municipal use within the boundaries of Rural Water District No. 1, Morris County, Kansas and immediate vicinity; within the boundaries of Rural Water District No. 2, Morris County, Kansas and immediate vicinity; within the City of Alta Vista, Kansas and immediate vicinity; and within the City of Dwight, Kansas and immediate vicinity.

File Nos. 40,196 and 40,197 are each authorized one well with no overlaps in the Southwest Quarter (SW¼) of Section 24, Township 11 South, Range 6 East, Geary County, Kansas. File No. 40,196 is authorized 54 m.g.y. and 300 g.p.m. and File No. 40,197 is authorized 54 m.g.y. and 300 g.p.m., limited to 300 g.p.m. when combined with File No. 40,196. The applicant proposes to form a complete overlap in the point of diversion between File Nos. 40,196 and 40,197, creating a battery of two wells to allow flexibility in the amount of water pumped from each well. No new wells are proposed under these applications. The geographic center of the battery of two (2) wells is located 1.434 feet North and 3.756 feet West of the Southeast corner of the aforementioned Section 24, distance moves of approximately 148 feet for each file. The proposed geocenter will meet the requirements of K.A.R. 5-4-4(d)(2) Well spacing since the proposed location will not decrease the distance to other wells or authorized well locations by more than 300 feet.

The applications appear to meet K.A.R. 5-2-3 Battery of Wells. Although the time to construct diversion works has expired, according to a safe yield calculation by Kristen Baum, Permits Unit Supervisor, a new application to appropriate water at the geocenter of the proposed battery of wells could be approved, and the proposed battery meets the definition of a battery of wells as described in K.A.R. 5-1-1.

According to the submitted map, DWR records and WWC-5, there is the municipal well under common ownership authorized by File No. 41,161, five domestic wells, two cased test wells and one irrigation well (File Nos. 41,086; 45,139; 48,173) within one-half mile of the proposed geocenter. No nearby well owners were notified since the applicant proposes moves of approximately 148 feet from the currently authorized wells to the proposed geocenter. Typically, if a point of diversion change is less than 300 feet from the currently approved point of diversion nearby well owners are not notified.

The two (2) wells to be authorized under the battery will be in the same local source of supply, previously determined to be Main Stem Alluvium (113).

In an e-mail dated March 29, 2019, Katherine Tietsort, Water Commissioner of the Topeka Field Office, indicated no objection to the approval of the referenced applications.

A water flow meter and check valve will be required.

Based on the above discussion, that the change is reasonable, that impairment to existing water rights is unlikely, and that no change in the local source of supply will occur, it is recommended that the referenced applications be approved.

> Richelle A. Krueger **Environmental Scientist**

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Acting Secretary

Laura Kelly, Governor

RWD 01 MORRIS COUNTY KS ATTN STEPHEN L EULER PO BOX 146 DWIGHT KS 66849 April 12, 2019 TILE COPY

RE: Water Right, File No. 40,196

Appropriation of Water, File No. 40,197

Dear Mr. Euler:

Enclosed are the orders executed by the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, approving the applications for change under the above referenced file numbers.

Your attention is directed to the enclosures and to the terms, conditions, and limitations specified in these approvals for change. A condition of these approvals is that an acceptable water flow meter must be installed on the diversion works authorized under the referenced file numbers. Please return the required notification of completion of the diversion works and/or installation of the required meter as soon as these actions are completed.

Since the orders modify the original documents referred to above, the order for File No. 40,196 should be recorded with the Register of Deeds as other instruments affecting real estate.

If you have any questions, please contact this office. If you call, please reference the file number so we can help you more efficiently.

Sincerely

Brent A. Turney, P.G.

Change Application Unit Supervisor

Water Appropriation Program

BAT:rak

pc: Topeka Field Office

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Acting Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

APPROVAL OF APPLICATION FOR CHANGE IN POINT OF DIVERSION APPROPRIATION OF WATER FILE NO. 40,197

The Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, after due consideration of the written application of Stephen L. Euler, on behalf of Rural Water District No. 1, Morris County, Kansas, P.O. Box 146, Dwight, Kansas, 66849, received in this office on December 26, 2018, for approval of a change in the location of the point of diversion under Approval of Application, File No. 40,197, for permit to appropriate water for beneficial use, as modified and amended by the Order of the Chief Engineer dated December 7, 2015, approving the application to change the place of use, finds that the change is reasonable and will not impair existing rights, and that the application should be and is hereby approved.

The effective date of the change shall be the date this order is executed by the Chief Engineer, after which the authorized location of the point of diversion shall be:

a battery of two (2) wells with a geographic center located in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW½ NE½ SW½) of Section 24, more particularly described as being near a point 1,434 feet North and 3,756 feet West of the Southeast corner of said section,

in Township 11 South, Range 6 East, Geary County, Kansas,

located substantially as shown on the map accompanying the application to change the point of diversion.

The point of diversion described herein as a battery of two (2) wells is further limited such that the wells shall be located within a three hundred (300) foot radius circle, in the same local source of supply.

Installation of the works for diversion of water shall be completed on or before December 31, 2019, or within any authorized extension of time. The water right owner shall notify the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, when construction of the works for diversion has been completed.

All wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this order shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.

All diversion works into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic, quick-closing check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

RE: File No. 40,197 Page 2

The water right owner shall properly install an acceptable water meter on the diversion works authorized under this water right, prior to the use of water, in strict accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. The water right owner shall notify the Chief Engineer when installation of the water meter has been completed. The water right owner shall maintain the water meter in an operating condition satisfactory to the Chief Engineer, at all times during diversion of water and shall maintain records from which the total quantity of water diverted may be determined. The water right owner shall also report the reading of said water meter and the total quantity of water diverted annually to the Chief Engineer. Such records shall be furnished to the Chief Engineer by March 1 following the end of each calendar year.

In all other respects, the Approval of Application, File No. 40,197, for permit to appropriate water for beneficial use, is as stated and set forth in the approval dated November 17, 1992, as modified and amended by the aforementioned order.

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 18 days after this Order was mailed to you), with the Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, Kansas 66502, or by FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for review may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 33 days after this Order was mailed to you), and be filed with the Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, or by FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude further judicial review under the Kansas Judicial Review Act.

Any request for hearing or petition for administrative review shall be in writing and shall be submitted to the attention of: Chief Legal Counsel, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, Fax: (785) 564 – 6777.
Ordered this and day of Apri , 2019, at Manhattan, Riley County, Kansas.
Lane P. Letourneau, P.G.
Program Manager Water Appropriation Program Division of Water Resources Kansas Department of Agriculture
State of Kansas)
) SS County of Riley)
The foregoing instrument was acknowledged before me this day of 2019, by Lane P. Letourneau, P.G., Program Manager, Water Appropriation Program, Division of Water Resources, Kansas Department of Agriculture
DANIELLE WILSON My Appointment Expires August 23, 2020 CERTIFICATE OF SERVICE
On this 2 day of April , 2019, I hereby certify that the foregoing Approval o Application for Change in Point of Diversion, File No. 40,197, dated April 2 nd, 2019 was mailed postage prepaid, first class, US mail to the following:
RWD NO 1 MORRIS COUNTY KS ATTN STEPHEN L EULER PO BOX 146 DWIGHT KS 66849
With photocopies to:
Topeka Field Office Control Con
Difficial di Ligital L'addatada

Water Resources Received

Submit To: CHIEF ENGINEER
Division of Water Resources
Kansas Department of Agriculture
1320 Research Park Drive
Manhattan, Kansas 66502
http://agriculture.ks.gov/dwr

APPLICATION FOR APPROVAL TO CHANGE THE PLACE OF USE, THE POINT OF DIVERSION OR THE USE MADE OF THE WATER UNDER AN EXISTING WATER RIGHT



Filing Fee Must Accompany the Application

(Please refer to Fee Schedule on signature page of application form.)

Paragraph Nos. 1, 2, 3, 4 & 8 must be completed. Complete all other applicable portions. A topographic map or detailed plat showing the authorized and proposed points(s) of diversion and /or place of use must accompany this application.

1.	Application is hereby made for approval of the Chief Engineer to change the	
	☐ Place of Use	
	(Check one or more) 🛛 Point of Diversion	
	☐ Use Made of Water	
	File No. <u>40,197</u>	
2.	Name of applicant: RURAL WATER DISTRICT NO 1 - MORRIS COUNTY	
	Address: PO BOX 146	
	City, State and Zip: DWIGHT, KS 66849	
	Phone Number: <u>(785) 482-3303</u> E-mail address:	
	What is your relationship to the water right; ☐ owner ☐ tenant ☒ agent ☐ other? If other, please explain	
	Name of water use correspondent: RURAL WATER DISTRICT NO 1 - MORRIS COUNTY	
	Address: PO BOX 146	
	City, State and Zip: DWIGHT, KS 66849	
	Phone Number: (785) 482-3303 E-mail address: rwdno1@tctelco.net	
3.	The change(s) proposed herein are desired for the following reasons (please be specific):	
	To form a complete overlap in points of diversion between File Nos. 40,196 and 40,197 and create a battery of wells to allow more flexibility in the amount of water pumped from each well. This application proposes no new wells.	
	more nexibility in the amount of water pumped from each well. This application proposes no new wells.	•
	The change(s) (was) (will be) completed by <u>Upon approval of the application.</u>	
	(Date)	
	,	٦
	or Office Use Only: O GMD Meets K.A.R. 5-5-1(YES)NO) Use Source G S County M	d
Cc	ode Fee \$ TR # Receipt Date 220 Scheck # 8/90	-
	AFPLICATION COMPLETS	
	4/1/19	
DW	VR 1-120 (Revised 06/16/2014) Reviewer RAIL Assisted by:	
	SCANNED 1/4/2019 WM	
	need I WIT	

Water	Resources
File Mac	4A 1474

	e prese	er of La	nd	NAM	1 ⊏ ·			* 1		Ĺ	/						- •	2018	
	OWITE	or La		DRES											KS [Dept	Of A	gricu	ltuma
				NF	Ξ1/4			NV	N1⁄4			SV	V1⁄4				E¼	3. 100	TOTAL
Sec.	Twp.	Range	NE1/4			SE1/4	NE1⁄4		SW1/4	SE1/4	NE1/4	NW1/4		SE1/4	NE1/4	NW1/4		SE1/4	ACRES
	_																		
	. athar		i abta (that as	415	ia nla													
ist any		water ı	_															-	
	Owne	er of La																	
			AD	DRES			1				I				1				
Sec.	Twp.	Range	NE1/4	NW1/4	5W1/4	SE1/4	NE1/4	F	N1/4 SW1/4	SE1/4	NE¼	I	V¼ SW¼	SE1/4	NE1/4	NW1/4	E¼ SW¼	SE1/4	TOTAL ACRES
		runge		,,,,,				1.007/4	01174	02/4	112/4		01174	02/4	112/4		0	UZ/4	
											-								
										i	ii .	l	i	l			l	1	
	(If the	water rere are	more	than tv	wo lan	down	ers, at	tach a	dditior	nal she	eets as	s nece	ssary.)					
	(If the	ere are	more at the nd —	than tv	wo lan of use IE:	downe	ers, at anged	tach a					ssary.)					
	(If the	ere are	more at the nd —	than to place of NAM DRES	wo lan of use IE:	downe	ers, at anged	tach a					ssary.)		SI	<u> </u>		TOTAL
	(If the	ere are	more at the nd —	than to	wo lan of use IE: SS:	be ch	ers, at	tach a	V¼			sv) SE1/4	NE½	SI NW1/4		SE1/4	TOTAL ACRES
5. It is	(If the	ere are esed that er of La	more at the nd —	than to	wo lan of use IE: SS: ==	be ch	ers, at	tach a	V¼			sv	V1/4		NE¼			SE1/4	
5. It is	(If the	ere are esed that er of La	more at the nd —	than to	wo lan of use IE: SS: ==	be ch	ers, at	tach a	V¼			sv	V1/4		NE½			SE¼	
5. It is	(If the	ere are esed that er of La	more at the nd —	than to	wo lan of use IE: SS: ==	be ch	ers, at	tach a	V¼			sv	V1/4		NE¼			SE1/4	
Sec.	(If the	ere are ased that er of La	more at the at the AD	place NAM DRES	wo lan of use IE: SS: SW½	be ch	ers, at	tach a	V¼ SW¼	SE¼	NE1/4	SV NW%	v¼ sw¼	SE¼	NE1/4			SE1/4	
Sec.	(If the	ere are ased that er of La Range	more at the at the AD	place NAM DRES NE NW½	wo lan of use IE: SS: SW½ over th	be ch	NE%	tach a to: NW NW%	V¼ SW¼	SE½	NE1/4	SV NW1/4	V¼ SW¼	SE¼	NE½			SE¼	
Sec.	(If the	ere are ased that er of La	more at the at the AD NE1/4	place NAM DRES NE NW½	wo lan of use IE: SS: SW½ over th	be ch	NE%	tach a to: NW NW%	V¼ SW¼	SE¼	NE1/4	SV NW1/4	V¼ SW¼	SE¼	NE1/4			SE1/4	
Sec.	(If the	ere are ased that er of La Range	more at the at the AD NE1/4	NAM DRES	wo lan of use IE: SS: sw½ over th IE: SS:	be ch	NE%	tach a to:	V¼ SW¼	SE¼	NE1/4	SV NWV4	V¼ SW¼	SE¼	NE1/4	NW1/4	SW1/4	SE1/4	ACRES
Sec.	(If the	ere are ased that er of La Range	more at the at the AD	place NAM DRES NE NW½	wo lan of use IE: SS: SW½ over th	be ch	NE%	tach a to:	V¼ SW¼	SE½	NE1/4	SV NW1/4	V¼ SW¼	SE¼	-	NW1/4	SW1/4		
Sec.	(If the	Range water r	more at the at the AD	place NAM DRES NE NW½	wo lan of use IE: SS: sw½ pver th IE: SS:	be ch	NE%	tach a to: NW NW%	V¼ SW¼	SE½	NE1/4	SV NW1/4	V¼ SW¼	SE¼	-	NW1/4	SW1/4		ACRES
Sec.	(If the	Range water r	more at the at the AD	place NAM DRES NE NW½	wo lan of use IE: SS: sw½ pver th IE: SS:	be ch	NE%	tach a to: NW NW%	V¼ SW¼	SE½	NE1/4	SV NW1/4	V¼ SW¼	SE¼	-	NW1/4	SW1/4		ACRES
Sec.	(If the	Range water r	more at the at the AD	place NAM DRES NE NW½	wo lan of use IE: SS: sw½ pver th IE: SS:	be ch	NE%	tach a to: NW NW%	V¼ SW¼	SE½	NE1/4	SV NW1/4	V¼ SW¼	SE¼	-	NW1/4	SW1/4		ACRES

* noxlan 4/1/19

File No. 40,197
Water Resources

6.	The presently authorized point(s) of diversion is one (1) well	(Provide description and pur	nber of points) Received
7.	The proposed point(s) of diversion is a battery of two (2) existing wells		
	List all presently authorized point(s) of diversion:	•	KS Dept Of Agriculture
8.	Presently authorized point of diversion:		- Agriculture
	One in the Southwest Quarter of the Northeast	Quarter of the	Southwest Quarter
	of Section 24 , Township 11	South, Range	6 East (E/W),
	in Geary County, Kansas, 1423 feet North	3903 feet West of	Southeast corner of section.
	Authorized Rate 300 gpm Authorized Quantity 54.0 MGY		
	(DWR use only: Computer ID No. <u>13686</u> GPS		feet West)
	\square This point will not be changed \square This point will be changed as	follows:	
	Proposed point of diversion: (Complete only if change is requested)	1	
	One in the Southwest Quarter of the Northeast		
	of Section, Township11		
	in <u>Geary</u> County, Kansas, <u>1434</u> feet North <u>3</u>		Southeast corner of section.
	Proposed Rate 300 gpm Proposed Quantity 54.0 MGY		
	This point is: ☐ Additional Well ☐ Geo Center List other water rights	that will use this point	t <u>File No. 40,196</u> .
^	Presently authorized point of diversion:		· · · · · · · · · · · · · · · · · · ·
9.	One in the Quarter of the	Quarter of the	Quarter
	of Section, Township		
	in feet North		
	Authorized Rate Authorized Quantity		Southeast corner of section.
	(DWR use only: Computer ID No GPS		feet West)
	☐ This point will not be changed ☐ This point will be changed as		
	Proposed point of diversion: (Complete only if change is requested)		
			Quarter
	One in the Quarter of the of Section, Township	South, Range	(F/W)
	in County, Kansas, feet North		
	Proposed Rate Proposed Quantity		
	This point is: Additional Well Geo Center List other water rights	that will use this point	
,			
10.	Presently authorized point of diversion:		
	One in the Quarter of the		
	of Section, Township		
	in County, Kansas, feet North		Southeast corner of section.
	Authorized Rate Authorized Quantity		
	(DWR use only: Computer ID No GPS		feet West)
	☐ This point will not be changed ☐ This point will be changed as		
	Proposed point of diversion: (Complete only if change is requested)		
	One in the Quarter of the		
	of Section, Township		
1		feet West of	Southeast corner of section.
j	in County, Kansas, feet North		
	Proposed Rate Proposed Quantity	<u> </u>	
	Proposed Rate Proposed Quantity This point is: Additional Well Geo Center List other water rights	that will use this point	t <u>·</u>
11.	Proposed Rate Proposed Quantity	that will use this point	t <u>·</u>

				File No. <u>40,197</u>
12.	The	pre	esently authorized use of water is for <u>Municipal</u> po	urposes.
	It is	pro	posed that the use be changed to <u>Municipal (no change)</u>	purposes.
13.	If ch	hang	ging the place of use and/or use made of water, describe how the consumptive	use will not be increased.
	No	char	inge in place of use and/or use made of water is being proposed. Approval of th	e applicatoin would not result in an
	incr	ease	se in consumptive use	
	(Ple	ase s	show any calculations here.)	
14.	It is	req	quested that the maximum annual quantity of water be reduced to N/A	(acre-feet or million gallons).
15.	It is	req	quested that the maximum rate of diversion of water be reduced to N/A	gallons per minute (<u>N/A</u> c.f.s.).
16.	1:24 Kar Dist	4,00 nsas tanc uld a	plication must include either a topographic map or detailed plat. A U.S. Geological Survey, 1930 Constant Avers 66047-3726 (www.usgs.gov). The map should show the location of the presess North and West of the Southeast corner of the section must be shown. also be shown. Identify the center of the section, the section lines and the second, township, and range numbers on the map. In addition the following information.	nue, University of Kansas, Lawrence, sently authorized point(s) of diversion. The presently authorized place of use tion corners and show the appropriate
	a.	lf a	a change in the location of the point(s) of diversion is proposed, show:	
		1)	The location of the proposed point(s) of diversion. Distances North and West must be shown. Please be certain that the information shown on the map Paragraph Nos. 9, 10 and 11 of the application.	
		2)	If the source of supply is groundwater, please show the location of existing domestic wells, within $\frac{1}{2}$ mile of the proposed well or wells. Identify each we mailing address of the property owner or owners. If there are no wells within $\frac{1}{2}$	ell as to its use and furnish name and
		3)	If the source of supply is surface water, the names and mailing addresses of and $\frac{1}{2}$ mile upstream from your property lines must be shown.	f all landowner(s) ½ mile downstream
	b.		a change in the place of use is desired, show the proposed place of use by crtain that the information shown on the map agrees with the information shown i	

17. Attach documentation to show the change(s) proposed herein will not impair existing water rights and relates to the same local source of supply as to which the water right relates. This information may include statements, plats, geology reports, well logs, test hole logs, and other information as necessary information to show the above. Additional comments may be made below.

The application proposes to form a complete overlap between two existing files and their existing wells.

18. If the proposed change(s) does not meet all applicable rules and regulations of the Kansas Water Appropriation Act, please identify the rules and regulations for which you request a waiver. State the reason why a waiver is needed and why the request should be granted. Attach documentation showing that granting the request will not impair existing water rights and will not prejudicially and unreasonably affect the public interest.

Water Resources
Received

DEC 26 2018

File No. 40,197	
-----------------	--

Any use of water that is not as authorized by the water right or permit to authorize water <u>before</u> the chief engineer approves this application is a violation of the Kansas Water Appropriation Act for which criminal or civil penalties may be assessed. Such violation is a class C misdemeanor, punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. K.S.A. 82a-728(b). Civil penalties shall be not less than \$100 nor more than \$1,000 per violation. In the case of a continuing violation, each day such violation continues may be deemed a separate violation. In addition to these penalties the water right may be modified or suspended. K.S.A. 82a-737, as amended.

The application must be signed by all owners of the place of use authorized under the water right and his or her spouse, if married. Please indicate if there is no spouse. If land is being purchased under contract, the seller must sign as landowner until such time as the contract is completed.

In the event that all applicants cannot appear before one notary public, they may as necessary sign separate copies of the application before any notary public conveniently available to them. All copies signed in this manner shall be considered to be valid parts of the application.

If the request is signed on behalf of any Owner by someone with legal authority to do so (for example, an agent, one who has power of attorney, or an executor, executrix, conservator), it will be necessary to attach proper documents showing such authority.

I declare that I am an owner of the currently authorized pauthorized to make this application on their behalf, and complete. By filing this application I authorize the chief eas specified in sections 14 and 15 of this application.	declare fur ngineer to p	ther that t permanent	the statements contained hereingly reduce the quantity of water a	n are true, correct, and and/or rate of diversion
Dated at 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Kansas thi	526	<i>fl</i> day of <u>December</u>	2018
John I Juhn	, randa, an		·	, 20.10
Stephen L. Euler			(Spouse)	
(Please Print)			(Please Print)	•
(Owner)			(Spouse)	
(Please Print)			(Please Print)	
(Owner)			(Spouse)	
(Please Print)			(Please Print)	
State of Kansas Morris County of				
I hereby certify that the foregoing application was sig	ned in my	presence	and sworn to before me this	26th day of
My Commission Expires			Notary Public	
			The state of the s	HIBLEY HOCH State of Kansas
	FEE SCHE	<u>DULE</u>	My App	. Exp.9-21-00
Each application to change the place of use, the point of diversapplication fee set forth in the schedule below:	sion or the us	se made of	the water under this section shall	be accompanied by the
 (1) Application to change a point of diversion 300 fee (2) Application to change a point of diversion more th (3) Application to change the place of use (4) Application to change the use made of the water . 	an 300 feet .			
Make check payable to Kansas Department of Agriculture.			Water Resources Received	

DEC 26 2018

KS Dept Of Agriculture

Attachment

Applications to Change the Points of Diversion File Nos. 40,196 and 40,197

The location of the proposed point of diversion is:

A battery of two (2) wells with a geographic center located in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW½ NE½ SW½) of Section 24, more particularly described as being near a point 1434 feet North and 3756 feet West of the Southeast corner of said section, in Township 11 South, Range 6 East, Geary County, Kansas.

The locations of individual wells are as follows:

Existing well #1:

One (1) well in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW½ NE½ SW½) of Section 24, more particularly described as being near a point 1423 feet North and 3903 feet West of the Southeast corner of said section, in Township 11 South, Range 6 East, Geary County, Kansas. (DWR PDIV ID 13686)

Existing well #2:

One (1) well in the Southwest Quarter of the Northeast Quarter of the Southwest Quarter (SW¼ NE¼ SW¼) of Section 24, more particularly described as being near a point 1445 feet North and 3608 feet West of the Southeast corner of said section, in Township 11 South, Range 6 East, Geary County, Kansas. (DWR PDIV ID 42131)

					orm wwc-s			Color Constate Actual States			
III LOCATI	ON OF WAT	TER WELL:	Fraction		Sec	tion Numb	er Tow	vnship Nu	mber	Ra	nge Number 🦠
County: G	earv		SW 1/4	NE 14 SW	1/4	24	T	11	S	R	6 E/ (1)
Distance a	and direction	from nearest tow	n or city street a	ddress of well if located	within city?						Parson .
	1 m	ilos Fast	0 2 1/2	Miles North	of C==	n di o.	. Dla-	_			
2 WATE	P WELL ON	NEA: Morri	C County	DWD 41	UL GLO	HOVIE	W_PIdZ	d			
							_				
				West Engine	ers				•		f Water Resources
City, State	, ZIP Code	: Topek	a, KS				Ar Ar	pplication	Number:	40,1	97
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL. 5	9	. ft. ELEV	VATION: .	. <i></i>			
→ AN "X"	IN SECTIO			water Encountered 1.							
- [WATER LEVEL 1.							
1											
-	- NW	NF		o test data: Well water							
	1	1 1	Est. Yield . 1.01	0.0 gpm: Well water	was .to.	J.7 tt,	after	2.4	hours pur	nping	4.50 gpm
u	i		Bore Hole Diame	eter3.0in. to	6.Q	, ,ft,	, and		in.	to	
W -	ſ				Public water				11		
-		i	1 Domestic	-	Oil field wa			_		-	pecify below)
-	- SW	SE									
1 1	17	1	2 Irrigation		-				,		
1 L	1		Was a chemical/	bacteriological sample su	ibmitted to Di	epartment?	Yes	No			yr sample was sub
_		<u> </u>	mitted			v	Vater Well D	Disintected	? Yes	X	No
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8 Concre	te tile	CAS	SING JOH	NTS: Glued	. 4	Clamped
1_Sto	eel	3 RMP (SR	8)	6 Asbestos-Cement	9 Other	specify be	low)		Welde	ed 🔉	,
2 P\		4 ABS	,	7 Fiberglass			· · · · · · · · · · · ·				
			: 1.								
Diank Casi	ing diameter		III. 10 Z A 3.	3 ft., Día .in., weight54.		,		a		n. το ,	
Casing he	ight above la	and surface		.in., weight 34.			s./ft. Wall thi	ickness o	r gauge No	ك	/5
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		7 PV			10 Asbe	estos-ceme	nt	
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)		11 Othe	r (specify)	,	
2 Br	ass	4 Galvanize	ed steel	6 Concrete tile	9 AB	3		12 None	e used (ope	en hole)	
SCREEN	OR PERFO	RATION OPENING	SS ARE	5 Gauze	wrapped		8 Saw		• •	•	e (open hole)
				6 Wire w	• •		9 Drille				o (open nois)
		1 . 100 3 Mil			• •						
	uvered shutt		y punched	7 Torch							
SCREEN-	PERFORATI	ED INTERVALS:		3							
			From	ft. to		ft., F	rom		ft. to), ,	
(GRAVEL PA	CK INTERVALS:	From 2.6	0 ft. to	5.9	, ft., F	rom		ft. to), <i>.</i>	
			From								ft.
EL COOLD	MATERIAL	· 1 Nost o	omoni								
6 GROUT	MATERIAL	.: 1 Neat co	ement	2 Cement grout	3 Bento	nite	4 Other				
Grout Inte	rvals: From	m () 1	ft. to 20		3 Bento	nite	4 Other	From			
Grout Inte	rvals: From	.: 1 Neat com Q	ft. to 20	2 Cement grout	3 Bento	nite to	4 Other	From			
Grout Inte	rvals: From	m () 1	ft. to20. contamination:	2 Cement grout	3 Bento	nite to 10 Live	4 Other ft.,	From	14 At		
Grout Inte What is th 1 Se	rvals: From ne nearest so eptic tank	m ()	ft. to20 contamination: al lines	2 Cement grout ft., From 7 Pit privy	3 Bento	nite lo 10 Live 11 Fue	4 Other ft., estock pens el storage	From	14 At	ft. to pandoned well/Ga	
Grout Inte What is th 1 Se 2 Se	rvals: From e nearest so eptic tank ewer lines	m 0	ft. to 20 contamination: al lines pool	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Bento	nite 10 10 Live 11 Fue 12 Fer	4 Otherft., estock pens el storage tilizer storag	From	14 At 15 Oi 16 Oi	ft. to pandoned well/Ga her (spe	ft. I water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 Wa	rvals: From the nearest so eptic tank the the sewer lines atertight sew	ource of possible of 4 Latera 5 Cess of the following for the foll	ft. to 20 contamination: al lines pool	2 Cement grout ft., From 7 Pit privy	3 Bento	nite to 10 Liv 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi	ft. to pandoned well/Ga her (spe	
Grout Inte What is th 1 Se 2 Se 3 Wi Direction 1	rvals: From the nearest so eptic tank ewer lines atertight sew from well?	m 0	ft. to20 contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Otherft., estock pens el storage tilizer storag	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W: Direction f	rvals: From the nearest so the nearest so the period tank the term of the period tank the term of the period tank the term of the period tank	ource of possible of 4 Latera 5 Cess per lines 6 Seepa	ft. to20 contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento	nite to 10 Liv 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 Wi Direction 1	rvals: From the nearest so eptic tank ewer lines atertight sew from well?	ource of possible of 4 Latera 5 Cess per lines 6 Seepa East	ft. to20 contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W: Direction f	rvals: From the nearest so the nearest so the period tank the term of the period tank the term of the period tank the term of the period tank	ource of possible of 4 Latera 5 Cess per lines 6 Seepa East	ft. to20 contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W Direction 1 FROM 0	rvals: From the real of the re	ource of possible of 4 Latera 5 Cess over lines 6 Seepa East Top Soi Silty B	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 cown Clay	2 Cement grout ft., From	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 1 6	rvals: From the properties of	ource of possible of 4 Latera 5 Cess over lines 6 Seepa East Top Soi Silty B Brown C	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay	2 Cement grout ft., From	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28	rvals: From the property of th	ource of possible of 4 Latera 5 Cess over lines 6 Seepa East Top Soi Silty B Brown C Gray Cl	ft. to20 contamination: al lines pool age pit LITHOLOGIC rown_Claylay ay	2 Cement grout ft., From	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33	rvals: From the property of th	ource of possible of 4 Latera 5 Cess over lines 6 Seepa East Top Soi Silty B Brown C Gray Cl	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown_Clay lay ay with (2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From ge age	14 At 15 Oi 16 Oi Cr	ft. to pandoned well/Gather (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33 35	rvals: From the property of th	ource of possible of 4 Latera 5 Cess of Fast Top Soi Silty B Brown C Gray Cl Gray Cl Chert_V.	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 cown Clay lay ay with (ery Cours	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi Cr 00 ft JGGING IN	ft. to pandonect well/Ga her (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33	rvals: From the property of th	ource of possible of 4 Latera 5 Cess of Fast Top Soi Silty B Brown C Gray Cl Gray Cl Chert_V.	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown_Clay lay ay with (2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi Cr 00 ft JGGING IN	ft. to pandonect well/Ga her (spe	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi Cr 00 ft JGGING IN	ft. to pandonect well/Ga her (spe reek	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33 35	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 cown Clay lay ay with (ery Cours	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi 16 Oi OO ft JGGING IN	ft. to bandonecd well/Gather (species kitterval	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi 16 Oi OO ft JGGING IN	ft. to bandonecd well/Gather (species kitterval	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage tilizer storage ecticide storage	From	14 At 15 Oi 16 Oi Cr 00 ft JGGING IN	ft. to bandonecd well/Gather (species kitterval	water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage etticide storage ecticide storanany feet?	From	14 At 15 Oi 16 Oi 16 Oi 17 Oi	tt. to pandonect well/Ga her (spe eek	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage etticide storage ecticide storanany feet?	From	14 At 15 Oi 16 Oi 16 Oi 17 Oi	tt. to pandonect well/Ga her (spe eek	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage etticide storage ecticide storanany feet?	From	14 At 15 Oi 16 Oi 16 Oi OO ft JGGING IN	tt. to pandonect well/Ga her (spe eek	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage etticide storage ecticide storanany feet?	From	14 At 15 Oi 16 Oi 16 Oi 17 Oi	tt. to pandonect well/Ga her (spe eek	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57	rvals: From the property of th	m. 0 purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert-Vo	ft. to20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay with (ery Cours ne	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins	4 Other ft., estock pens el storage etticide storage ecticide storanany feet?	From	14 At 15 Oi 16 Oi 16 Oi 17 Oi	tt. to pandonect well/Ga her (spe eek	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33 35 57 57 27 2	rvals: From the property of the rearest so the price tank of the price tand of the price tank of the price tank of the price tank of the p	ource of possible of 4 Latera 5 Cess of Fast Top Soi Silty B. Brown C. Gray Cl. Gray Cl. Chert-V. Limeston Gray Sha	ft. to 20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay ay with (ery Cours ne ale	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Y Chert	3 Bento ft.	nite 10 Livi 11 Fue 12 Fer 13 Ins How ri TO	4 Other ft., estock pens el storage tilizer storag ecticide stor nany feet?	PLI Water DEC	14 At 15 Oi 16 Or CI On ft Jaging In Personal Certain	tt. to pandonect well/Ga her (spe ceek ITERVAL	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction f FROM 0 4 16 28 33 35 57 57 27 2	rvals: From the property of the rearest so the price tank of the price tand of the price tank of the price tank of the price tank of the p	ource of possible of 4 Latera 5 Cess of Fast Top Soi Silty B. Brown C. Gray Cl. Gray Cl. Chert-V. Limeston Gray Sha	ft. to 20 contamination: al lines pool age pit LITHOLOGIC 1 rown Clay lay ay ay with (ery Cours ne ale	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Y Chert	3 Bento ft.	nite 10 Livi 11 Fue 12 Fer 13 Ins How ri TO	4 Other ft., estock pens el storage tilizer storag ecticide stor nany feet?	PLI Water DEC	14 At 15 Oi 16 Or CI On ft Jaging In Personal Certain	tt. to pandonect well/Ga her (spe ceek ITERVAL	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57 57 57 2 CONTE completed	rvals: From the nearest so the neare	m. 0. purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cl Gray Cl Chert-V Limeston Gray Sh	ft. to	2 Cement grout ft. From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Chert Se	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins How m TO	4 Other ft., estock pensel storage rtilizer storage ecticide storage ecticides ecticated economic econom	Water DEC Or (3) pl	14 At 15 Oi 16 Or CI On ft Jaging In Personal Certain	tt. to pandonect well/Ga her (spe ceek ITERVAL	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57 57 57 2 CONTE completed	rvals: From the nearest so the neare	m. 0. purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cl Gray Cl Chert-V Limeston Gray Sh	ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Y Chert	3 Bento ft.	nite to 10 Live 11 Fue 12 Fer 13 Ins How m TO	4 Other ft., estock pensel storage rtilizer storage ecticide storage ecticides ecticated economic econom	Water DEC Or (3) pl	14 At 15 Oi 16 Or CI On ft Jaging In Personal Certain	tt. to pandonect well/Ga her (spe ceek ITERVAL	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57 57 57 2 CONTE Completed Water Wel	rvals: From the nearest so the neare	m. 0. purce of possible of 4 Latera 5 Cess of Fast Top Soi Silty B Brown C Gray Cla Gray Cla Chert—Volumeston Gray Share Constant Share	ft. to	2 Cement grout ft. From 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Chert Se	3 Bento ft.	ted. (2) reand this rescomplete	4 Other ft., estock pens el storage rtilizer storag ecticide stora nany feet? KS constructed, cord is true to d on (mo/da	Water DEC or (3) pl to the bes	14 At 15 Oi 16 Or CI On ft Jaging In Personal Certain	tt. to pandonect well/Ga her (spe eek ITERVAI	i water well s well cify below)
Grout Inte What is th 1 Se 2 Se 3 W. Direction 1 FROM 0 4 16 28 33 35 57 57 57 2 CONTF completed Water Wel under the	rvals: From the nearest so the neare	m. 0. purce of possible of 4 Latera 5 Cess for lines 6 Seepa East Top Soi Silty B Brown C Gray Cla Gray Cla Chert—V. Limeston Gray Sha	ft. to 20 contamination: al lines pool age pit LITHOLOGIC 1 rown Claylay ay with (ery Cours ne ale 'S CERTIFICATI 138 son Irri	2 Cement grout	3 Bento ft. FROM FROM (1) construction Record was	ted. (2) read this response by (sign	4 Other ft., estock pens el storage rtilizer storag ecticide stora nany feet? KS constructed, cord is true to d on (mo/da nature)	Water DEC or (3) pl to the bes	Resource Very Large Larg	tt. to bandonecd well/Gather (species in the control of the contro	isdiction and was

Krueger, Richelle [KDA]

From:

Tietsort, Katie [KDA]

Sent:

Friday, March 29, 2019 2:19 PM

To:

Krueger, Richelle [KDA]

Cc:

Bunger, Brett [KDA]; Smith, Tyler [KDA]

Subject:

RE: Request for Recommendation Change in PD File Nos. 40196 and 40197 Morris

County RWD No. 1

Good Afternoon Richelle,

The TFO agrees with your recommendation for approval of the referenced change applications which will create a 2 well battery out of the 2 single well files and will provide greater pumping flexibility for the RWD to pump their water rights, as discussed in the civil penalty settlement call on October 24, 2018. This accomplishes the requests of that call.

Thanks! Katie

Katie Tietsort

Kansas Department of Agriculture 6531 SE Forbes Ave Ste B Topeka, KS 66619 <u>katie.tietsort@ks.gov</u> Phone 785-296-5733

From: Krueger, Richelle [KDA]

Sent: Thursday, March 28, 2019 12:41 PM

To: Tietsort, Katie [KDA] <Katie.Tietsort@ks.gov> **Cc:** Bunger, Brett [KDA] <Brett.Bunger@ks.gov>

Subject: Request for Recommendation Change in PD File Nos. 40196 and 40197 Morris County RWD No. 1

Hi Katie,

Attached is a draft memo for the referenced changes in pd, do you recommend approval?

Thanks, Richelle

STATE OF KANSAS

DEPARTMENT OF AGRICULTURE 1320 RESEARCH PARK DRIVE MANHATTAN, KS 66502 PHONE: (785) 564-6700 FAX: (785) 564-6777



900 SW Jackson, Room 456 Торека, KS 66612 Рнопе: (785) 296-3556 www.agriculture.ks.gov

GOVERNOR JEFF COLYER, M.D.

Jackie McClaskey, Secretary of Agriculture

RURAL WATER DISTRICT NO 1 - MORRIS CO PO BOX 146 DWIGHT, KS 66849 January 3, 2019

. .

RE: File No 40197

Dear Sir or Madam:

An application for approval of the Chief Engineer to change the following condition or conditions of the file number referred to above has been received:

☐ place of use PD ☐ point of diversion ☐ use made of water

As a matter of record, the Division of Water Resources has on hand a large number of applications awaiting processing. Therefore, to be fair to all concerned, and so that we can process those applications on hand in the order they were received, we intend to concentrate on the backlog of applications until the issue is resolved. You will be contacted regarding this application as soon as it has been examined.

In accordance with the provisions of the Kansas Water Appropriation Act, a portion of which is included below, the use of water prior to approval of the application is unlawful. You should not proceed and divert water as indicated by your plans in your application for a change for this file until you receive approval for this change from the Chief Engineer. Once approved, compliance with the terms, conditions and limitations of the permit is necessary. Conservation of the water resources of Kansas is required.

Section 82a-728 of the Kansas Water Appropriation Act, provides (a) except for the appropriation of water for the purpose of domestic use, . . . it shall be unlawful for any person to appropriate or threaten to appropriate water from any source without first applying for and obtaining a permit to appropriate water in accordance with the provisions of the Water Appropriation Act or for any person to violate any condition of a vested right, appropriation right or an approved application for a permit to appropriate water for beneficial use.

(b) (1) The violation of any provision of this section by any person is a class C misdemeanor...

A class C misdemeanor is punishable by a fine not to exceed \$500 and/or a term of confinement not to exceed one month in the county jail. Each day that the violation occurs constitutes a separate offense

If you have any questions, please contact me at (785) 564-6645. If you wish to discuss a specific file, please have the file number ready so that we may help you more efficiently.

Sincerely,

Brent Tourney, L.G.

Change Applications Unit Supervisor


and A. Juney

Water Appropriation Program

BAT: DLW

pc: TOPEKA Field Office GMD

SCANNED



Point of Diversion Change Application - File No. 40,197

Legend * O Domestic Wells • Morris RWD 2 Wells								
•	Proposed Geographic Center							
	Half-Mile Buffer							
	Section Lines							

0 0.25 0.5 1 Miles

KDA/DWR File Nos. 40,196, 40,197 and 41,161
Authorized Water Well Locations Water Resources
Received

Map prepared by: Kenneth A. Kopp, P.G. Kansas Rural Water Association August 14, 2018

DEC 26 2018

* well locations per wwc-6, whits, * Application File No 40197 Map * DKINNEDKS Dept Of Agriculture

Analysis Results

The selected PD is in an area OPEN to new appropriations.

The safe yield based on the variables listed below is 2,360.22 AF.

= 1332.16 AF Total prior appropriations in the circle is 888.14 AF. + 450.02

Total quantity of water available for appropriation is 1,472.08 AF.

KAR 5-2-3 Change in PD 40196 + 40197

1022.06 AF available rently + 331.44 (40196+40197)

would meet

Safe yield KABIDWR 3/27/19

Safe Yield Variables

The area used for the analysis is set at 4,605 acres.

The potential annual recharge at the circle center is estimated to be 8.2 inches.

The percent of recharge available for appropriation is 75%.

- 165.72 (4161)

1353. SAF WAR

Authorized Quantity values are as of 27-MAR-2019 and are based on Appropriated and Vested ground water right and possible stream nodes for GMD #2. Domestic, Term and

Temporary water rights have been excluded.

There are 10 water rights and 8 points of diversion within the circle.

File	Number	Use	ST	SR	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Qind	Auth Quant	Add Quant		Tot Acres	Net Acres
A	29853 00	IRR	NK	G					3942	1454	22	11	06E	5	WR	90.00	90.00		173.00	173.00
A	40196 00	MUN	NK	G		SW	NE	SW	1445	3608	24	11	06E	5	WR	165.72	165.72			
A	40197 00	MUN	LR	G		SW	NE	SW	1423	3903	24	11	06E	3	WR	165.72	165.72			
A	41086 00	IRR	NK	G.		NE	SW	NW	3939	4131	24	11	06E	9	WR	27.00	27.00		160.00	0.00
A	41161 00	MUN	LR	G		NW	NE	SW	2272	3565	24	11	06E	7	WR	165.72	84.70	84.72		
A	45139 00	IRR	NK	G		NE	SW	NW	3939	4131	24	11	06E	9	WR	43.00	16.00		160.00	0.00
A	45720 00	IRR	NK	G					4043	1366	27	11	06E	2	WR	146.00	146.00		142.00	142.00
A	46985 00	IRR	MM	G					2127	2720	27	11	06E	7	WR	360.00	-0.00	340	142.00	0.00
A	48173 00	IRR	MM	G		NE	SW	NW	3939	4131	24	11	06E	9	WR	176.00	-43.00	133	160.00	0.00
Α	48974 00	IRR	LO	G		NE	SE	SW	950	3085	22	11	06E	6	WR	150.00	150.00	1	280.70	280.70

Limitations

File Number	Seq Num Limitations	
A 40197 0	1 300GPM COM/W #40196 ON LAND LISTED IN APPROVAL	
A 411610	1 416.16AF/YR (135.6MGY) COM/W #40196 & 40197	-127.7 +577.72
A 45139 0	2 43AF/YR @ 775GPM COM/W #41086	
A 46985 0	1 568AF/YR COM/W #40876, 41367, 46983 & 46984	
A 48173 0	1 176AF/YR COM/W #19175, 41086, 41619 & 45139	
Same	2 1200GPM COM/W #41086 & 45139	

Safe Yield Report Sheet Water Right- Proposed Point of Diversion Point of Diversion in 24-11S-06E Footages from SE corner- 1,434 feet North 3,756 feet West

