Kansas Department of Agriculture Division of Water Resources PERMIT OF NEW APPLICATION WORKSHEET

1. File Number:	2. Status Change Date:	3. Field Office:	4. GMD:	
50,194	5/8/2019	01	0	
5. Status: — ⊠ Approved ☐ Denied b	oy DWR/GMD	Dismiss by Request/Fai	lure to Return	
6. Enclosures: ⊠ Check Valve ⊠ N of C Form	m 🛛 Water Tube	☑ Driller Copy	⊠ Meter	
7a. Applicant(s) Person ID New to system ☐ Add Seq#	7c. Landowr New to se	ner(s) ystem 🔲	Person IDAdd Seq#	
WHITE BROTHERS LAND & LIVESTOC 10705 CAMP CREEK RD BELVUE KS 66407	K			
7b. Landowner(s) Person ID New to system ☐ Add Seq#	7d. Misc.	ystem 🔲	Person IDAdd Seq#	
7a.				
8. WUR Correspondent Person ID New to system Add Seq# Overlap File (s) WUC Agree Yes No	9. Use of Wa	⊠ Groundwater □] Yes ⊠ No] Surface Water] DEW ☐ MUN	
7a.	☐ STK ☐ HYD DRG ☐ IND SIC:	□ WTR PWR □	DOM CON ART RECHRG HER:	
10. Completion Date: 12/31/2020 11. P	Perfection Date: 12/31/	2024 12. Ex	p Date:	
13. Conservation Plan Required? ☐ Yes ☒ No Date F	Required: Dat	te Approved:	Date to Comply:	
14. Water Level Measuring Device? ☐ Yes ☒ No Ⅰ	Date to Comply:	Date WLMD I	nstalled:	
		·	8/2019 By: DWS 9/2019 By: LCM	

										٠												i .	: !	
File No. 50,1	94		15. F	ormatio	on Coo	le: 113	}		Drair	nage B	asin: I	(ansa:	s Rive	•	Co	ounty: I	PT		Spe	cial Us	e:	-	Stream:	
16. Points of D T MOD DEL PDI ENT		Q	ualifier	s		Т	R	ID		N	 'W	1				7. Rat Rate gpm		Quant horized Quar af	d		Rate gpm	Additional Qu	uantity af Over	rlap PD Files
√ 8724	9	SE	SW NV	V 28	3 9	9 ·	11E	3	30	00	39	86				1200		6	1		1200)	61 N	IONE
																· .		,				1		
		•	•								,									!	····			
18. Storage: Ra	ate				IF	Qua	ntity _					ac/ft	Add	itional	Rate _					_NF	Additio	nal Quantity		ac/ft
19. Limitation: _ Limitation: _																				:		; ,		
20. Meter Requ	ired? ⊠] Yes	□ No		То	be ins	talled	by		12	/31/2	020			Date	Accep	otable l	Meter	Installe	ed	······································	1 1	<u> </u>	
21. Place of Us	е					NI	Ξ1/4			NV	V1/4			sv	V 1⁄4			SI	E1/4	1	Total	Owner	Chg? YES/NO	Overlap Files
MOD DEL ENT PUSE	s	т	R	ID	NE 1/4	NW 1/4	sw ¼	SE 1/4	NE 1⁄4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW ¼	sw ¼	SE 1/4			i i	
√ 9875	20	9	11E	1															13	14	27	7a.	YES**	10,071
√ 69257	28	9	11E	5						38	37										75	7a.	NO	10,071
√ 30200	29	9	11E	3	40	40	33.5	33.5												!	147	7a. (YES**	10,071
																				:				
Comments: *C **POTT CO.																				;			:	

KANSAS DEPARTMENT OF AGRICULTURE Division of Water Resources <u>M E M O R A N D U M</u>

MEMORANDU

TO: Files

DATE: March 18, 2019

FROM: Doug Schemm RE: Application, File No. 50,194

White Brothers Land and Livestock has filed the referenced new application to appropriate 61 acre-feet of groundwater from a proposed well at a rate of 1200 gallons per minute for irrigation use on 249 acres. The well will be located in the Northwest Quarter of Section 28, Township 9 South, Range 11 East, Pottawatomie County, within the Kansas River Drainage Basin. A change in place of use for Water Right, File No. 10,071 will create a complete overlap with this new application. The entire place of use is owned by the applicant, and the applicant has signed the application form stating they have access to the point of diversion.

Water Right, File No. 10,071 is authorized 183 acre-feet. The requested quantity of water of 61 acre-feet plus the authorized quantity under File No. 10,071 is 244 acre-feet. The maximum allowable to irrigate the proposed acreage of 249 acres, with 1.1 acre-feet per acre in Pottawatomie County would be 273.9 acre-feet. Therefore, the new application does not require any limitation and will be all additional water.

The applicant identified two wells within one-half mile (complying with K.A.R. 5-3-4), and nearby notification letters were sent out on February 20, 2019. A telephone call was received from the owner of the nearby irrigation well, who expressed some concern over possible impact to her well, but provided no specific impairment information. The point of diversion meets minimum well spacing criteria to all existing wells per the requirements in K.A.R. 5-4-4. It is located over 2,100 feet from the nearest irrigation well, and over 2,400 feet from the nearest domestic well. The proposed well is located over ¼ mile from the Kansas River, so no notification of the KRWAD is required.

The well log from a nearby observation well shows sand and gravel extending from 24 feet to 65 feet below ground surface where shale bedrock was encountered. Static water level was 20 feet below ground surface, providing 45 feet of saturated thickness. The source of water is the Kansas River alluvium. K.A.R. 5-3-11 states that calculated recharge in the Kansas River alluvium shall be determined by taking 25% of the average annual rainfall in the area of consideration. For this application, the calculated recharge was determined to be 8.5 inches. The extent of the alluvium (per LIDAR data) for the area of consideration provides a total of 5,824 acres. Based on a potential recharge of 8.5 inches, with 75% available for appropriation, safe yield was determined to be 3,094.26 acre-feet. Existing water rights have appropriated 3,030.4 acre-feet within the area of consideration, leaving 63.86 acre-feet available, and the application requesting 61 acre-feet complies with safe yield.

The applicant has submitted a signed Kansas River Assurance District form, which has been properly notarized. By completing this statement, the applicant affirms his/her knowledge that there could be times when the diversion of water may not be allowed under this permit. In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R 5-1-12. If any chemical or foreign substance is injected into the water pumped under this permit, a check valve will also need to be installed.

In a March 18, 2019 discussion, Katie Tietsort, Water Commissioner, Topeka Field Office, recommended approval of the referenced new application. Based on the above discussion, well spacing and safe yield criteria are met, and approval of the application will not impair senior water rights nor prejudicially or unreasonably affect the public interest, it is recommended that the referenced new application be approved, in conjunction with the change in place of use for File No. 10,071.

Douglas W. Schemm Environmental Scientist Topeka Field Office 1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

May 13, 2019

FILE COPY

WHITE BROTHERS LAND & LIVESTOCK 10705 CAMP CREEK RD BELVUE KS 66407

RE:

Appropriation of Water, File No. 50,194

Dear Mr. White:

Enclosed is a permit authorizing you to proceed with construction of the proposed diversion works and to appropriate water for beneficial use as set forth in the permit. Your attention is directed to the enclosures and to the terms, conditions, limitations, and requirements specified in this permit.

Notice must be filed on the enclosed form once the diversion works have been completed. Failure to complete the diversion works within the time allowed, or within any authorized extension of time thereof, will result in dismissal of this permit. If you need an extension of time, you must request it before the deadline for completion set forth in the permit. Any request for an extension of time must be accompanied by the statutorily required fee, which is currently \$100.00.

An acceptable water flowmeter must be installed on the diversion works authorized by this permit prior to using water. An annual water use report must be filed with the Chief Engineer by March 1, following the end of each calendar year. If a complete annual water use report is not received by the deadline, then a fine may be assessed and all water use under such permit or right may be suspended. Reports submitted in paper form will be assessed a \$20 per file number paper filing fee. In order to avoid this filing fee, you may submit your report online at www.kswaterusereport.org.

The approval of your application constitutes a permit to appropriate water. It does not give authority to construct any dam or other stream obstruction regulated by K.S.A. 82a-301 through 305a. It does not give authority to access any right-of-way or authorize trespassing upon or injury to public or private property. It may also be necessary for you to comply with other local, state or federal requirements.

Enclosed is an informational sheet that sets forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your perfected water right. Additional information and applicable forms may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any questions or need assistance with any of these requirements, please contact our office at 785-564-6640 or your local Topeka Field Office. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

Krusten

New Application Unit Supervisor Division of Water Resources

KAB:dws Enclosure(s)

pc: Topeka Field Office

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCESDavid W. Barfield, Chief Engineer

APPROVAL OF APPLICATION and PERMIT TO PROCEED

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, File No. 50,194 of the applicant

WHITE BROTHERS LAND & LIVESTOCK 10705 CAMP CREEK RD BELVUE KS 66407

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

- 1. That the priority date assigned to such application is **January 9, 2019**.
- 2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

				NE	Ξ1/4			NV	V1⁄4		-	SV	V1⁄4			SE	1/4		TOTAL
Sec.	Twp.	Range	NE1/4	NW1/4	SW1/4	SE¼	NE¼	NW1⁄4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	IOIAL
20	9	11E													,		13	14	27
28	9	11E						38	37		-								75
29	9	11E	40	40	33.5	33.5													147

- 3. That the authorized source from which the appropriation shall be made is groundwater, to be withdrawn by means of one (1) well located in the Southeast Quarter of the Southwest Quarter of the Northwest Quarter (SE½ SW½ NW½) of Section 28, more particularly described as being near a point 3,000 feet North and 3,986 feet West of the Southeast corner of said section, in Township 9 South, Range 11 East, Pottawatomie County, Kansas, located substantially as shown on the map accompanying the application.
- 4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of 1,200 gallons per minute (2.67 c.f.s.) and to a quantity not to exceed 61 acre-feet of water for any calendar year.

File No. 50,194 Page 2 of 4

5. That installation of works for diversion of water shall be completed on or before <u>December 31</u>, <u>2020</u> or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

- 6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before <u>December 31, 2024</u> or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.
- 7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.
- 8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.
- 9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.
- 10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.
- 11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.
- 12. That all wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this permit shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.
- 13. That an acceptable water flow meter shall be installed and maintained on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. This water flow meter shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).

- 14. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.
- 15. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.
- 16. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.
- 17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.
- 18. That the applicant shall submit to the Chief Engineer a copy of the well log required by the Kansas Department of Health and Environment under the authority of K.S.A. 82a-1212, currently form WWC-5, within 30 days following the drilling of the well at the location authorized herein.

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary.

To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 18 days after this Order was mailed to you), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture.—A-petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review.—See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (i.e., within a total of 33 days after this Order was mailed to you), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative	review is file	ed as set
forth above, then this Order shall be effective and become a final agency action as	defined in K	C.S.A. 77-
607(b). Failure to timely request either an evidentiary hearing or administrative	review may	preclude
further judicial review under the Kansas Judicial Review Act.	· · · · · · · · · · · · · · · · · · ·	
at 11		

Ordered this 8th day of May

, 2019, in Manhattan, Riley County, Kansas.

Lane P. Letourneau, P.G.
Program Manager
Water Appropriation Program
Division of Water Resources
Kansas Department of Agriculture

State	of	Kar	ารลร
-------	----	-----	------

, SS

County of Riley

The foregoing instrument was acknowledged before me this day of May , 2019, by Lane P. Letourneau, P.G., Program Manager, Division of Water Resources, Kansas Department of

Agriculture

DANIELLE WILSON
My Appointment Expires
August 23, 2020

Notary Public

CERTIFICATE OF SERVICE

On this 3 day of May , 2019, I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 50,194, dated May \$15, 2019 was mailed postage prepaid, first class, US mail to the following:

WHITE BROTHERS LAND & LIVESTOCK 10705 CAMP CREEK RD BELVUE KS 66407

With photocopies to:

Topeka Field Office

Division of Water Resources





KANSAS DEPARTMENT OF AGRICULTURE

DIVISION OF WATER RESOURCES

Jac	ckie McClaskey, Secretary of A	Agriculture	David	David W. Barfield, Chief Engineer				
	APPLICATION COMPLETE 3 / 19 APPF Reviewer FAB (Pleas	the Division of Water R	OR PERMIT TO FOR BENEFICIAL US pany the Application ached to this application form Persources, Kansas Dep	n.) KS Dept Of Agriculture artment of Agriculture,				
		0 Research Park Drive,						
1.	Name of Applicant (Please Prin		RS LAND & LIVESTOCK					
	Address: 10705 CAMP	CREEK RD						
	City: BELVUE		State KS	Zip Code <u>66407</u>				
	Telephone Number: (785)	456-2013		· ·				
2.	The source of water is:	surface water in						
	OR 5	☑ groundwater in	(stre	am) ·				
	OIV E	s groundwater inr	(drainage	e basin)				
	when water is released from	storage for use by water a ate we receive your applie	ssurance district member	ay be subject to administration so. If your application is subject appropriate form to complete				
3.	The maximum quantity of wa	ater desired is 61	_ acre-feet OR	gallons per calendar year,				
				cubic feet per second.				
	requested quantity of water u	inder that priority number of the maximum quantity of	can <u>NOT</u> be increased. Pl water are appropriate and	ate of diversion and maximum ease be certain your requested reasonable for your proposed ts.				
4.	The water is intended to be a	appropriated for (Check use	e intended):					
	(a) ☐ Artificial Recharge	(b) ⊠ Irrigation	(c) ☐ Recreational	(d) ☐ Water Power				
	(e) ☐ Industrial	(f) ☐ Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Control				
•	(i) Domestic	(j) ☐ Dewatering	(k) ☐ Hydraulic Dredgin	g (I) ☐ Fire Protection				
	(m) ☐ Thermal Exchange	(n) ☐ Contamination Re	mediation					
	YOU <u>MUST</u> COMPLETE AND ATT SUBSTANTIATE YOUR REQUEST			M(S) PROVIDING INFORMATION TO EFERENCED ABOVE.				

Meets K.A.R. 5-3-1 (VES)/NO) Use RR Source G/S County Receipt Date P Code

For Office Use Only:

The	location of the proposed wells, pump sites or other works for diversion of water is:
Note	e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
(A)	One in the $\underline{\bf SE}$ quarter of the $\underline{\bf SW}$ quarter of the $\underline{\bf NW}$ quarter of Section $\underline{\bf 28}$, more particularly described as
	being near a point 3000 feet North and 3986 feet West of the Southeast corner of said section, in Township
	9 South, Range 11E East/West (circle one), POTTAWATOMIE County, Kansas.
(B)	One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
(C)	One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
(D)	One in the quarter of the quarter of the quarter of Section, more particularly
	described as being near a point feet North and feet West of the Southeast corner of said
	section, in Township South, Range East/West (circle one), County, Kansas.
four not	attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a commor ribution system.
The	owner of the point of diversion, if other than the applicant is (please print):
AP	PLICANT (name, address and telephone number)
	(name, address and telephone number)
	(name, address and telephone number)
land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
	foregoing is true and correct. Executed on
Fail	applicant must provide the required information or signature irrespective of whether they are the landowner ure to complete this portion of the application will cause it to be unacceptable for filing and the application will eturned to the applicant.
The	proposed project for diversion of water will consist of ONE WELL
and	WILL BE completed (by) 12-31-2020
The	(Month/Day/Year - each was or will be completed) first actual application of water for the proposed beneficial use was or is estimated to be JULY 2021 (Mo/Day/Year

5.

6.

7.

8.

File No. _

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ☑ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
	NOT APPLICABLE
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	PLACE OF USE - 10071
,	
	Water Resources
	Received

JAN 09 2019 SCANNED KS Dept Of Agriculture

÷	has not been completed, give information ob Information below is from: ☐ Test holes		l as complete	d 🗆 Driller	s log attache	d
	Information below is from. ☐ Test notes	□ vven	i as complete		s log attache	u
	Well location as shown in paragraph No.	(A)	(B)	(C)	(D)	
	Date Drilled					
	Total depth of well	· · · · · · · · · · · · · · · · · · ·				
	Depth to water bearing formation					
	Depth to static water level					
	Depth to bottom of pump intake pipe					
14.	The relationship of the applicant to the	proposed	place where	the water wil	l be used is	s that of
	OWNER (owner, tenant, agent or otherwise)					
15.	The owner(s) of the property where the wate	r is used, i	f other than t	he applicant, is	(please print)):
15.	The owner(s) of the property where the wate		f other than t	he applicant, is	(please print)):
15.	SEE IRRIGATION USESUPPLEMENTAL S	HEET	f other than t		(please print)	1:
15.	SEE IRRIGATION USESUPPLEMENTAL S (name, addr	HEET ess and te	lephone num	nber)	(please print)	:
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr	HEET ess and te	lephone num	nber)		
15. 16.	SEE IRRIGATION USESUPPLEMENTAL S (name, addr	HEET ess and te	lephone num	nber)		
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr (name, addr The undersigned states that the information sthis application is submitted in good faith.	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h		
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr (name, addr The undersigned states that the information s	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr (name, addr The undersigned states that the information sthis application is submitted in good faith.	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr (name, addr The undersigned states that the information sthis application is submitted in good faith.	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
	SEE IRRIGATION USESUPPLEMENTAL S (name, addr (name, addr The undersigned states that the information sthis application is submitted in good faith.	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
	SEE IRRIGATION USESUPPLEMENTAL S (name, address) (name, address) The undersigned states that the information sthis application is submitted in good faith. Dated at	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
16.	SEE IRRIGATION USESUPPLEMENTAL S (name, address) (name, address) The undersigned states that the information sthis application is submitted in good faith. Dated at	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
16.	SEE IRRIGATION USESUPPLEMENTAL S (name, address) The undersigned states that the information sthis application is submitted in good faith. Dated at	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that
16.	SEE IRRIGATION USESUPPLEMENTAL S (name, address) (name, address) The undersigned states that the information sthis application is submitted in good faith. Dated at	HEET ress and te ress and te set forth ab	lephone num	nber) nber) the best of his/h	er knowledge	e and that

(office/title)

File No.

IRRIGATION USE SUPPLEMENTAL SHEET

File No. 50194

Name of Applicant (Please Print): WHITE BROTHERS LAND & LIVESTOCK

1. Please supply the name and address of each landowner, the legal description of the lands to be irrigated, and designate the actual number of acres to be irrigated in each forty acre tract or fractional portion thereof:

Land	andowner of Record NAME: WHITE BROTHERS LAND & LIVESTOCK ADDRESS: 10705 CAMP CREEK RD BELVEU KS 66407																		
				ADI	ORES	S: <u>10</u>	705 C	CAMI	P CR	EEK	RD	BEL	VEU_	KS 6	6407	 			
	т.	Б		NI	Ε1/4			NV	V¹⁄4			sv	V1/4			SE	E1/4		TOTAL
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
20	9	11E	13 14														27		
28	9	11E						38	37										75
29	9	11E	40	40	33.5	33.5													147
Land	andowner of Record NAME:																		
	ADDRESS:																		
	NE½ NW¼ SW½ SE¼																		
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
						:													
					<u> </u>		<u> </u>	l			<u> </u>								
Land	owne	r of I	Recor	·d :	NAM	E:										_			
				ADI	DRES	S:													
			1	NII	E1⁄4		Ι	NIX	V¼			CV	V ¹ / ₄			cr	E1/4		
S	T	R	NE	NW	SW	SE	NE			SE	NE	NW		SE	NE			SE	TOTAL
			,																
			-																
															-				

DWR 1-100.23 (Revised 07/07/2000)

Water Resources Received

Page 1 of 2

JAN 09 2019

_	So Nar		Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
-					
-		tal:	100 %		
Es		tat. average land slope		%	
		maximum land slo		%	
	,		propose to use (check one):		
_	Cen	nter pivot vity system (furro	Center piv	stem (borders)	"Big gun" sprinkler
	• •				
. sy	ystem desig	gn features:			
. Sy i.		oe how you will co	ntrol tailwater:		
•	Describ		ntrol tailwater:		
i.	Describ	ne how you will co	ntrol tailwater: ating pressure at the distrib	oution system:	psi
i.	Describ . For spr	oe how you will co inkler systems: Estimate the oper			psi
i.	Describ For spr	inkler systems: Estimate the oper What is the sprink	ating pressure at the distrib	gpm	
i.	Describ For spr (1) (2)	inkler systems: Estimate the oper What is the sprink	ating pressure at the distrib	gpm gpm	
i.	Describ For spr (1) (2)	inkler systems: Estimate the oper. What is the sprink What is the wetter	ating pressure at the distrib kler package design rate? _ d diameter (twice the distan	gpm nce the sprinkler throv feet	ws water) of a sprinkler o
i.	Describ . For spr (1) (2) (3)	inkler systems: Estimate the oper. What is the sprink What is the wetter the outer 100 feet	ating pressure at the distrib kler package design rate? _ d diameter (twice the distant of the system?	gpm nce the sprinkler throv feet ge design information	ws water) of a sprinkler o

2. Please complete the following information for the description of the operation for the irrigation project. Attach

You may attach any additional information you believe will assist in informing the Division of the need for your request.

Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, KS 66619



Phone: 785-296-5733 Fax: 785-296-8298 www.agriculture.ks.gov

Mike Beam, Acting Secretary

Laura Kelly, Governor

February 20, 2019

BRIAN STANDLEE 5655 CAMP CREEK RD BELVUE KS 66407

Re: Pending New Application, File No. 50,194; and

Change Application, Water Right, File No. 10,071 (Place of Use)

Dear Sir or Madam:

This is to advise you that White Brothers Land & Livestock has filed the new application referred to above for permit to appropriate 61 acre-feet of groundwater per calendar year to be diverted at a maximum rate of 1,200 gallons per minute for irrigation use. The pending change application for File No. 10,071 will increase its authorized place of use to match the expanded, new application irrigation project. The proposed point of diversion is in the Southeast Quarter of the Southwest Quarter of the Northwest Quarter of Section 28, in Township 9 South, Range 11 East, Pottawatomie County, Kansas.

Records in this office indicate that you may have a well or wells in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed locations of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

You can find the new and change applications and site maps posted by the file numbers referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist

Topeka Field Office

pc: White Brothers Land & Livestock

Topeka Field Office 6531 SE Forbes Ave., Suite B Topeka, KS 66619



Phone: 785-296-5733 Fax: 785-296-8298 www.agriculture.ks.gov

Mike Beam, Acting Secretary

Laura Kelly, Governor

February 20, 2019

L O THOMAS FARMS INC LOUANN THOMAS PRESIDENT 22705 OREGON TRAIL RD BELVUE KS 66407

Re: Pending New Application, File No. 50,194; and Change Application, Water Right, File No. 10,071 (Place of Use)

Dear Sir or Madam:

This is to advise you that White Brothers Land & Livestock has filed the new application referred to above for permit to appropriate 61 acre-feet of groundwater per calendar year to be diverted at a maximum rate of 1,200 gallons per minute for irrigation use. The pending change application for File No. 10,071 will increase its authorized place of use to match the expanded, new application irrigation project. The proposed point of diversion is in the Southeast Quarter of the Southwest Quarter of the Northwest Quarter of Section 28, in Township 9 South, Range 11 East, Pottawatomie County, Kansas.

Records in this office indicate that you may have a well or wells in this vicinity and you are being notified of receipt of these applications in order that you may be fully informed of the proposed locations of the applicant's point of diversion and proposed use of water. Consideration will be given to comments or other information which you desire to submit to this office within 15 days from the date of this letter.

You can find the new and change applications and site maps posted by the file numbers referenced above at: http://agriculture.ks.gov/divisions-programs/dwr/water-appropriation/notices

If you have any questions or comments, you may also contact me at (785) 296-3495. If you call, please reference the file number so I can help you more efficiently.

Sincerely,

Douglas W. Schemm Environmental Scientist

Topeka Field Office

Doug Schemm

pc: White Brothers Land & Livestock

Analysis Results

The selected PD is in an area OPEN to new appropriations.

The safe yield based on the variables listed below is 3,094.26 AF.

(Pending)

Total prior appropriations in the circle is 3,085.41 AF. +6 = 3091.4A - 61 AF = 3030.4 AF

Total quantity of water available for appropriation is 8.85 AF.

63.86AF

Safe Yield Variables

The area used for the analysis is set at 5,824 acres.

The potential annual recharge at the circle center is estimated to be 8.5 inches.

The percent of recharge available for appropriation is 75%.


Authorized Quantity values are as of 11-MAR-2019 and are based on Appropriated and Vested ground water right and possible stream nodes for GMD #2. Domestic, Term and Temporary water rights have been excluded.

There are 37 water rights and 36 points of diversion within the circle.

File	Number	Use	ST	SR	Q4 Q3	Q2	Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Qind	Auth Quant	Add Quant	Tot Acres	Net Acres
A	2529 00	IRR	NK	G		CW	SW	1323	5300	29	09	11E	10	WR	107.00	107.00	153.00	153.00
Α	2552 00	IRR	NK	G		CS	SE	100	1350	32	09	11E	1	WR	76.00	76.00	76.00	76.00
Α	5501 00	IRR	NK	G		NC	SE	0	0	30	09	11E	2	WR	82.00	82.00	138.00	138.00
Α	5829 00	IRR	NK	G	SE	SE	SW	100	3250	32	09	11E	11	WR	58.00	58.00	145.00	145.00
Α	6533 00	IRR	NK	G		CS	SE	100	1350	32	09	11E	1	WR	38.00	38.00	76.00	0.00
Α	6732 00	IRR	NK	G	SE	NW	SW	1450	3975	33	09	11E	1	WR	80.00	80.00	150.00	150.00
Α	8534 01	STK	NK.	G		CW	SW	1323	5300	29	09	11E	10	WR	33.01	33.01		
San	ne	STK	NK	G	SW	NW	NW	4390	5154	32	09	11E	10	WR				<i>:</i>
Α	9681 00	IRR	NK	G	NW	SW	SW	0	0	34	09	11E	1	WR	180.00	180.00	181.00	181.00
Α	9965 00	IRR	NK	G	SE	NW	NW	0	0	32	09	11E	3	WR	88.00	88.00	50.00	50.00
Α	10071 00	IRR	NK	G	NE	NW	NE	4626	1754	29	09	11E	3	WR	183.00	183.00	136.00	136.00
Α	10657 00	IRR	NK	G	NE	SE	SW	847	2704	27	09	11E	1	WR	80.00	80.00	80.00	80.00
Α	10752 00	IRR	NK	G	SW	SE	NE	2800	800	31	09	11E	1	PD	83.40	83.40	312.00	312.00
San	ne	IRR	NK	G		NC	NE	3910	1350	30	09	11E	1	PD	115.40	115.40	,	
Α	10873 00	IRR	NK	G	SW	SW	NE	3253	2623	04	10	11E	1	WR	99.00	99.00	124.00	124.00
Α	11255 00	IRR	NK	G	NW	NE	NW	5288	3309	29	09	11E	4	WR	103.00	103.00	118.00	118.00
Α	12108 00	IRR	NK	G	CN	NW	NW	0	0	29	09	11E	5	WR	48.50	48.50	156.00	156.00
Α	13444 00	IRR	NK	G		CE	NE	3945	90	33	09	11E	2	WR	80.00	80.00	156.50	156.50
Α	21739 00	IRR	NK	G	SW	NW	SE	1440	2540	28	09	11E	2	WR	30.70	30.70	210.00	210.00
Α	21950 00	IRR	NK	G	NC	N2	SE	1946	1301	32	09	11E	5	PD	76.40	76.40	232.00	232.00
San	ne	IRR	NK	G		NC	NW	2664	3919	. 32	09	11E	8	PD	80.00	80.00		
Α	21951 00	IRR	NK	G	SE	SW	NW	3160	4530	33	09	11E	3	PD	62.50	62.50	156.00	156.00
San	ne	IRR	NK	G	CW	E2	NE	3960	1200	32	09	11E	6	PD	78.20	78.20	•	
Α	21964 00	IRR	NK	G	SW	NE	NW	4040	3820	33	09	11E	4	WR	80.00	80.00	80.00	80.00
Α	23932 00	IRR	NK	G	SW	NW	SE	1440	2540	28	09	11E	2	WR	81.30	81.30	210.00	0.00

50,194 Application Requesting 61 AF meets sofe Yield


Safe Yield Report Sheet Water Right- A5019400 Point of Diversion in 28-09S-11E Footages from SE corner- 3,000 feet North 3,986 feet West





File Number	Use ST SR	Q4 Q3 Q2 Q1	FeetN	FeetW	Sec	Twp	Rng	ID	Qind	Auth Quant	Add Quant	Tot Acres	Net Acres
A 26970 00	IRR NK G	CE NE	3945	90	33	09	11E	2	WR	74.00	74.00	156.50	0.00
A 27394 00	MUN NK G	NW SE SW	800	3860	34	09	11E	2	WR	28.38	28.38		
A 28443 00	IRR NK G	CS SE SE	660	50	29	09	11E	6	WR	28.00	28.00	100.00	100.00
A 29200 00	IRR NK G	NE NE SW	2600	3250	34	09	11E	4	WR	3.30	3.30	9.00	9.00
A 29552 00	IRR NK G	CS N2 NW	4020	3820	04	10	11E	4	WR	62.00	62.00	67.00	67.00
A 31490 00	IRR NK G	NE SW NW	3598	3979	34	09	11E	5	WR	80.00	80.00	80.00	80.00
A 31666 00	IRR NK G	SW SW NE	2660	2620	32	09	11E	7	WR	78.00	78.00	, 80.00	80.00
A 34288 00	STK NK G	SE SE NW	3140	2790	04	10	11E	5	WR	10.74	10.74		
A 36546 00	IRR NK G	SW NW SE	1640	2620	33	09	11E	6	WR	41.00	41.00	68.00	68.00
A 39995 00	MUN NK G	NW SE SW	800	3960	34	09	11E	8	WR	14.87	1.72		
A 42796 00	MUN MM G	NC NW	3960	4080	29	09	11E	7	WR	299.83	299.83		
Same	MUN MM G	SE NW NW	4011	4122	29	09	11E	8	WR		,		
Same	MUN MM G	NE SW NW	3909	4037	29	09	11E	9	WR				
A 42945 00	MUN LR G	NC NW	3960	4080	29	09	11E	7	WR	77.03	77.03		
Same	MUN LR G	SE NW NW	4011	4122	29	09	11E	8	WR				
Same	MUN LR G	NE SW NW	3909	4037	29	09	11E	9	WR		\		
A 44732 00	IRR NK G	SE SE SW	100	3250	32	09	11E	11	WR	138.00	80.00-+6	145.00	0.00
A 45270 00	IRR NK G	SE SW SE	101	1321	19	09	11E	3	WR	128.00	128.00	129.00	129.00
A 45797 00	IRR NK G	CW SW	1323	5300	29	09	11E	10	WR	9.00	9.00	153.00	0.00
A 50194 00	IRR AY G	SE SW NW	3000	3986	28	09	11E	3	WR	61.80	61.00	249.00	113.00.

Limitations

File	Number	Seq Num Limitations
A	10752 00	1 161 AF/YR FOR IRR USE ON THE LAND DESCRIBED HEREIN
Α	39995 00	30.1A臣 9.809MGY COM/W #27394 28.38 + 1.72 = 30.1
Α	42945 00	1 800GPM COM/W42796
Α	44732 00	1 144AF/YR @ 1100GPM COM/W #5829 58 + 80 = 138 +6 = 144
Α	45797 00	1 1000GPM COM/W #2529







AMOUNT STATISTICS REPORT FOR POINTS OF DIVERSION UNDER A

File A A A A A A A	Number 2552 5501 5829 6533 6732 8534 9681 9965	00 00 00 00	IRR IRR IRR IRR	nk nk nk	G G	Dist	8601					FeetN	FeetW	Sec	_	_		att	Auth_Quan	Add_Quan 76.00	
A A A A	5501 5829 6533 6732 8534 9681	00 00 00	IRR IRR IRR	nk nk	G					CS	CE.						-1		76 00	76 00	λĿ
A A A	5829 6533 6732 8534 9681	00	IRR IRR	NK			8051			CD	25	100	1350	32	9	11E	1		70.00	70.00	AF
A A A	6533 6732 8534 9681	00	IRR		G					NC	SE			30	9	11E	2		82.00	82.00	AF
A	6732 8534 9681	00		NK			9368		SE	SE	SW	100	3250	32	9	11E	11		58.00	58.00	AF
A	8534 9681		IRR		G		8601			CS	SE	100	1350	32	9	11E	1		38.00	38.00	AF
	9681	01		NK	G		6840		SE	NW	SW	1450	3975	33	9	11E	1		80.00	80.00	AF
A			STK	NK	G		7554		SW	NW	NW	4390	5154	32	9	11E	10		33.01	33.01	AF
	9965	00	IRR	NK	G.		8475		NW	SW	SW			34	9	11E	1		180.00	180.00	AF
A		00	IRR	NK	G		6845		SE	NW	NW			32	9	11E	3		88.00	88.00	AF
A	10071	00	IRR	NK	G*		3470		NE	NW	NE	4626	. 1754	29	9	11E	3		183.00	183.00	AF
A	10657	00	IRR	NK	G		6916		NE	SE	SW	847	2704	27	9	11E	1		80.00	80.00	AF
A	10752	00	IRR	NK	G		7989			NC	NE	3910	1350	30	9	11E	1		115.40	115.40	AF
Same							9188		SW	SE	NE	2800	800	31	. 9	11E	1		83.40	83.40	AF
A	10873	00	IRR	NK	G		10318		SW	SW	NE	3253	2623	4	10	11E	1		99.00	99.00	AF
A	11255	00	IRR	NK	G		5155		NW	NE	NW	5288	3309	29	9	11E	4		103.00	103.00	AF
A	12108	00	IRR	NK	G		6382		CN	NW	NW			29	9	11E	5		48.50	48.50	AF
A	13444	00	IRR	NK	G		5834			CE	NE	3945	90	33	9	11E	2		80.00	80.00	AF
A	21739	00	IRR	NK	G		2128		SW	NW	SE	1440	2540	28	9	11E	2		30.70	30.70	AF
A	21950	00	IRR	NK	G		6852		NC	N2	SE	1946	1301	32	9	11E	5		76.40	76.40	AF
Same							7680			NC	NW	2664	3919	32	9	11E	8		80.00	80.00	AF
A	21951	00	IRR	NK	G		5001		CW	E2	NE	3960	1200	32	9	11E	6		78.20	78.20	AF
Same							5159		SE	SW	NW	3160	4530	33	9	11E	3		62.50	62.50	AF
A	21964	00	IRR	NK	G		4253		SW	NE	NW	4040	3820	33	9	11E	4		80.00	80.00	AF
A	23932	00	IRR	NK	G		2128	·	SW	NW	SE	1440	2540	28	9	11E	2		81.30	81.30	AF
A	26970	00	IRR	NK	G		5834	- 		CE	NE	3945	90	33	9	11E	2		74.00	74.00	AF
A	27394	00	MUN	NK	Ģ		9178		NW	SE	SW	800	3860	34	9	11E	2		28.38	28.38	AF
A	28443	00	IRR	NK	G		2682		CS	SE	SE	6.60	50	29	9	11E	6		28.00	28.00	AF
A	29200	00	IRR	NK	G		8225		NE	NE	SW	2600	3250	34	9	11E	4		3.30	3.30	AF
A	29552	00	IRR	NK	G		9460		CS	N2	NW	4020	3820	4	10	11E	4		62.00	62.00	AF
A	31490	00	IRR	NK	G		7015		NE	SW	NM	3598	3979	34	9	11E	5		80.00	80.00	AF
A	31666	00	IRR	NK	G		6862		SW	SW	NE	2660	2620	32	9	11E	7		78.00	78.00	AF
A	34288	00	STK	NK	G		10409		SE	SE	NW	3140	2790	4	10	11E	5		10.74	10.74	AF
A	36546	00	IRR	NK	G		6789		SW	NW	SE	1640	2620	33	9	11E	6		41.00	41.00	AF
A	39995	00	MUN	ŅK	G		9124		NW	SE	SW	800	3960	34	9	11E	8		14.87	1.72	AF
A	42796	00	MUN	MM	G		5469			NC	NW	3960	4080	29	9	11E	7 (2	299.83	299.83	AF
Same							5520		SE	NW	NW	4011	4122	29	9	11E	8 E	3 2			
Same							5418		NE	SW	NW	3909	4037	29	9	11E	9 E	3 2			
A	42945	00	MUN	LR	G		5469			NC	NW	3960	4080	29	9	11E	7 (3 2	77.03	77.03	AF
Same							5520		SE	NW	NW	4011	4122	29	9	11E	8 E	3 2			
Same							5418		NE	SW	NW	3909	4037	29	9	11E	9 E	3 2			
A	44732	00	IRR	NK	G		9368		SE	SE	SW	100	3250	32	9	11E	11		138.00	80.00	AF
A	45270	00	IRR	NK	G		8288		SE	SW	SE	101	1321	19	9	11E	3		128.00	128.00	AF
A	50194	00	IRR	AY	G		0		SE	SW	NW	3000	3986	28	9	11E	3		61.00	61.00	AF

```
Total Requested Amount (AF) =
                               61.00
                                                 .00
                                 .00
                                                 .00
Total Permitted Amount (AF) =
Total Inspected Amount (AF) =
                                77.03
                                                 .00
Total Pro_Cert Amount (AF) =
                                                 .00
                              299.83
Total Certified Amount (AF) =
                             2531.55
                                                 .00
Total Vested Amount (AF) =
                                 .00
                                                 .00
                                                 .00
TOTAL AMOUNT
                    (AF) =
                              2969.41
An \star after the source of supply indicates a pending application for change under the file number.
An \star after the ID indicates a 15 AF exemption was granted under the file number.
A "G" in the Batt column indicates the GEO CTR of a battery. A "B" indicates a well in the battery.
The number in the Batt column is the number of wells in the battery.
Water Rights and Points of Diversion Within 2.00 miles of point defined as:
  3000 Feet North and 3986 Feet West of the Southeast Corner of Section 28 T 9S R 11E
GROUNDWATER ONLY
WATER USE CORRESPONDENTS:
File Number Use ST SR
    2552 00 IRR NK G
> CHARLES LLOYD & RUTH M BANKS TRUSTS
> 21905 E US HIGHWAY 24
> WAMEGO KS 66547
    5501 00 IRR NK G
> LEO D PEDDICORD TRUST
> 5225 ONAGA RD
> WAMEGO KS 66547
>-----
A__ 5829 00 IRR NK G
  REZAC FARMS LLP
> 24430 AIKEN SWITCH RD
> ONAGA KS 66521
>-----
     6533 00 IRR NK G
> CHARLES LLOYD & RUTH M BANKS TRUSTS
> 21905 E US HIGHWAY 24
 WAMEGO KS 66547
    6732 00 IRR NK G
> MIKE RIAT
 22605 HALF MOON RD
> BELVUE KS 66407
>-----
     8534 01 STK NK G
  PEDDICORD LAND & CATTLE CO INC
> GEORGE H PEDDICORD
```

> 5615 PEDDICORD RD

THEFOCATI				WELL RECORD F	orm WWC-					
⊢ ⊢			Fraction SW 1/4	SW 1/4 NW	1	ction Number 28	1	Number S	Range Nur R 11	
County:		watomie		SW 1/4 NW Idress of well if located	1/4		<u> </u>) <u>s</u>		E/ W
		,	•	$1rac{1}{4}$ miles west	•					
				County RWD #		ue .				· .:—
 /	R WELL OW			-	+					5
1	Address, Bo		•	Trail Rd.				3	ivision of Water	Hesource
	, ZIP Code		vue, KS		(7			tion Number:		
3 LOCATI	E WELL'S L IN SECTIOI			MPLETED WELL						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	IN SECTION	u I De		vater Encountered 1.						
Ī	!			WATER LEVEL 19.						
	NW	- NE		test data: Well water						
	1	, Est		OWngprn: Well water						
	X i	l Boi	re Hole Diamet	ter5in. to .						
Mile W	1		ELL WATER TO			er supply		ning 11 li	-	
i	- ŚW	SF	1 Domestic	3 Feedlot 6	Oii field wa	iter supply	9 Dewatering	12 (Other (Specify be	elow)
	1	î	2 Irrigation						ervation V	
L	1	Wa		acteriological sample si		•				e was sub
-			ted			<u>W</u>				
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8 Conc	ete tile	CASING		X . Clampe	
1 St	eel	3 RMP (SR)		6 Asbestos-Cement		(specify belo			d <i>.</i>	
2 PV		4 ABS	/, Ε	7 Fiberglass				Thread	ded	
		2	to 4.2	ft., Dia	in. to		ft., Dia		n. to	ft
		and surface.		in., weight • '						
		R PERFORATION M			_7_P\		_	Asbestos-cemer		
1 St		3 Stainless ste		5 Fiberglass		MP (SR)				
2 Br		4 Gaivanized			9 AE	BS		None used (ope	•	
		RATION OPENINGS			d wrapped				11 None (open	noie)
1	ontinuous slo									
!	uvered shut	, ,		7 Torch				-		
SCREEN-	PERFORAT			45 ft. to						
	2011/5/ 21			30 ft. to						
(JHAVEL PA	CK INTERVALS.								
6 60015	T		- rom	ft. to	2.04	π., εκ	oni Ro	ntonite H	loleplug	
P GHOO	I MATERIAL	. I weat cemi	ent 2	2 Cement grout	3 Benti	onite 4	Other Dr	EHLOHLT CE. 1	oreprug	
1	rvais: Pro			4	4		# From	. ^	4 10 311	ft
				ft., From	ft.	to				
		ource of possible con	!amination:		ft.	to	stock pens	14 Ab	andoned water	
1	eptic tank	ource of possible con 4 Lateral fii	lamination: nes	7 Pit privy		to	stock pens storage	14 Ab 15 Oil	andoned water well well	well
2 Se	eptic tank ewer lines	ource of possible con 4 Lateral fii 5 Cess poo	lamination: nes ol	7 Pit privy 8 Sewage lagor		to 10 Live 11 Fuel 12 Ferti	stock pens storage lizer storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo	well
2 Se	eptic tank ewer lines atertight sew	ource of possible con 4 Lateral fii	lamination: nes ol	7 Pit privy		to 10 Live 11 Fuel 12 Ferti 13 Inse	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well well	well
2 Se 3 W Direction f	eptic tank ewer lines atertight sew from well?	ource of possible con 4 Lateral lii 5 Cess poor ver lines 6 Seapage	lamination: nes of pit	7 Pit privy 8 Sewage lago 9 Feedyard	on	to	stock pens storage lizer storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se	eptic tank ewer lines atertight sew	ource of possible con 4 Lateral fil 5 Cess poor ver lines 6 Seapage	lamination: nes ol	7 Pit privy 8 Sewage lago 9 Feedyard		to 10 Live 11 Fuel 12 Ferti 13 Inse	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction f FROM	eptic tank ewer lines atertight sew from well? TO 3	ource of possible con 4 Lateral fil 5 Cess poor ver lines 6 Seepage	lamination: nes of pit LITHOLOGIC L	7 Pit privy 8 Sewage lago 9 Feedyard	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction f FROM 0 3	eptic tank ewer lines atertight sew from well? TO 3 24	ource of possible con 4 Lateral ii 5 Cess poor ver iines 6 Seepage Topsoil Clay, dark	lamination: nes bi pit LITHOLOGIC L gray, har	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction f FROM 0	eptic tank ewer lines atertight sew from well? TO 3	ource of possible con 4 Lateral iii 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and gra	lamination: nes bi pit LITHOLOGIC L gray, har	7 Pit privy 8 Sewage lago 9 Feedyard	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction f FROM 0 3	eptic tank ewer lines atertight sew from well? TO 3 24	ource of possible con 4 Lateral iii 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and gra	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W Direction of FROM 0 3 24	eptic tank ewer lines atertight sew from well? TO 3 24 65	ource of possible con 4 Lateral lift 5 Cess poor ver lines 6 Seepage Topsoil Clay, dark Sand and grafine	tamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lago 9 Feedyard OG	on	to	stock pens storage ilizer storage cticide storage	14 Ab 15 Oil 16 Otl	andoned water well Gas well her (specify belo e known	well
2 Se 3 W. Direction f FROM 0 3 24 65	entic tank ewer lines atertight sew from well? TO 3 24 65 70	Topsoil Clay, dark Sand and grafine Shale, blue	lamination: nes pit LITHOLOGIC L gray, har avel, coa	7 Pit privy 8 Sewage lagor 9 Feedyard OG d rse, medium,	FROM	to	stock pens storage dizer storage cticide storage any feet?	14 Ab 15 Oil 16 Otl Non PLUGGING IN	andoned water well-Gas well-Gas well-Gas well-ner (specify belowe known	well
2 Se 3 W. Direction f FROM 0 3 24 65	entic tank ewer lines atertight sew from well? TO 3 24 65 70	Topsoil Clay, dark Sand and grafine Shale, blue	elamination: nes pit LITHOLOGIC L gray, har avel, coa , hard	7 Pit privy 8 Sewage lagor 9 Feedyard OG d rse, medium,	FROM	to	stock pens storage ilizer storage cticide storage any feet?	14 Ab 15 Oil 16 Otl Non PLUGGING IN	andoned water well-Gas well-Gas well-Gas well-ner (specify belower known	well
2 Se 3 W Direction of FROM 0 3 24 65	entic tank ewer lines atertight sew from well? TO 3 24 65 70 RACTOR'S G on (mo/day)	Topsoil Clay, dark Sand and grafine Shale, blue DR LANDOWNER'S Year) 4 Lateral fit 5 Cess poor 4 Cess poor 4 Cess poor 4 Cess poor 5 Cess poor 6 Ces	elamination: nes pit LITHOLOGIC L gray, har avel, coa , hard CERTIFICATIO 23-97	7 Pit privy 8 Sewage lagor 9 Feedyard OG d rse, medium,	FROM S (1) constru	to	stock pens storage dizer storage cticide storage any feet? onstructed, or () ord is true to the	14 Ab 15 Oil 16 Otl Non PLUGGING IN	andoned water well-Gas well-Gas well-Gas well-ner (specify belower known TERVALS	well
2 Se 3 W Direction of FROM 0 3 24 65	entic tank ewer lines atertight sew from well? TO 3 24 65 70 RACTOR'S 0 on (mo/day ii Contractor	Topsoil Clay, dark Sand and grafine Shale, blue DR LANDOWNER'S year) Substitute of possible con 4 Lateral fii 5 Cess poor 4 Clay, dark Sand and grafine Shale, blue	elamination: nes pit LITHOLOGIC L gray, har avel, coa , hard CERTIFICATIO 23-97	7 Pit privy 8 Sewage lagor 9 Feedyard OG d rse, medium,	FROM FROM (1) constru	to	onstructed, or (incomplete to the on (mode) with the one of the other with the one of the other with t	14 Ab 15 Oil 16 Otl Non PLUGGING IN 3) plugged under best of my kno	andoned water well-Gas well-Gas well-Gas well-ner (specify belower known TERVALS	well
2 Se 3 W. Direction of FROM 0 3 24 65	entic tank ewer lines atertight sew from well? TO 3 24 65 70 PACTOR'S 0 on (mo/day Il Contractor business na	Topsoil Clay, dark Sand and gra fine Shale, blue DR LANDOWNER'S year) 4- s License No. me of Clarke	emination: nes pit THOLOGIC L gray, har avel, coa , hard CERTIFICATIO 23-97 185 Well & Eq	7 Pit privy 8 Sewage lagor 9 Feedyard OG d rse, medium,	FROM FROM State of the state	to	onstructed, or (cord is true to the on (mo day yy)	14 Ab 15 Oil 16 Otl Non PLUGGING IN PLUGGING IN 3) plugged under best of my kno	andoned water well-Gas well her (specify belone known TERVALS)	and was

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502		(Date)
R		Application 50194
		Minimum Desirable Streamflow <u>Kansas</u> River Assurance District Water Reservation Rights
Dear Sir:		
I understand that a Minimum Desirable Assurance District has been formed and establish Water Office (circle the appropriate item) for application applies, namely the Kansas River	ned or a	
I understand that diversion of water pursu time Minimum Desirable Streamflow requirement Marketing releases are being made from storag upstream of a Federal Reservoir is being administration	nts are	
I also understand that if this application is Division of Water Resources, when I would not be the economics of my decision to appropriate water	e allow	oved, there could be times, as determined by the ed to divert water. I realize that this could affect
I am aware of the above factors, and wi Water Resources proceed with processing and ap		knowledge thereof, request that the Division of if possible, of the above referenced application.
State of Kansas) County of Potawatomie)	·	Signature of Applicant Tony white Print Applicant Name
I hereby certify that the foregoing instrume this 3rd day of January	ent was	s signed in my presence and sworn to before me , 20 19 White the state of the stat
My Commission Expires:	C - State	of Kansas Water Resources

DWR 1-100.172 (Revised 06/05/2008)

JAN 09 2019

KS Dept Of Agriculture

SCANNED

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Interim Secretary

Laura Kelly, Governor

January 15, 2019

WHITE BROTHERS LAND & LIVESTOCK 10705 CAMP CREEK RD BELVUE, KS 66407

RE:

Application, File No. 50194

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at <u>agriculture.ks.gov/divisions-programs/dwr</u>. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor Water Appropriation Program

ristenaBaum

New Application

