NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Acting Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

WATER RESOURCES RECEIVED

File Number 5222
This item to be completed by the Division of Water Resources.

MAR 1 8 2019 1253 KS DEPT OF AGRICULTURE

APPLICATION FOR PERMIT TO KS I APPROPRIATE WATER FOR BENEFICIAL USE

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502:

	Address: BOX 205 City: FRANKFORT		State: KS	Zip Code: 66427
	Telephone Number: (785		Otate	Σίρ Gode. <u>σονΣτ</u>
2.	The source of water is:		(strean	
	OR	□ groundwater in	Black Vermillion Basin (drainage l	•
	when water is released fi	rom storage for use b ns on the date we rece	flows established by law or may by water assurance district men live your application, you will be sources.	nbers. If your application i
3.	The maximum quantity of	water desired is1	76 acre-feet OR	gallons per calendar yea
	to be diverted at a maximu	ım rate of 1200	gallons per minute OR	cubic feet per second
•	requested quantity of wa requested maximum rate	ter under that priority of diversion and max	rity, the requested maximum rat number can <u>NOT</u> be increase imum quantity of water are app the Division of Water Resource	ed. Please be certain you propriate and reasonable fo
4.	The water is intended to b	e appropriated for (Che	ck use intended):	
	(a) ☐ Artificial Recharge	(b) ⊠ Irrigation	(c) ☐ Recreational	(d) ☐ Water Power
	(e) ☐ Industrial	(f) ☐ Municipal	(g) ☐ Stockwatering	(h) ☐ Sediment Contro
	(i) ☐ Domestic	(j) ☐ Dewatering	(k) ☐ Hydraulic Dredging	(I) ☐ Fire Protection
	\	(n) \square Contamination	on Remediation	
	(m) ☐ Thermal Exchange	(II) 🗖 Contaminatio		

Receipt Date 3118119

Code

5.	The lo	cation of the proposed wells, pump sites or other works for diversion of water is:
	Note:	For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A) C	One in the quarter of the quarter of the _NE quarter of Section 27, more particularly
	d	lescribed as being near a point feet North and feet West of the Southeast corner of said
	Š	ection, in Township 4 South, Range 11 EAST, NEMAHA County, Kansas. 60 DAY TO LOCATE
	(B) C	One in the quarter of the quarter of the quarter of Section, more particularly
	c	lescribed as being near a point feet North and feet West of the Southeast corner of said
	S	ection, in Township South, Range East/West (circle one), County, Kansas.
	(C) (One in the quarter of the quarter of the quarter of Section, more particularly
	c	lescribed as being near a point feet North and feet West of the Southeast corner of said
	s	section, in Township South, Range East/West (circle one), County, Kansas.
	(D) (One in the quarter of the quarter of the quarter of Section, more particularly
	c	lescribed as being near a point feet North and feet West of the Southeast corner of said
	S	section, in Township South, Range East/West (circle one), County, Kansas.
	of we radius	source of supply is groundwater, a separate application shall be filed for each proposed well or batter lls, except that a single application may include up to four wells within a circle with a quarter (½) mile in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons pe e per well.
	than f	ery of wells is defined as two or more wells connected to a common pump by a manifold; or not more our wells in the same local source of supply within a 300 foot radius circle which are being operated by s not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a non distribution system.
6.	The o	wner of the point of diversion, if other than the applicant is (please print):
	<u>Jame</u>	s Woolsoncroft PO Box 205 Frankfort KS 66427 (name, address and telephone number)
	Vous	
	lando	nust provide evidence of legal access to, or control of, the point of diversion from the landowner or the wner's authorized representative. Provide a copy of a recorded deed, lease, easement or other nent with this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.
		Executed on March 12, 2019. Jam Workmay
		Applicant's Signature
7.	The p	roposed project for diversion of water will consist of ONE WELL (number of wells, pumps or dams, etc.)
	and (v	was)(will be) completed (by) SPRING 2019
	`	(Month/Day/Year - each was or will be completed)

The first actual application of water for the proposed beneficial use was or is estimated to be SPRING 2019_. (Mo/Day/Year)

8.

File No.

	MAR 1 8 2019
	RECEIVED
	NONE WATER RESOURCES
12.	
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	GROUNDWATER WELL
	If no, explain here why a Water Structures permit is not required
	If yes, show the Water Structures permit number here
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
	☑ Yes □ No If "yes", a check valve shall be required.
9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?

	Information below is from:	☐ Test holes	□ Well a	as completed	☐ Drillers l	og attached
	Well location as shown in p		(A)	(B)	(C)	· (D)
	Date Drilled		. ,			
	Total depth of well	·				-
	Depth to water bearing form	nation -				
	Depth to static water level	_				··
-	Depth to bottom of pump in	take pipe				
15.	OWNER (owner, tenant, agent or otherwise The owner(s) of the propert James Woolsoncroft PO Bo	y where the wate	(S 66427	other than the		lease print):
		(name, addre	ess and tele	ephone numbe	r)	
16.	The undersigned states that			pove is true to	the best of his	/her knowledge ar
	that this application is subm	nitted in good faith	1. *	· <u>h</u>	11	_
	that this application is submoduled at TopeKa	nitted in good faith , Kansas	n. , this <u>12</u> ‡	day of	March (month)	, <u>2019</u> (year)
	Dated at Tope Ka Applicant Signature	, Kansas	n. , this <u> 2 </u>	day of/	March (month)	,2019
By	Dated at Tope Ka	, Kansas	n. , this <u>12 [‡]</u> 	day of	March (month)	,2019
Jan de la companya de	Dated at Tope Ka (Applicant Signature)	, Kansas	n. , this <u> 12 </u>	day of/	March (month)	,2019

File No.

50222

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300.00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

WATER RESOURCES RECEIVED

1 million gallons equal 3.07 acre-feet

MAR 1 8 2019

KS DEPT OF AGRICULTURE

IRRIGATION USE SUPPLEMENTAL SHEET

File No. <u>50222</u>

			Nan	ne of	Appli	cant (Pleas	e Prin	nt): <u>Ji</u>	m Wo	oolsor	ncroft						-	
1. F	Please lesign	supp ate th	ly the	nam al nu	e and mber	addr of ac	ess or	f each be irr	land	owne	r, the ach fo	legal rty ac	desc ere tra	riptio ct or	n of t fraction	the late	nds to ortion	be in there	rigated, and eof:
Land	lowne	r of I	Recor	'd]	NAM	E: <u>Ja</u> ı	mes W	Voolse	oncro	<u>ft</u>									
				ADI	ORES	S: <u>PC</u>) Box	205											
	·			NI	E1/4			NV	V1/4			SW	/½			SE	E1/4		
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	TOTAL
27	4S	11E	40	40	40	40													160
						-													
			<u> </u>		L				<u> </u>								L		
Land	lowne	er of l	Recor	d]	NAM	E:													
			Γ	NI					W1/4		Ι	sv			[SI.	E1/4		
S	Т	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	TOTAL
						-													
									ļ										
		<u> </u>		<u> </u>	l		IL		<u> </u>			<u></u>			·			<u> </u>	
Land	lowne	er of l	Recor	·d :	NAM	E:													
				ADI															
	1	1	ſ				11				ī				1		71.4		
S	Т	R	NE	NW	E¼ SW	SE	NE	NW	N¼ SW	SE	NE	NW	V¼ SW	SE	NE	NW	E¼ SW	SE	TOTAL
					 ~ ''	<u> </u>	1								<u> </u>				
																 			
																			
										₩V.	TER	RESC	URC	ES				\vdash	
			L			L][][<u> </u>	L RE	CEIV	ED			<u></u>			

MAR 1 8 2019

		oil ame	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
		otal:	100 %		
Est	timate the	e average land slope in the	e field(s):	%	÷
Est	timate the	e maximum land slope in t	the field(s):	%	
Тур	pe of irri	gation system you propose	e to use (check one)	:	
<u>X</u>	Ce	enter pivot	Center pi	vot - LEPA	"Big gun" sprinkle
		ravity system (furrows)		, , , , , <u> </u>	Sideroll sprinkler
Otl	her, plea	se describe:			
Sys	stem des	ign features:			
	n				
i.	Descr	ibe how you will control t	ailwater:		
i.		orinkler systems:	ailwater:		
				bution system:	psi
	For sp	orinkler systems:	pressure at the distrib	-	psi
	For sp	orinkler systems: Estimate the operating p What is the sprinkler pa	oressure at the distrib ckage design rate?	gpm	
	For sp (1)	orinkler systems: Estimate the operating p What is the sprinkler pa	oressure at the distrib ckage design rate?	gpm gpm	psi ows water) of a sprinkler o
	For sp (1)	orinkler systems: Estimate the operating p What is the sprinkler pa What is the wetted diam	oressure at the distrib ckage design rate? neter (twice the dista	gpm gpm gpm feet	ows water) of a sprinkler o
ii.	For sp (1) (2) (3)	orinkler systems: Estimate the operating p What is the sprinkler pa What is the wetted diam the outer 100 feet of the	oressure at the distrib ckage design rate? neter (twice the distate e system?	gpm nnce the sprinkler thro feet ge design information	ows water) of a sprinkler o
ii.	For sp (1) (2) (3)	Estimate the operating purchase what is the sprinkler partial what is the wetted diamethe outer 100 feet of the Please include a copy of	oressure at the distrib ckage design rate? neter (twice the distate e system?	gpm nnce the sprinkler thro feet ge design information	ows water) of a sprinkler o

2. Please complete the following information for the description of the operation for the irrigation project. Attach

You may attach any additional information you believe will assist in informing the Division of the need for your request.

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Interim Secretary

Laura Kelly, Governor

March 19, 2019

JAMES WOOLSONCROFT **BOX 205** FRANKFORT, KS 66427

RE:

Application, File No. 50222

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at agriculture.ks.gov/divisionsprograms/dwr. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.


Sincerely,

Kristen A. Baum

New Applications Unit Supervisor

Water Appropriation Program

Woolsoncroft - Sec 27 T4S - R11E



Proposed Place of Use

Map prepared by LHH-TFO 3-12-19

★Applicant requests 60 days to locate the point of diversion within the №E of Sec 27 T4S R11E

0.25

0.5

1 Miles

50222

Nearby Wells Within 1/2 mile

- DOMESTIC WELL
 Angela Tangeman
 520 80TH RD
 CENTRALIA, KS 66415
- DOMESTIC WELL
 James & Kathryn Dalinghaus
 424 144TH RD
 BAILEYVILLE, KS 66404
- 3. DOMESTIC WELL Sylvester Schmitz 766 48TH RD CENTRALIA, KS 66415
- 4. DOMESTIC WELL Joseph Wells PO BOX 34 CENTRALIA, KS 66415

WATER RESOURCES RECEIVED

MAR 1 8 2019

KS DEPT OF AGRICULTURE