NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Jackie McClaskey, Secretary of Agriculture

DIVISION OF WATER RESOURCES

David W. Barfield, Chief Engineer

File Number 50240
This item to be completed by the Division of Water Resources.

Water Resources
Received

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

APR 26-2019

Filing Fee Must Accompany the Application KS Dept Of Agriculture (Please refer to Fee Schedule attached to this application form.)

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502: Name of Applicant (Please Print): Douglas W. Poter Address: 18265 Donahoo Rd Telephone Number: (913) 915-1054 The source of water is: ☐ surface water in ____ 2. groundwater in Stranger Creek OR Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources. The maximum quantity of water desired is ______3 acre-feet OR <u>9\77,553</u> gallons per calendar year, to be diverted at a maximum rate of _______6 gallons per minute OR ______ cubic feet per second. Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can **NOT** be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements. The water is intended to be appropriated for (Check use intended): (a) Artificial Recharge (b) M Irrigation (c) ☐ Recreational (d) Water Power (g) ☐ Stockwatering (h) ☐ Sediment Control (e) ☐ Industrial (f) | Municipal (i) Domestic (i) Dewatering (k) ☐ Hydraulic Dredging (I) Fire Protection (m) ☐ Thermal Exchange (n) ☐ Contamination Remediation YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

> Meets K.A.R. 5-3-1 (YES / NO) Use 100 Source G S County C Fee \$ 200 TR # _____ Receipt Date 4

For Office Use Only:

F.O. _ Code

5.	The	location of the proposed wells, pump sites or other works for diversion of water is:								
	Note	e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.								
	(A)	One in the $\frac{S}{2}$ quarter of the $\frac{1}{2}$ quarter of the $\frac{1}{2}$ quarter of Section $\frac{30}{2}$, more particularly								
MHY	E OA	described as being near a point 4503 feet North and 2483 feet West of the Southeast corner of said								
_u-1	,•	section, in Township 10 South, Range 22 East West (circle one), Leavenworth County, Kansas.								
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly								
		described as being near a point feet North and feet West of the Southeast corner of said								
		section, in Township South, Range East/West (circle one), County, Kansas.								
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly								
		described as being near a point feet North and feet West of the Southeast corner of said								
		section, in Township South, Range East/West (circle one), County, Kansas.								
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly								
		described as being near a point feet North and feet West of the Southeast corner of said								
		section, in Township South, Range East/West (circle one), County, Kansas.								
6.	wells, except that a single application may include up to four wells within a circle with a quarter (¼) mile radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well. A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than four wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common distribution system. The owner of the point of diversion, if other than the applicant is (please print):									
		(name, address and telephone number)								
	,	(name, address and telephone number)								
		(name, address and telephone number)								
	land	must provide evidence of legal access to, or control of, the point of diversion from the landowner or the owner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:								
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on 4-22, , 2019. Applicant's Signature								
	Failu be re	applicant must provide the required information or signature irrespective of whether they are the landowner. ure to complete this portion of the application will cause it to be unacceptable for filing and the application will eturned to the applicant.								
7.	The	proposed project for diversion of water will consist of								
	and	(was)(will be) completed (by) Existing Well 1996 (number of wells, pumps or dams, etc.)								
· 8.	The (Mo/E	first actual application of water for the proposed beneficial use was or is estimated to be Mater Resources Water Resources Received								
		APR 26 2019								

KS Dept Of Agriculture

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☑ Yes ☐ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ☐ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	Water Resources
	Received
	APR 26 2019

13.	Furnish the following well inform has not been completed, give in					roundwater. If the	e well
	Information below is from:	Test holes	⊠ Well a	as completed	☐ Driller	s log attached	
	Well location as shown in parag	raph No.	(A)	(B)	(C)	(D)	
	Date Drilled	√ 	11996				
	Total depth of well	<u></u>	105'				
	Depth to water bearing formation	n	80"				
	Depth to static water level		74.				
	Depth to bottom of pump intake	pipe _	<u>195'</u>				
14.	The relationship of the applic	ant to the p	proposed p	lace, where	he water wil	l be used is th	at of
	(owner, tenant, agent or otherwise)						
15.	The owner(s) of the property wh	nere the water	is used, if	other than the	applicant, is (please print):	~
		(name, addre	ess and tele	phone number	er)		
		(name addre	ess and tele	phone numbe	er)		
16.	The undersigned states that the this application is submitted in g	information s		•	,	er knowledge and	d that
	Dated at Tope Ka		this 22	day of	April	201	9
		, ranoao,		uay 01	(month)	(year)
	Duyh W. Yho (Applicant Signature)		_				
<u>B</u>	(Agent or Officer Signature		_				
	(Agent or Oπicer Signature)					
_	(Agent or Officer - Please Pri	nt)	_				
Assiste	ed by Lloyd Hemphill		TFO	FSTT ffice/title)	Date: _	4-22-2	019
1				•	Water F	Resources ceived	

APR 26 2019

2.	Plea	ease complete the following information for the description of the operation for the irrigation project. Attach pplemental sheets as needed.													
	a.	Indicate the soils in the field(s) and their intake rates:													
		Soil Name	Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group										
•															
				· 											
		·													
		Total:	100 %												
	b.	Estimate the average land slope in the	field(s):												
		Estimate the maximum land slope in t	he field(s):	%											
1	c.	Type of irrigation system you propose	to use (check one):												
		Center pivot	Center pivot - l	LEPA "Big	gun" sprinkler										
		Gravity system (furrows)	Gravity system	(borders) Sider	oll sprinkler										
		Other, please describe: Drip			-										
	d.	•		·											
		i. Describe how you will control tailwater:													
	e.	 ii. For sprinkler systems: (1) Estimate the operating prints (2) What is the sprinkler page (3) What is the wetted diame outer 100 feet of the system (4) Please include a copy of Crop(s) you intend to irrigate. Please 	ckage design rate? ter (twice the distance the distance the distance the distance the distance the distance the sprinkler package of the sp	gpm the sprinkler throws water) of a get the sprinkler throws water) of a get the spring graph graph of a get the spring graph of a get the sp	sprinkler on the										
		Hops													
	f.	Please describe how you will deterr important if you do not plan a full irr	nine when to irrigate rigation).	and how much water to app	oly (particularly										
You requ		ay attach any additional information yo	ou believe will assist in	informing the Division of th Water Reso Receive	ources										

APR 26 2019

111111111111111	TON OF MAINT	CED WELL.			Form WWC-			- NI	Bange	- Alumba	~-					
Щ 200///	ION OF WAT	TER WELL:	Fraction	2.1.	. i 5e	ction Number		Number	, -	e Numbe	<u> </u>					
County:	LANKON	MACH	15C 1/4	NE 1/4 NI dress of well if located	W 1/4	30	T 10	O s	R o	121	E/W					
Distance	and direction						1	ki.			`.					
	ع, و	5 West	and	175 N	o-th c	- 15ac	schor	KS								
2 WATE	R WELL OW	NER: Doug	Parter			-										
—	Address, Box	x # : 182 %	5 Danah	CO			Board o	of Agriculture, I	Division of V	Vater Re	sources					
	e, ZIP Code							•								
				66086												
B LOCAT	'E WELL'S LO ' IN SECTION	OCATION WITH	DEPTH OF CO	MPLETED WELL	I.D. S	ft. ELEVA	TION:									
WIA V	IN SECTION	1 BOX: D	epth(s) Groundw	ater Encountered 1.	8D.	ft. 2		i, ft. 3	و و بيرو و و د و د و د و د	20.003	ft.					
T [1			WATER LEVEL 74												
	املا أا	1 1 1		test data: Well water												
	NW -	NE														
	! !			gpm: Well water												
* w -	'	[]		er. $7.$, $2g$. , .in. to .							π.					
₹ "	! 1	. ! W	VELL WATER TO					ning 11								
17	1		Domestic	3 Feedlot 6	6 Oil field wa	ater supply	9 Dewatering	12	Other (Spec	ify belov	w)					
	2m1	2f	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring	well								
		. I lw		acteriological sample s												
<u>†</u>			ritted	toteriological cample 2	ubiiii		er Well Disinfe		ino day y s							
-1 7/05	== 31 ANK C			- ***												
\vdash		CASING USED:		•	8 Concr			JOINTS: Glued								
1 St		3 RMP (SR)	•	6 Asbestos-Cement					ed							
(2) P\	∨ C	4 ABS	~	7 Fiberglass				Threa	ided							
Blank casi	ing diameter	.5 in	1. to	ft., Dia	in. to	.	ft., Dia		in. to		ft.					
				n., weight												
1	-	R PERFORATION	U .	in worgin	(7)PI			Asbestos-ceme		• • •						
					~						1					
1 St		3 Stainless s		•		MP (SR)		Other (specify)								
2 Br	ass	4 Galvanized	d steel	6 Concrete tile	9 AE	BS	12	None used (op	-							
SCREEN	OR PERFOR	RATION OPENINGS	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hol	le)					
1 Cc	ontinuous slo	t (3) Mill	slot	6 Wire v	vrapped		9 Drilled hole	es								
	ouvered shutt	~	nunched	7 Torch	cut		10 Other (spe	ecity)								
ľ		ED INTERVALS:	From9	5 ft to	105	ft From	-	ft t	^	* *	ft					
DUNEEN-	PERFURAIL	EU INTERVALO.	From:			IL, FION	n		0							
			From			tt., ⊢ron	SCREEN-PERFORATED INTERVALS: From 9.5 ft. to 10.5 ft., From ft. to									
				71	' A E	_										
}	GRAVEL PA	CK INTERVALS:	From	9 ft. to			n									
,	GRAVEL PAG	CK INTERVALS:	From	ft. to		ft., Fron	n	ft. t	0		ft.					
6 GROU	T MATERIAL	.: 1 Neat cer	From 2	ft. to Cement grout	(3) Bente	ft., Fron	n	ft. t	o 		ft.					
6 GROU	T MATERIAL	.: 1 Neat cer	From 2	ft. to Cement grout	(3) Bente	ft., Fron	n	ft. t	o 		ft.					
6 GROU	T MATERIAL ervals: Fron	.: 1 Neat cer m	From ment 2 to 2 C	ft. to Cement grout ft., From	 ③ Benteft.	ft., Fron	n	ft. t	o 		ft.					
6 GROU Grout Inte What is th	T MATERIAL ervals: From	.: 1 Neat cer m	From ment 2 to 2 contamination: No	ft. to Cement grout ft., From KE At Tim	 ③ Benteft.	ft., Fron onite 4 (to	n n Other ft., From ock pens	ft. t	o ft.to bandoned w	ater well	ft.					
6 GROU Grout Inte What is th	T MATERIAL ervals: From the nearest so eptic tank	.: 1 Neat cer m	From ment 2 to 2 ontamination: No lines 0 2: lines	ft. to Cement grout ft., From From 7 Pit privy	Benti ft.	ft., Fron onite 4 (to	n	ft. t. 14 A 15 O	o ft. to bandoned w il well/Gas v	ater well	ft. ft. I					
6 GROU Grout Inte What is th 1 Se 2 Se	T MATERIAL ervals: From the nearest so eptic tank ewer lines	.: 1 Neat cer m	rent 2 contamination: No lines 0 2: 1/100	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	Benti ft.	ft., Frontonite 4 (control on the first file) to file file file file file file file file	n	ft. t. 14 A 15 O	o ft.to bandoned w	ater well	ft. ft. I					
6 GROU Grout Inte What is th 1 Se 2 Se	T MATERIAL ervals: From the nearest so eptic tank ewer lines	.: 1 Neat cer m	rent 2 contamination: No lines 0 2: 1/100	ft. to Cement grout ft., From From 7 Pit privy	Benti ft.	ft., Frontonite 4 (control on the first file) to file file file file file file file file	n	ft. t. 14 A 15 O	o ft. to bandoned w il well/Gas v	ater well	ft. ft. I					
6 GROU Grout Inte What is th 1 Se 2 Se 3 W	T MATERIAL ervals: From the nearest so eptic tank ewer lines	.: 1 Neat cer m	rent 2 contamination: No lines 0 2: 1/100	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	Benti ft.	ft., Frontonite 4 (control on the first file) to file file file file file file file file	n	ft. t. 14 A 15 O	o ft. to bandoned w il well/Gas v	ater well	ft. ft. I					
6 GROU Grout Inte What is th 1 Se 2 Se 3 W	T MATERIAL ervals: From the nearest so eptic tank ewer lines /atertight sew	.: 1 Neat cer m	rent 2 contamination: No lines 0 2: 1/100	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	Benti ft.	ft., Fron onite 4 (to	n	ft. t. 14 A 15 O	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
Grout Inte What is th 1 Se 2 Se 3 W Direction	T MATERIAL ervals: From the nearest so eptic tank ewer lines //atertight sew from well?	the service of possible construction of the service of possible construction of the service of t	From ment 2 to 2 C contamination: No lines O 2: line pool ge pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well?	1 Neat cer ft. curce of possible co 4 Lateral 5 Cess por rer lines 6 Seepag	From ment 2 to 2 C contamination: No lines D 2: Ilina lool ge pit LITHOLOGIC LC cne (3)	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
6 GROU Grout Inte What is th 1 Se 2 Se 3 W Direction FROM	T MATERIAL ervals: From the nearest so eptic tank ewer lines /atertight sew from well? TO 30 32	1 Neat cer ft. cource of possible co 4 Lateral 5 Cess por rer lines 6 Seepag	From ment 2 to 2 C ontamination: No lines D 2: Illing tool ge pit LITHOLOGIC LC cne (2)	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
GROUT Inter What is the 1 Sec. 3 W. Direction FROM C. 3 C. 3 Z.	T MATERIAL ervals: From the nearest so eptic tank ewer lines /atertight sew from well? TO 3.0 3.2	1 Neat cer The Cource of possible cource of possible cource of possible cource file in the cource of possible cource of possib	From ment 2 to 2 contamination: No lines D 2: line lool ge pit LITHOLOGIC LO cone (2 force (3)	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 2 Sec. 3 W. Direction FROM CO. 3 C. 3 C. 3 C. 3 C. 3 C. 3 C. 5 C.	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 80 85	1 Neat cer ft. cource of possible co 4 Lateral 5 Cess por rer lines 6 Seepag	From ment 2 to 2 ontamination: No lines O 2: line lool ge pit LITHOLOGIC LC c ne	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG 3 アンシン)	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
GROUTE Intervention of the second of the sec	T MATERIAL ervals: From the nearest so eptic tank ewer lines /atertight sew from well? TO 3.0 3.2	1 Neat cer n. C. ft. burce of possible co 4 Lateral 5 Cess por er lines 6 Seepag Sand sta Shale Shale Sand	From ment 2 to 2 ontamination: No lines O 2: Illing ge pit LITHOLOGIC LC c ne (2 c ne (3 c ne	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
GROUTE Intervention of the second of the sec	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer n C ft. purce of possible co 4 Lateral 5 Cess po er lines 6 Seepag Sand St Sand S	From ment 2 to 2 ontamination: No lines O 2: line loool ge pit LITHOLOGIC LC cne Grey Stone Brews y hime	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 80 85	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t	o ft. to bandoned w il well/Gas v ther (specify	ater well	ft. ft. I					
GROUTE Intervention of the second of the sec	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer n C ft. purce of possible co 4 Lateral 5 Cess po er lines 6 Seepag Sand St Sand S	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n Other	ft. t. 14 A 15 O 16 O	ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n Other	ft. t	ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n	tt. t 14 A 15 O 16 O PLUGGING II	ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n	ft. t. 14 A 15 O 16 O	ther (specify	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n Other	tt. t 14 A 15 O 16 O PLUGGING II PLUGGING II PLUGGING II	the control of the co	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v.? of	ft., Fron onite 4 to	n Other	tt. t 14 A 15 O 16 O PLUGGING II	the control of the co	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりょうと)	Bento ft. v? of	ft., Fron onite 4 to	n Other	tt. t 14 A 15 O 16 O PLUGGING II PLUGGING II PLUGGING II	the control of the co	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりづく)	Bento ft. v? of	ft., Fron onite 4 to	n Other	er Resour Received	o ft. to	ater well	ft. ft. I					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 3 C 5 C 5 C 6 5 C 7 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりづく)	Bento ft. v? of	ft., Fron onite 4 to	n Other	tt. t 14 A 15 O 16 O PLUGGING II PLUGGING II PLUGGING II	o ft. to	ater well	ft. ft. I					
GROUT Inter What is the 1 Sec. 3 W Direction FROM O 3 C 9 C 9 C 9 C	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95	1 Neat cer ft. ft. burce of possible co 4 Lateral 5 Cess pa rer lines 6 Seepag Sand Sta Shale Shad Sand Sand Sand	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown Y Lime (White	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG ステンシン (いりづく)	Bento ft. v? of	ft., Fron onite 4 to	n Other	er Resour Received	o ft. to	ater well	ft. ft. I					
6 GROUT Grout Inter What is the 1 Sec 3 W Direction FROM O 3 C 8 C 6 S 9 C 10 5	T MATERIAL ervals: From ne nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 80 95 90 105	1 Neat cer n. C. ft. purce of possible co 4 Lateral 5 Cess por rer lines 6 Seepag Sand Shad S Sand Sand Lim	From ment 2 to 25 ontamination: No lines Oxilling pool ge pit LITHOLOGIC LO CONE (6 C	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Bでいい (いいけた) 4 Broun)	FROM	ft., Fron onite 4 (to	Other Other ock pens storage zer storage icide storage by feet? Wat	er Resour Received	o ft. to bandoned will well/Gas verther (specify	rater well vell vbelow)	ft.					
6 GROUT Inter What is the 1 Sec. 3 W Direction FROM 3 2 Sec. 5 9 0 IC 5	T MATERIAL ervals: From ne nearest so eptic tank ewer lines /atertight sew from well? TO 30 32 50 95 95 90 /05	1 Neat cer The Cource of possible cource of possible cource of seepage of the se	From ment 2 to 25 ontamination: No lines Oxilling pe pit LITHOLOGIC LO CONE (Br Brown White Me CERTIFICATION	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Bアシルル) (いり・1と) + Bアシレル)	FROM FROM FROM FROM FROM	ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man	Other Other ock pens storage zer storage icide storage iv feet? Wat	er Resour Received 2R 26 201	the to the standoned well-Gas wither (specify) NTERVALS Ces Fulture	ater well vell below)	ft.					
6 GROUT Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C 5 9 C 10 5	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95 95 90 705	1 Neat cer The course of possible construction of the course of possible construction of the course	From ment 2 to 2C ontamination: No lines O 2: Ilino pool ge pit LITHOLOGIC LC c ne () Stone (Br Brews y L me (white	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG 3 かいか) (いかける) よ 日子のか)	FROM FROM FROM FROM	ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	Other Other ock pens storage zer storage icide storage by feet? Wat Wat All All All All All All All A	er Resour Received Of Of Agric best of my known	o ft. to bandoned will well/Gas wither (specify) NTERVALS Ces Culture	ater well vell below)	ft.					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C F5 9 C F5 9 C F5 9 C F5	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95 95 90 105 5 90 100 5 100 (mo/day/well Contractor's	I Neat cer In C ft. Source of possible co 4 Lateral 5 Cess parer lines 6 Seepag Sand Stand Sand Sand Lim OR LANDOWNER'S year) SLicense, No. S	From ment 2 to 2C ontamination: No lines O 2: Iline pool ge pit LITHOLOGIC LC c ne (6: cy Stone (8: cy the contamination) Stone (8: cy the contamination) Gene (6: cy the contamination)	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG Bアシルル) (いり・1と) + Bアシレル)	FROM FROM FROM FROM	ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO Licted, (2) recor and this recor as completed o	Other Other ock pens storage zer storage icide storage by feet? Wat KS Dep	er Resour Received 2R 26 201	o ft. to bandoned will well/Gas wither (specify) NTERVALS Ces Culture	ater well vell below)	ft.					
6 GROUTE Grout Interval of the What is the 1 Sec. 3 W Direction FROM O 3 C F5 9 C F5 9 C F5 9 C F5	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 50 95 95 95 90 105 5 90 100 5 100 (mo/day/well Contractor's	1 Neat cer The course of possible construction of the course of possible construction of the course	From ment 2 to 2C ontamination: No lines O 2: Ilino pool ge pit LITHOLOGIC LC c ne () Stone (Br Brews y L me (white	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG 3 かいか) (いかける) よ 日子のか)	FROM FROM FROM FROM	ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	Other Other ock pens storage zer storage icide storage by feet? Wat KS Dep	er Resour Received Of Of Agric best of my known	o ft. to bandoned will well/Gas wither (specify) NTERVALS Ces Culture	ater well vell below)	ft ft. I					
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction FROM O 3 C 5 S 7 C I C S 7 CONTI completed Water Wei under the	T MATERIAL ervals: From the nearest so eptic tank ewer lines vatertight sew from well? TO 30 32 80 95 95 90 105 100 (mo/day/sell Contractor's business nar	I Neat cer In C ft. Surce of possible co 4 Lateral 5 Cess por Fines 6 Seepag Sand Sand Sand Lim DR LANDOWNER'S year) 5 License No. The of Emans	From ment 2 to 2C ontamination: No lines O 2: Ilini loool ge pit LITHOLOGIC LC CONE (Brews Stone (Brews Lime (Lime Cone (Brews Lime Cone (Bre	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG 3 かいか) (いかける) よ 日子のか)	FROM FROM	ft., Fron onite 4 to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO ucted, (2) recor and this recor as completed o by (signate	Other Other ft., From ock pens storage zer storage icide storage icide storage in feet? KS Department of the in (mo/day/yr) oure)	er Resour Received Pt Of Agric best of my knows	o ft. to bandoned will well/Gas verther (specify) NTERVALS Ces Culture Europe my jurisd owledge and the cowledge and the	ater well vell below)	ft					

IRRIGATION USE SUPPLEMENTAL SHEET

File No. 5044

			Name	e of A	pplica	ant (P	lease	Print): <u> </u>	٥٥	9/6	S	W .	Por	++,,-			_	
1. I	Please design		lv the	e nam	ie and	d addı	ress c	of eac	h land	lowne	er, the	e lega	l desc	riptic	n of	the la	nds to porti	o be in	rrigated, and ereof:
Lanc	lowne	er of I	Recor	·d		NAM DRE	1E:_	Dov	اع اد	s v	J. 1	Dort	۲ ع						
					AD	DRE	ss:_/	826	r D	Dral	100	Rd.		long	4 1 0 ¥	ise,	KS	66	086
s	Т	R		N	E¼			NW¼			SW1/4			SE¼				TOTAL	
				NW		SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	
<u> 30</u>	10	are		3.3	3.0														6.3
•																			
	1	<u>. </u>	Щ	<u> </u>	L	ļi	<u> </u>	<u> </u>			<u> </u>	<u> </u>	<u> </u>		<u> </u>	L	L	L	I
Land	lowne	er of I	Recor	·d		NAM	Æ:												
						DRE:													
	Γ	Τ		NT.	E¼	DICE	<u> </u>		W¹/4		F	CI	3717			C	EI/		1
S	T	R	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	sw	SE	NE	NW	E¼ SW	SE	TOTAL
	<u> </u>		\vdash																
	-	-	_				-									<u> </u>			
				ļ			ļ				-								
							ļ 	<u> </u>								<u> </u>	<u> </u>		
Land	lowne	er of I	?ecor	·d		NAM	Æ:												
LJULIO			10001	•															
	Τ	г	T			DRE					T				· · ·				<u> </u>
S	Т	R	NIE	N.W.	E¼ cw	SE	NE	NW	W1/4	ÇE.	NE	SV	V1/4	SE.	NIE	SI NW	E¼	CE.	TOTAL
	-		NE	14 44	J SW	SE	NE	IN W	J S W	SE	NE	IN W	SW	SE	NE	IA M	3W	SE	
				<u> </u>															
							-	ļ											
				<u> </u>															
	1	1 1	1		l				1		l								

Water Resources Received

Page 1 of 2

APR 26 2019

1320 Research Park Drive Manhattan, KS 66502 785-564-6700 www. agriculture.ks.gov



900 SW Jackson, Room 456 Topeka, KS 66612 785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

May 6, 2019

DOUGLAS W PORTER 18265 DONAHOO RD TONGANOXIE, KS 66086

RE:

Application, File No. 50246

Dear Sir or Madam:

The Division of Water Resources (Division) has received your application for a permit to appropriate water for beneficial use. Your application has been assigned the file number referenced above. Please be aware that the Division may have a large number of pending applications on hand at times and makes every attempt to process them in the order in which they are received. You will be contacted if additional information is required.

Please note, this letter only acknowledges receipt of your application and does not guarantee approval. In accordance with the provisions of the Kansas Water Appropriation Act, the use of water as proposed prior to approval of the application is unlawful.

Additional information about the process may be found on our website at agriculture.ks.gov/divisionsprograms/dwr. If you have any other questions, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum

New Applications Unit Supervisor


Water Appropriation Program



Doug Porter - New Application



NEARBY WELL OWNERS Leavenworth County, KS



represent a property boundary survey of the parcels shown and shall not be used for conveyances or the establishment of property boundaries.

THIS MAP IS NOT TO BE USED FOR NAVIGATION