NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.

KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Acting Secretary of Agriculture

DIVISION OF WATER RESOURCES David W. Barfield. Chief Engineer

File Number This item to be completed by the Division of Water Resources.

WATER RESOURCES RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

AUG 0 8 2019

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.) KS DEPT OF AGRICULTURE

By

Date

To the Chief Engineer of the Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, KS 66502: Name of Applicant (Please Print): ELM CREEK FARMS LLC %SCOTT LAWRENCE_ Address: 10832 W 140TH State: KS Zip Code 66221 City: OVERLAND PARK Telephone Number: (913) 488-4954 ⋈ surface water in MARAIS DES CYGNES RIVER The source of water is: ☐ groundwater in MARAIS DES CYGNES RIVER Certain streams in Kansas have minimum target flows established by law or may be subject to administration when water is released from storage for use by water assurance district members. If your application is subject to these regulations on the date we receive your application, you will be sent the appropriate form to complete and return to the Division of Water Resources. The maximum quantity of water desired is 275 acre-feet OR gallons per calendar year, to be diverted at a maximum rate of 6,500 gallons per minute OR _____ cubic feet per second. Once your application has been assigned a priority, the requested maximum rate of diversion and maximum requested quantity of water under that priority number can NOT be increased. Please be certain your requested maximum rate of diversion and maximum quantity of water are appropriate and reasonable for your proposed project and are in agreement with the Division of Water Resources' requirements. The water is intended to be appropriated for (Check use intended): (c) ⊠ Recreational (d) Water Power (a) ☐ Artificial Recharge (b) ☐ Irrigation (f) Municipal (q) ☐ Stockwatering (h) ☐ Sediment Control (e) ☐ Industrial (k) ☐ Hydraulic Dredging (I)


Fire Protection (i) ☐ Domestic (i) ☐ Dewatering (m) ☐ Thermal Exchange (n) ☐ Contamination Remediation YOU MUST COMPLETE AND ATTACH ADDITIONAL DIVISION OF WATER RESOURCES FORM(S) PROVIDING INFORMATION TO SUBSTANTIATE YOUR REQUEST FOR THE AMOUNT OF WATER FOR THE INTENDED USE REFERENCED ABOVE.

F.O. | GMD - Meets K.A.R. 5-3-1 (YES) / NO) Use PEC Source G (S) County 1

For Office Use Only:

DWR 1-100 (Revised 02/16/2011)

Code



	•		
File	No.		

5.	The location of the proposed wells, pump sites or other works for diversion of water is:	
	Note: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.	
* *	(A) One in thequarter of the quarter of the <u>LOT 3</u> of Section 26, more particularly descri	bec
4	as being near a point 955 feet North and 347 feet West of the Southeast corner of said section	, in
,	Township 19 South, Range <u>23</u> East, <u>LINN</u> County, Kans	as.
	(B) One in the quarter of the quarter of the quarter of Section, more particul	arly
	described as being near a point feet North and feet West of the Southeast corner of	said
	section, in Township South, Range East/West (circle one), County, Kans	sas.
	(C) One in the quarter of the quarter of the quarter of Section, more particul	arly
· / 4	described as being near a point feet North and feet West of the Southeast corner of	said
21	section, in Township South, Range East/West (circle one), County, Kans	as.
	(D) One in the quarter of the quarter of the quarter of Section, more particul	arly
	described as being near a point feet North and feet West of the Southeast corner of	said
	section, in Township South, Range East/West (circle one), County, Kans	sas.
	radius in the same local source of supply which do not exceed a maximum diversion rate of 20 gallons minute per well. A battery of wells is defined as two or more wells connected to a common pump by a manifold; or not me than four wells in the same local source of supply within a 300 foot radius circle which are being operated pumps not to exceed a total maximum diversion rate of 800 gallons per minute and which supply water common distribution system.	nore
6.	The owner of the point of diversion, if other than the applicant is (please print):	
	(name, address and telephone number)	
	(name, address and telephone number)	
	You must provide evidence of legal access to, or control of, the point of diversion from the landowner or landowner's authorized representative. Provide a copy of a recorded deed, lease, easement or o document with this application. In lieu thereof, you may sign the following sworn statement:	
	I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct.	
	Executed on MAY 9 TH , 2019 Millen Hauel Mentbell Applicant's Signature	
7.	Annual III - Annua	
1.	(number of wells, pumps or dams, etc.)	
. e ² .	and (was)(will be) completed (by) FALL 2019(Month/Day/Year - each was or will be completed)	·

8. The first actual application of water for the proposed beneficial use was or is estimated to be FALL 2019 (Mo/Day/Year)

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	☐ Yes ☐ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
•	
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☑ Yes ☐ No
	If yes, show the Water Structures permit number here LLN-0093
	If no, explain here why a Water Structures permit is not required
11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	FILE NO. 46,321 PD AND PU OVERLAP
	ALIC A A 2010

AUG 0 8 2019

13.	Furnish the following well in well has not been completed					f groundwater. If	tne
	Information below is from:	☐ Test holes	□ Wel	l as completed	☐ Drillers	s log attached	
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)	
	Date Drilled						
	Total depth of well			· .			
	Depth to water bearing form	nation					
•	Depth to static water level						.*
	Depth to bottom of pump in	take pipe				· .	
en e	trada (k. 1907)						
14.	The relationship of the appli OWNER (owner, tenant, agent or otherwis	• •	osed place	where the water	will be used	ris:that:of	a The Therma
15.	The owner(s) of the propert	y where the wate	er is used,	if other than the	applicant, is	(please print):	
	* <u></u>	(name, addr	ess and te	elephone number)	·	
						•	
		(name, addr	ess and te	elephone number)		
16.	The undersigned states that this application is subm	itted in good faith	h			_	and
	Dated at	, Kansas	s, this	day of	((year)	,
					(month)	(year)	
	OUN Street	l Mansex					
	(Applicant Signatu	7)1000					
					•		
<u>B</u> y	The second of the second secon	ليراب بحاريهما بحيوا فجيع والمسادر بالها	marking years and and	alityanin namangan manana asi nina asissis.		سيداد والمتوافق	Germanian seguena ang
	(Agent or Officer Sign	ature)	•				
	(Agent or Officer - Pleas	se Print)					
	=	_					
Assiste	ed by <u>DWS</u>	<u>T</u>	OPEKA F	O (office/title)	Date: 2	2 <u>/11/2019</u>	

Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Re:

Application

File No.

Marais Des Cygnes River Minimum Desirable Streamflow

Dear Sir:

I understand that a Minimum Desirable Streamflow requirement has been established by the legislature for the source of supply to which the above referenced application applies.

I understand that diversion of water pursuant to this application will be subject to regulation any time Minimum Desirable Streamflow requirements are not being met.

I also understand that if this application is approved, there could be times, as determined by the Division of Water Resources, when I would not be allowed to divert water. I realize that this could affect the economics of my decision to appropriate water.

I am aware of the above factors, and with the knowledge thereof, request that the Division of Water Resources proceed with processing and approval, if possible, of the above

referenced application.

Signature of Applicant

(Print Applicant's Name)

County of Vackapa?

I hereby certify that the foregoing instrument was signed in my presence and sworn to

before me this $\underline{}$ $\underline{}$ day of $\underline{}$

ryf SWY Nover

My Commission Expires:

WATER RESOURCES RECEIVED

AUG 0 8 2019

50, 269

MINIMUM DESIRABLE STREAMFLOW FORM TO BE USED WHEN APPLICABLE WHEN FILING AN APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

The Kansas Legislature has established minimum desirable streamflows for the streams listed below. If your proposed diversion of water is going to be from one of these watercourses or adjacent alluvial aquifers, please complete the back side of this page and submit it along with your application for permit to appropriate water.

Arkansas River
Big Blue River
Chapman Creek
Chikaskia River
Cottonwood River
Delaware River
Little Arkansas River
Little Blue River
Marais des Cygnes River
Medicine Lodge River
Mill Creek (Wabaunsee Co. area)
Neosho River

Ninnescah River
North Fork Ninnescah River
Rattlesnake Creek
Republican River
Saline River
Smoky Hill River
Solomon River
South Fork Ninnescah
Spring River
Walnut River
Whitewater River

	Upstream Landowners	
	HULLEST ENTERPRISES INC. (File No. 10,825)	
	% BOB BEACHY	
	PO Box 13446	
200	KANSAS City, Mo. 64199-3446	
Ø		/
<u>/2</u>	Commercial National Brook Taust	
	MR HUDBON TRUST #1	Vlater physical co
	PO Box 419692	
	Kansas Cty, MO 64141-6692	
		Please Verify these
3	FONTANA FARMS INC. (FILE NO. 30, 253)	- fyeine vorgo
	% JAMES TINSMAN	are correct upstream +
	6522 Willow	downstream landowners.
	SHAWNER MISSION, KS. 66208	
	DOWNSMEAM LANDOWNERS	·
	Commercial National BANK TRUST	
	MR Hudson Taust #1	
	PO Box 419692	
1001	_	and the
	Kansas City, MO 64141-6692	Correct as listed Offlep & Famill 5-9-2019
,	T. M. T	Julip 0 /anicc
	J. JOHN M. JAMISON	3-1201
4	21468 W. 295th	WATER RECOURCES
	FONTANA, KS. 66026	WATER RESOURCES RECEIVED
		AUG 0 8 2019

KS DEPT OF AGRICULTURE

RECREATIONAL USE SUPPLEMENTAL SHEET

File No. 50, 280

Name of Applicant (Please Print): ELM CREEK FARMS LLC _____

Please	e summarize how the water	will be used and justify the quantity of water requested:
Total A	Acres of Wetland =110 acre	es. One filling at 2.5-feet depth = 275 Acre-Feet
Please	e complete the following tab	ple showing estimated future water requirements:
	ESTIMATED	FUTURE WATER DIVERTED/STORED
	NEXT 5 YEARS	WATER TO BE DIVERTED (ACRE-FEET OR GALLONS)
	Year 1	275 AF
	Year 2	
	Year 3	
	Year 4	275 AF
	Year 5	2/3 Ar
		rmation, tables, or curves showing past, present and estimated fue the amount of water requested.
	e designate the legal descriponal part of the Section, Tox	ption of the location where the water is to be used by providing wnship and Range.
	ifo Marshas Located in th	ne East Half of the Southwest Quarter; Southwest Quarter of

AUG 0 8 2019

WATER RESOURCES RECEIVED

need for your request.

1:12,000

Elm Creek Farms, LLC New Application

50,280



KS DEPT OF AGRICULTURE

AUG 0 8 2019