NOTICE

This scan only represents the application as filed. The information contained herein meets the requirements of K.A.R. 5-3-1 or K.A.R. 5-5-1, and has been found acceptable for filing in the office of the Chief Engineer. The application should not be considered to be a complete application as per K.A.R. 5-3-1b or K.A.R. 5-5-2a.



KANSAS DEPARTMENT OF AGRICULTURE

Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES Christopher W. Beightel, Acting Chief Enginee

50514 File Number

This item to be completed by the Division of Water Resources.

WATER RESOURCES

APPLICATION FOR PERMIT TO APPROPRIATE WATER FOR BENEFICIAL USE

JAN 2 9 2021

Filing Fee Must Accompany the Application (Please refer to Fee Schedule attached to this application form.) KS DEPT OF AGRICULTURE

12:28

1.	Name of Applicant (Please P			115
	Address: 2411 E			6 1 1/-
	City: My Vane		State <u>K5</u>	Zip Code <u>67/10</u>
	Telephone Number: (3/4	1) 209- 35	363	
2.	The source of water is:	□ surface water in	(stream	
	OR	groundwater in		
		groundwater in	(drainage b	pasin)
	when water is released from	n storage for use by wate date we receive your ap	ows established by law or may er assurance district members. oplication, you will be sent the a	If your application is subject
3.	The maximum quantity of v	vater desired is 22#	acre-feet OR	_ gallons per calendar year
	to be diverted at a maximum	m rate of \$90	gallons per minute OR	cubic feet per second
	requested quantity of water maximum rate of diversion	under that priority number and maximum quantity	y, the requested maximum rate er can <u>NOT</u> be increased. Plea of water are appropriate and re later Resources' requirements	ase be certain your requested easonable for your proposed
1.	The water is intended to be	appropriated for (Check	use intended):	
	(a) Artificial Recharge	(b) A Irrigation	(c) Recreational	(d) Water Power
	(e) ☐ Industrial	(f) ☐ Municipal		(h) ☐ Sediment Control
	(i) Domestic	(j) Dewatering	(k) ☐ Hydraulic Dredging	(I) ☐ Fire Protection
	(m) ☐ Thermal Exchange	(n) Contamination	Remediation	
		TACH ADDITIONAL DIVISIO	N OF WATER RESOURCES FORMS	S) PROVIDING INFORMATION TO

		File No
5.	The	location of the proposed wells, pump sites or other works for diversion of water is:
	Not	e: For the application to be accepted, the point of diversion location must be described to at least a 10 acre tract, unless you specifically request a 60 day period of time in which to locate the site within a specifically described, minimal legal quarter section of land.
	(A)	One in the $\frac{1}{20}$ quarter of the $\frac{1}{20}$ quarter of the $\frac{1}{20}$ quarter of Section $\frac{1}{20}$, more particularly
		described as being near a point 12/2 feet North and 238/ feet West of the Southeast corner of said
		section, in Township 20 South, Range 3 East West (circle one), Montes County, Kansas.
	(B)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(C)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	(D)	One in the quarter of the quarter of the quarter of Section, more particularly
		described as being near a point feet North and feet West of the Southeast corner of said
		section, in Township South, Range East/West (circle one), County, Kansas.
	well	e source of supply is groundwater, a separate application shall be filed for each proposed well or battery or s, except that a single application may include up to four wells within a circle with a quarter $(\%)$ mile radius in same local source of supply which do not exceed a maximum diversion rate of 20 gallons per minute per well
	four not	attery of wells is defined as two or more wells connected to a common pump by a manifold; or not more than wells in the same local source of supply within a 300 foot radius circle which are being operated by pumps to exceed a total maximum diversion rate of 800 gallons per minute and which supply water to a common ribution system.
6.4		owner of the point of diversion, if other than the applicant is (please print): WATER RESOURCES RECEIVED
		(name, address and telephone number) JAN 2 9 2021
	land	(name, address and telephone number) KS DEPT OF AGRICULTURE must provide evidence of legal access to, or control of, the point of diversion from the landowner or the lowner's authorized representative. Provide a copy of a recorded deed, lease, easement or other document this application. In lieu thereof, you may sign the following sworn statement:
		I have legal access to, or control of, the point of diversion described in this application from the landowner or the landowner's authorized representative. I declare under penalty of perjury that the foregoing is true and correct. Executed on 12/5, 20/20.
	The	Applicant's Signature
		applicant must provide the required information or signature irrespective of whether they are the landowner. ure to complete this portion of the application will cause it to be unacceptable for filing and the application will be the application will be the application.

be returned to the applicant.

7. The proposed project for diversion of water will consist of ____ (Month/Day/Year - each was or will be completed) and (was)(will be) completed (by)

The first actual application of water for the proposed beneficial use was or is estimated to be $_$ (Mo/Day/Year) 8.

9.	Will pesticide, fertilizer, or other foreign substance be injected into the water pumped from the diversion works?
	Yes ☐ No If "yes", a check valve shall be required.
	All chemigation safety requirements must be met including a chemigation permit and reporting requirements.
10.	If you are planning to impound water, please contact the Division of Water Resources for assistance, prior to submitting the application. Please attach a reservoir area capacity table and inform us of the total acres of surface drainage area above the reservoir.
	Have you also made an application for a permit for construction of this dam and reservoir with the Division of Water Resources? ☐ Yes ➤ No
	If yes, show the Water Structures permit number here
	If no, explain here why a Water Structures permit is not required
¥11.	The application <u>must</u> be supplemented by a U.S.G.S. topographic map, aerial photograph or a detailed plat showing the following information. On the topographic map, aerial photograph, or plat, identify the center of the
	section, the section lines or the section corners and show the appropriate section, township and range numbers. Also, please show the following information:
,	(a) The location of the proposed point(s) of diversion (wells, stream-bank installations, dams, or other diversion works) should be plotted as described in Paragraph No. 5 of the application, showing the North-South distance and the East-West distance from a section line or southeast corner of section.
X	(b) If the application is for groundwater, please show the location of any existing water wells of any kind within ½ mile of the proposed well or wells. Identify each existing well as to its use and furnish the name and mailing address of the property owner or owners. If there are no wells within ½ mile, please advise us.
	(c) If the application is for surface water, the names and addresses of the landowner(s) ½ mile downstream and ½ mile upstream from your property lines must be shown.
,	(d) The location of the proposed place of use should be shown by crosshatching on the topographic map, aerial photograph or plat.
	(e) Show the location of the pipelines, canals, reservoirs or other facilities for conveying water from the point of diversion to the place of use.
	A 7.5 minute U.S.G.S. topographic map may be obtained by providing the section, township and range numbers to: Kansas Geological Survey, 1930 Constant, Campus West, University of Kansas, Lawrence, Kansas 66047.
12.	List any application, appropriation of water, water right, or vested right file number that covers the same diversion points or any of the same place of use described in this application. Also list any other recent modifications made to existing permits or water rights in conjunction with the filing of this application.
	WATER RESOURCES RECEIVED
	JAN 2 9 2021

File No. __

KS DEPT OF AGRICULTURE

					File No		
13.	Furnish the following well inf has not been completed, give					ndwater. If the v	well
	Information below is from:	☐ Test holes	□ Well a	as completed	Drillers lo	og attached	
	Well location as shown in pa	aragraph No.	(A)	(B)	(C)	(D)	
	Date Drilled						
	Total depth of well	_					
	Depth to water bearing form	ation					
	Depth to static water level						
	Depth to bottom of pump int	ake pipe					
14.	The relationship of the appropriate (owner, tenant, agent or otherwise) The owner(s) of the property Sch Wart Williams, in	e)	r is used, if c	other than the a	pplicant, is (ple	ease print):	
16.	The undersigned states that this application is submitted	in good faith.				knowledge and t	hat
	Dated at Molvane	, Kansas	, this	day of 5	//Z (month)	, Zo Zo (year)	0
-	Stand Signature (Applicant Signature) (e)					
By							
	(Agent or Officer Signa	ature)					

(office/title)

(Agent or Officer - Please Print)

Assisted by ___

Date:

JAN 2 9 2021

WATER RESOURCES RECEIVED

FEE SCHEDULE

1. The fee for an application for a permit to appropriate water for beneficial use, except for domestic use, shall be (see paragraph No. 2 below if requesting storage):

ACRE-FEET	FEE
0-100	\$200.00
101-320	\$300,00
More than 320	\$300.00 plus \$20.00 for each additional 100 acre-feet or any part thereof.

2. The fee for an application in which storage is requested, except for domestic use, shall be:

ACRE-FEET	FEE
0-250	\$200.00
More than 250	\$200.00 plus \$20.00 for each additional 250 acre-feet of storage or any part thereof.

Note: If an application requests both direct use *and* storage, the fee charged shall be as determined under No. 1 or No. 2 above, whichever is greater, but not both fees.

3. The fee for an application for a permit to appropriate water for water power or dewatering purposes shall be \$100.00 plus \$200.00 for each 100 cubic feet per second, or part thereof, of the diversion rate requested.

Note: The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works for diversion has been completed, except that for applications filed on or after July 1, 2009, for works constructed for sediment control use and for evaporation from a groundwater pit for industrial use shall be accompanied by a field inspection fee of \$200.00.

MAKE CHECKS PAYABLE TO THE KANSAS DEPARTMENT OF AGRICULTURE

ATTENTION

A Water Conservation Plan may be required per K.S.A. 82a-733. A statement that your application for permit to appropriate water may be subject to the minimum desirable streamflow requirements per K.S.A. 82a-703a, b, and c may also be required from you. After the Division of Water Resources has had the opportunity to review your application, you will be notified whether or not you will need to submit a Water Conservation Plan. You also may be required to install a water flow meter or water stage measuring device on your diversion works prior to diverting water. There may be other special conditions or Groundwater Management District regulations that you will need to comply with if this application is approved.

CONVERSION FACTORS

1 acre-foot equals 325,851 gallons

1 million gallons equal 3.07 acre-feet

WATER RESOURCES

	(Date)
Kansas Department of Agriculture Division of Water Resources David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502	
Re:	Application File No
Dear Sir:	Minimum Desirable Streamflow
I understand that a Minimum Desirable Streamfle the legislature for the source of supply to which the above	
I understand that diversion of water pursuant regulation any time Minimum Desirable Streamflow requ	
I also understand that if this application is approx by the Division of Water Resources, when I would not I this could affect the economics of my decision to approp	be allowed to divert water. I realize that
I am aware of the above factors, and with the Division of Water Resources proceed with processing referenced application.	
Sigr	nature of Applicant

State of Kansas)

County of SUMNER

Steven J. (Print Applicant's Name)

WILLIAM M. EASTER
Notary Public - State of Kansas
My Appt. Expires 8-24-2023

Notary Public

My Commission Expires:

WATER RESOURCES RECEIVED

IRRIGATION USE SUPPLEMENTAL SHEET

		supp ate th	ly the	nam ual nu	e and	d add	ress o							criptic ract or		the la	nds to portio	o be in	rrigated, and ereof:
and	owne	er of I	Recor	ď		NAM DRE		71	111		2	15t	12	111	th	- 5	+	St	> Muli
C	т			N	E¼	DICE			N1/4		1		W1/4 /	x .		S	E¼ *		TOTAL
S	Т	R	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW		SE	TOTAL
)	20	38	1										40	40		40	40		160
					. P					F									Marine To
						and the													
							11.												
			Recor		AD	DRE													
S	Т	R	NE	N					W¼ SW	SE	NE		W ¹ / ₄	SE	NE		E¼ SW	SE	TOTAL
S		R		N	AD	DRE	SS:	N	N¹/4			SI	N¹/4			S	E¼	SE	TOTAL
3		R		N	AD	DRE	SS:	N	N¹/4			SI	N¹/4			S	E¼	SE	TOTAL
3		R		N	AD	DRE	SS:	N	N¹/4			SI	N¹/4			S	E¼	SE	TOTAL
S		R		N	AD	DRE	SS:	N	N¹/4			SI	N¹/4			S	E¼	SE	TOTAL
	Т	R er of I	NE	NW NW	AD E¼ SW	SE	NE NE	NW	W ¹ / ₄ SW	SE	NE	SV	NV4 SW	SE	NE	S) NW	E¼ SW		TOTAL
	Т		NE	NW NW	AD E¼ SW	SE	NE NE	NW	W ¹ / ₄ SW	SE	NE	SV	NV4 SW	SE	NE	S) NW	E¼ SW		TOTAL
s and	Т		NE	NW NW	AD E¼ AD E¼	SE NAM	SS:	NV NW	W ¹ / ₄ SW	SE	NE	SV	N ¹ / ₄ SW	SE	NE	SI	E¼ SW		TOTAL
and	owne	er of I	NE	NW NW	ADE% SW	SE	NE NE	NW NW	W ¹ / ₄ SW	SE	NE	SV NW	W1/4 SW	SE	NE	SI NW	E¼ SW		
und	owne	er of I	NE	NW NW	AD E¼ AD E¼	SE NAM	SS:	NV NW	W ¹ / ₄ SW	SE	NE	SV	N ¹ / ₄ SW	SE	NE	SI	E¼ SW		
and	owne	er of I	NE	NW NW	AD E¼ AD E¼	SE NAM	SS:	NV NW	W ¹ / ₄ SW	SE	NE	SV	N ¹ / ₄ SW	SE	NE	SI	E¼ SW		

WATER RESOURCES

Page 1 of 2

	Soil Name		Percent of field (%)	Intake Rate (in/hr)	Irrigation Design Group
b.		otal: e average land slope in	100 % the field(s):		
		e maximum land slope		%	
c.		igation system you prop			
	Cent		Center pivo	t - LEPA	"Big gun" sprinkl
	Grav	rity system (furrows)	Gravity syst	em (borders)	Sideroll sprinkler
d.		esign features:			
	i. Desc	ribe how you will contr	rol tailwater: Wo failwat	No.	
	ii. For s	sprinkler systems:		5.1	
	(1)		g pressure at the distrib		_ psi
	(2)	What is the sprinkler	package design rate?	gpm gpm	
	(3)	What is the wetted dia outer 100 feet of the	ameter (twice the distance system? 68	ce the sprinkler throws v	water) of a sprinkler on
	(4)	Please include a copy	of the sprinkler packag	ge design information.	
e.	Crop(s) yo	ou intend to irrigate. Pl	lease note any planned	crop rotations:	
f.	Please des	scribe how you will de if you do not plan a ful	etermine when to irrigate li irrigation).	ate and how much wa	ter to apply (particula

WATER RESOURCES RECEIVED

Page 2 of 2

			WWC-5		ision of Water						
			ge in Well Use		urces App. No						
		VATER WELL:	Fraction		ction Number Township Number Range Number						
	: Marion		NW 1/4 NW 1/4 SW 1/4		20	T 20 S R 3 ☑ E □ W					
2 WELL	OWNER:	Last Name: BUTTS	First: STEVE	Street or Rui	al Address w	here well is located (if unknown, distance and					
Business:				direction from nearest town or intersection): If at owner's address, check here:							
	2411 E 11	1TH ST S		APPROX 9 MILES NORTH AND 1 MILE WEST OF PEABODY,							
Address:	NAL III N/AA	VC	The state of the s	KS WILES NORTH AND TMILE WEST OF PEABODY,							
City:	MULVAN	State: KS	ZIP: 67110	NO	1						
3 LOCAT		4 DEPTH OF COM	MPLETED WELL:	60 ft.	5 Latitud	le: 38.293419 (decimal degrees)					
WITH "			Encountered: 1)1		Longit	ide: 97.1222 (decimal degrees)					
	N BOX:		3) ft., or 4) [□ WGS 84 ■ NAD 83 □ NAD 27					
1	1		TER LEVEL: 1			for Latitude/Longitude:					
			e, measured on (mo-day-			S (unit make/model:)					
NW	NE		, measured on (mo-day-			(WAAS enabled? ☐ Yes ☐ No)					
		Pump test data: Well v	vater was f	t.	☐ Lar	d Survey Topographic Map					
W	E	after hour	s pumping	gpm		ine Mapper:					
CW	, CF		water was f								
SW	XSE		s pumping	gpm	6 Floresti	on: 1380ft. ☑ Ground Level ☐ TOC					
		Estimated Yield:	gpm			☐ Land Survey ☐ GPS ☐ Topographic Map					
	S		10 in. to 60		Source.	Other KOLAR					
	mile		in. to	ft.		El Onici Towners					
		O BE USED AS:			10 🗔 0	C'IIW. G. I.					
1. Domestic			ater Supply: well ID			Field Water Supply: lease					
House			ng: how many wells?			ole: well ID					
☐ Lawn a	& Garden		echarge: well ID			ed Uncased Geotechnical					
2. Irrigati			ng: well ID			rmal: how many bores?					
3. Feedlo						sed Loop Horizontal Vertical					
4. Industr			e ☐ Soil Vapor I	Extraction	13 17 Oth	n Loop ☐ Surface Discharge ☐ Inj. of Water er (specify): IRRIGATION TEST					
			nitted to KDHE?	Yes No	If yes, date	sample was submitted:					
		? ✓ Yes ☐ No									
8 TYPE C	OF CASING	GUSED: Steel PV	C Other	CASIN	NG JOINTS:	☑ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diam	eter	in. to	, Diameter	in. to	ft., Diame	ter					
Casing heigh	ht above land	surfacei	n. Weight	lbs./ft.	Wall thickn	ess or gauge No255					
		R PERFORATION MA									
Steel		inless Steel	□ PVC			r (Specify)					
Brass		vanized Steel		ised (open hole	:)						
		RATION OPENINGS A									
	nuous Slot					Other (Specify)					
		Key Punched V									
						ft., From ft. to ft.					
						ft., From ft. to ft.					
9 GROUI	MATERI	AL: Neat cement L	Cement grout Be	entonite 🔲 C	other						
Grout Interv	als: From	II. to	ft., From	It. to	ft., From	ft. to ft.					
		ole contamination: V No				□ I					
☐ Septic ☐ Sewer		☐ Lateral Line ☐ Cess Pool			Livestock Pen Fuel Storage						
The second secon	ight Sewer L		☐ Sewage La ☐ Feedyard	•	Fertilizer Storage						
		ines 🔲 seepage 1 ii			i citilizei 51018	on well das well					
Direction fro	om well?		Distance from w	ell?		ft.					
10 FROM	TO	LITHOLO		FROM		ITHO. LOG (cont.) or PLUGGING INTERVALS					
0	2	TOP SOIL									
2	31	CLAY				The first of the f					
	The same of the sa										
31	37	SAND									
31	37 45	SAND SHALE LIMESTONE	MIX								
37	45	SHALE LIMESTONE									
37 45	45 46	SHALE LIMESTONE FRACTURED LOOS	E SHALE (WATER)	Y CONTRACTOR							
37	45	SHALE LIMESTONE	E SHALE (WATER)		WATER	RESOURCES					
37 45	45 46	SHALE LIMESTONE FRACTURED LOOS	E SHALE (WATER)	Notes:		RESOURCES CEIVED					
37 45	45 46	SHALE LIMESTONE FRACTURED LOOS	E SHALE (WATER)			RESOURCES CEIVED					
37 45 46	45 46 60	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE	E SHALE (WATER) MIX	Notes:	RE	CEIVED					
37 45 46	45 46 60 RACTOR'	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE S OR LANDOWNER'	E SHALE (WATER) MIX S CERTIFICATION	Notes:	r well was	CONSTRUCTED. Treconstructed or plugged					
37 45 46	45 46 60 RACTOR'	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE S OR LANDOWNER'	E SHALE (WATER) MIX S CERTIFICATION	Notes:	r well was	CONSTRUCTED. Treconstructed or plugged					
45 46 11 CONT under my j Kansas Wa	45 46 60 RACTOR' urisdiction a ater Well Co	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE S OR LANDOWNER' and was completed on (rentractor's License No. 19	S CERTIFICATION no-day-year) .11/09/2 897 This Wa	Notes: N: This wate: 2020	r well was this record is ord was com	constructed, ☐ reconstructed, or ☐ plugged true to the best of my knowledge and belief.					
37 45 46 11 CONT under my j Kansas Wa under the b	45 46 60 RACTOR' urisdiction a ater Well Co	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE S OR LANDOWNER' and was completed on (rentractor's License No. and the of Peterson McNet Send one copy to WATER V	S CERTIFICATION no-day-year) .11/09/2897 This Wat Drilling, Inc.	Notes: N: This water 1020 and 1020 ater Well Reco	r well was this record is ord was com	constructed, ☐ reconstructed, or ☐ plugged true to the best of my knowledge and belief. pleted on (mo-day-year) 11/23/2020					
37 45 46 11 CONT under my j Kansas Wa under the b	45 46 60 RACTOR' urisdiction a ater Well Co- cusiness nan- ment of Health	SHALE LIMESTONE FRACTURED LOOSI SHALE LIMESTONE S OR LANDOWNER' and was completed on (rentractor's License No. and the of Peterson McNet Send one copy to WATER V	S CERTIFICATION no-day-year) .11/09/2897 This Wat Drilling, Inc. VELL OWNER and retain Water, Geology Section, 10	Notes: N: This water 1020 and 1020 ater Well Reco	r well was this record is ord was com	constructed, ☐ reconstructed, or ☐ plugged true to the best of my knowledge and belief. pleted on (mo-day-year) 11/23/2020					



Pivot Design Report

Customer: Steve Butts

Project: Butts Aulne Pivot

Prepared by: Lawless

Created: 12/8/2020 8:23:45 PM



WATER RESOURCES RECEIVED

JAN 2 9 2021

KS DEPT OF AGRICULTURE

Customer:

Steve Butts

Project:

Butts Aulne Pivot

Prepared by: Lawless





WATER RESOURCES RECEIVED

Customer:

Steve Butts

Project:

Butts Aulne Pivot

Prepared by: Lawless



System Summary T205 R3E saction 20

Pivot Location:

(38.2939348, -97.1227828)

Field Area:

140.3 ac.

System Length:

1,172.2 ft.

Area Under System:

64.5 ac.

End Gun Area:

0.0 ac.

Corner Area:

0.0 ac.

Total Irrigated Area:

64.5 ac.

Barricades:

FWD: 230.0, REV: 356.0

End Gun Type: None
End Gun Throw: 0 ft.
Quick Tow: No
Corner Arm: None

Overhang: 25' (25.3',7.71m)

Pivot Point Elevation: 1,378 ft.

Max Wheel Elevation: 1,384 ft.

Span Table

End Gun Table

Span	Model	Wheel Track	Zone	Start	Stop
1.	765 177.7' (54.16m)	176.7 ft.	No end gu	n zones	
2.	765 177.7' (54.16m)	354.4 ft.			
3.	865 158.0' (48.16m)	512.4 ft.			
4.	865 158.0' (48.16m)	670.4 ft.			
5.	865 158.0' (48.16m)	828.4 ft.			
6.	865 158.0' (48.16m)	986.4 ft.			
7.	865 158.0' (48.16m)	1,144.4 ft.			

Note: System Length and Wheel track distances are nominal dimensions only. Some manufacturing, installation and field variations are acceptable and may change the exact measurements. All elevations are approximate and should be verified by making a field visit.

WATER RESOURCES RECEIVED

		RECORD	Division of Water Resources App. No. Well ID										
	✓ Original Record ☐ Correction ☐ Change in Well Use 1 LOCATION OF WATER WELL: Fraction							Section Number Township Number Range N					
Count	y: Marion			NW 1/4 NW 1/4 S		SE 1/4	20	0	T 2	20 S	R	3 DE □ W	
The state of the s		Last Name: BL	JTTS		Street or Rural Address where well is located (if unknown, distance and								
Business Address:	2411 E 11	1TH ST S				direction from nearest town or intersection): If at owner's address, check here:							
Address:					APPROX 9 MILES NORTH AND 1 MILE WEST OF PEABODY,								
City:	MULVAN	IE	State: KS		KS								
3 LOCAT		4 DEPT	H OF COM	IPLETED WEI	LL:	60 f	t. 5	Latitud	de:38	.29341	19	.(decimal degrees)	
The state of the s	ON BOX:			Encountered: 1)			-	Longit	ude:	97.122	22	.(decimal degrees)	
	N			S) ft., or TER LEVEL:					☐ WGS 84			NAD 27	
		below	land surface.	measured on (mo	o-day-	vr) 11/09/202	20		for Latitude/Lo)	
NW	NE	☐ above	land surface,	measured on (mo	o-day-	yr)			(WAAS enal				
				rater was					nd Survey				
W	E	aner.		pumpingvater was				∐ On	line Mapper: .				
SW	XSE	after.		pumping				El «	. 1380	0		11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		Estimated	Yield:	gpm	60	0 1	6	Source	Ion:ooo	tt.	GPS TT	d Level TOC Copographic Map	
1	S mile			10 in. to				Source.	Other KO	LAR		opograpine iviap	
		O BE USED		III. to		11.							
1. Domestic		5. [☐ Public Wa	ter Supply: well I									
House				g: how many wel					ole: well ID				
Lawn Livest	& Garden	7.1	Monitorin	echarge: well ID			12	_	ermal: how ma				
2. Irrigat				al Remediation: w					sed Loop 🔲				
3. Feedle				□ Soil V	apor E	Extraction		b) Ope	en Loop Su	rface Dis	scharge [Inj. of Water	
4. 🗌 Indust			Recovery						er (specify): .!!				
				itted to KDHE	? 🗆	Yes No	If ye	es, date	sample was s	ubmitte	d:		
Water well	disinfected	? Yes	No Steel Fd DV	C C Other		CASI	NC IC	INITC.	El Classic El	Clama	□ Wald	d D Throaded	
Casing dian	peter 6	in to	40 ft	C Other Diameter Weight		in to	ING JC	Diame	eter Glued	in to	ı 🔲 welde	d 🔲 Threaded	
Casing heig	ht above land	surface	12 in	. Weight		lbs./ft.	Wa	all thickn	ness or gauge N	0255			
TYPE OF	SCREEN O	R PERFORA	ATION MA	ΓERIAL:									
☐ Steel	☐ Sta	inless Steel Ivanized Steel		□ P		sed (open ho		☐ Othe	er (Specify)				
The state of the s		RATION OP		The state of the s	vone u	sed (open no	ic)						
☐ Conti	nuous Slot	☐ Mill Slot	□ G	auze Wrapped						cify)			
				ire Wrapped									
				ft. to ft. to ft. to									
				Cement grout									
Grout Inter	vals: From	ft.	to .20	ft., From		ft. to	ft	, From .	ft. 1	0	ft.		
Nearest son	arce of possil	ole contamina	tion: V No	potential source of	of con	tamination w	ithin 20	00 ft.					
☐ Septic			Lateral Line Cess Pool			The second secon	_	tock Pen Storage			cide Storag		
	tight Sewer L		Seepage Pit		yard			izer Stor			ell/Gas Wel		
☐ Other	(Specify)												
Direction fr 10 FROM	om well?		LITHOLOG	Distance fr	om we	FROM	T					NG INTERVALS	
0	2	TOP SOIL	LITHOLOG	JIC LOG		TROM	1		LITTO, LOG (cont.) of	LUGUII	INTERVALS	
2	31	CLAY											
31	37	SAND											
37	45	SHALE LIN							AAMTER	RESO	URGES		
45	46			SHALE (WAT	IER)				WAITER	ECEIVE	-D		
46	60	SHALE LIN	IESTONE	IVIIA		Notes:	1			100	2024		
COM IN PORT WATER						Tiotes.			JAN	129	2021		
11 CONT	RACTOR'	S OR LAND	OWNER'S	S CERTIFICAT	TION	This wat	er well	was 🗸	constructed,	reco	onstructed	, or plugged	
Kansas W	ater Well Co	entractor's Li	cense No.	no-day-year) .1.1 397 Th	is Wa	iter Well Re	cord w	vas com	pleted on (m	o-day-v	ear) .11/2	3/2020	
under the	ousiness nan	ne of Peters	son McNet	Drilling, Inc.									
KS Denart	ment of Health	Send one copy	to WATER W	ELL OWNER and I Vater, Geology Secti	retain o	one for your re	n St. Su	ee of \$5.0	00 for each const	ructed we	ell. 67. Telephor	ne 785-296-3565	
		neks.gov/waterw		, 5551657 5661	, 10	D Vuokso	J., 50		- Ponta, Istanious (-012-130		SA 82a-1212	

DATA ENTRY SYSTEM ID NUMBER SHEET

FILE NUMBER	50514				
APPLICANT PERSON ID & SEQ #		88595	PDIV ID		BATTERY ID
2385			•		
	<u></u>				
				•	
					
					
	. ,				
•					
LANDOWNER PERSON ID & SEQ #		70257	PUSE ID		
2385			•		
. ,		٠.,			•
					
			····		
•					
					
WATER USE CORRESP	ONDENT		•		•
PERSON ID & SEQ #					
2385			•		
				`	
·	<u></u>			•	
,					
					