

Kansas Department of Agriculture
Division of Water Resources
PERMIT OF NEW APPLICATION WORKSHEET

1. File Number: 50,641	2. Status Change Date:	3. Field Office: 01	4. GMD:
----------------------------------	------------------------	-------------------------------	---------

5. Status: Approved Denied by DWR/GMD Dismiss by Request/Failure to Return

6. Enclosures: Check Valve N of C Form Water Tube Driller Copy Meter

7a. Applicant(s) Person ID **63714**
New to system Add Seq# _____

LEE F & ARIEL R HYNEK
2643 SPENCE AVE
HANOVER, KS 66945

7b. Landowner(s) Person ID **63714**
New to system Add Seq# _____

7A

7c. Landowner(s) Person ID _____
New to system Add Seq# _____

7d. Misc Person ID _____
New to system Add Seq# _____

8. WUR Correspondent Person ID **63714**
New to system Add Seq# _____
Overlap File (s) WUC Notarized WUC Form
Agree Yes No

7a

9. Use of Water: Changing? Yes No

Groundwater Surface Water

IRR REC DEW MUN

STK SED DOM CON

HYD DRG WTR PWR ART RECHR

IND SIC: _____ OTHER: _____

10. Completion Date: **12/31/2023** 11. Perfection Date: **12/31/2027** 12. Exp Date: _____

13. Conservation Plan Required? Yes No Date Required: _____ Date Approved: _____ Date to Comply: _____

14. Water Level Measuring Device? Yes No Date to Comply: _____ Date WLMD Installed: _____

Date Prepared: **2/17/22** By: **RRP**
Date Entered: **6/6/2022** By: **LMoody**

File No. **50,641** 15. Formation Code: ~~340~~ **100, 500** Drainage Basin: **Little Blue River** County: **WS** Special Use: Stream:

16. Points of Diversion										17. Rate and Quantity				
T MOD DEL ENT	PDIV	Qualifier	S	T	R	ID	'N	'W		Authorized		Additional		Overlap PD Files
										Rate gpm	Quantity af	Rate gpm	Quantity af	
CHK	82918	NE NW NE	8	2S	5E	9	4891	1536	Batt 1	500	62.4	500	62.4	49035
CHK	82919	NW NE NE	8	2S	5E	10	4822	1283	Batt 2			185	44.4	49035
CHK	83703	NE NW NE	8	2S	5E	11	4938	1416	GC					49035
CHK	88464	NE NW NE	8	2S	5E	12	5102	1429	Batt 3					49035

18. Storage: Rate _____ NF Quantity _____ ac/ft Additional Rate _____ NF Additional Quantity _____ ac/ft

19. Limitation: 62.4 af/yr at 500 gpm (~~1.33~~ **1.11** cfs) when combined with file number(s) **49,035**
 Limitation: _____ af/yr at _____ gpm (_____ cfs) when combined with file number(s) _____

20. Meter Required? Yes No To be installed by 12/31/2023 Date Acceptable Meter Installed _____

21. Place of Use										NE¼				NW¼				SW¼				SE¼				Total	Owner	Chg? NO	Overlap Files
T MOD DEL ENT	PUSE	S	T	R	ID	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼								
CHK	65796	5	2S	5E	6															16	22	38	7a	NO	49,035				
CHK	65797	8	2S	5E	6	13	1																14	7a	NO	49,035			

Comments: **GEO CTR : PDIV 83703**

KJN
5/25/2022

KANSAS DEPARTMENT OF AGRICULTURE
Division of Water Resources

M E M O R A N D U M

TO: Files

DATE: February 18, 2022

FROM: Rebecca Pollett

RE: New Application,
File No. 50,641

Lee F. Hynek has filed an application to appropriate groundwater for irrigation use, requesting a battery of three (3) wells, with a quantity of 62.4 acre-feet of water per calendar year, at a diversion rate of 500 gallons per minute. The application overlaps in point of diversion and place of use with Water Right, File No. 49,035 and is owned by Lee F. and Ariel R. Hynek. The applicant has signed the application form stating that he has legal access to the points of diversion.

The proposed battery of wells has a geographical center located in the Northeast Quarter of the Northwest Quarter of the Northeast Quarter (NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$) of Section 8, more particularly described as being near a point 4,938 feet North and 1,416 feet West of the Southeast corner of said section, in Township 2 South, Range 5 East, Washington County, Kansas, within the Little Blue River basin. It is not located within a GMD, or other special use area.

The place of use amounts to 52 acres total; with 38 acres in the Southeast Quarter (SE $\frac{1}{4}$) of Section 5, Township 2 South, Range 5 East, and 14 acres in the Northeast Quarter (NE $\frac{1}{4}$) of Section 8, Township 2 South, Range 5E, Washington County, Kansas.

Test hole logs provided with the original application for Water Right, File No. 49,035, show a clay layer extending from ground surface to approximately 40 feet depth, underlain by about 10 feet of coarse sand, with top of bedrock (limestone and shale) at about 45 feet to 50 feet below ground surface. One of the logs has the notation of "cavern" on the log at 50 feet below ground. Static water level ranged from 26 to 30 feet below ground surface. Based on this lithology, and the geographic location of the test hole logs, it appears that the source of water would be a combination of Little Blue River alluvium and Permian Age bedrock, likely the Sumner or Chase Group. Typically for these types of bedrock aquifers, limestone formations (weathered/broken) are the primary aquifer. Based on the static water level being above both the sand and bedrock formations, this would be considered to be a confined aquifer.

Since Water Right, File No. 49,035 overlaps in point of diversion, and no junior appropriations or water rights are present in the area of consideration, the safe yield report for File No. 49,035 is being re-used for this application, in order to stay consistent.

Per K.A.R. 5-3-14, safe yield for a confined aquifer is processed on a case-by-case basis using the best available information. Because the aquifer is relatively shallow, and no specific criteria have been developed for safe yield evaluation of this confined aquifer, it appears that the pending application can be initially reviewed using the safe yield criteria in K.A.R. 5-3-11. Evaluation of the aquifer using the safe yield criteria in K.A.R. 5-3-11 (although this is for unconfined aquifers) provides a maximum baseline quantity. Delineating the extent of the alluvial aquifer provides an area of consideration of 2,724 acres, a recharge of 3.9 inches,

and with 100% available, a safe yield quantity of 885.3 acre-feet. This pending application is the only water right within this area of consideration. Although it is likely that a confined bedrock aquifer system would receive less recharge than a near-surface, unconfined aquifer, this safe yield value per K.A.R. 5-3-11 provides a maximum quantity of water available in the area of consideration. And as noted above, a portion of the source of supply is alluvium, and it lies directly on top of the weathered bedrock. If there is a significant quantity of water still remaining as determined by K.A.R. 5-3-11, then even with significant reduced recharge to the bedrock aquifer (in this case only 10% of the maximum recharge value or 0.4inches of recharge) there would still be sufficient water available. Therefore, based on the above discussion, it appears that this application can be approved per K.A.R. 5-3-14, using the best information reasonably available to the chief engineer.

The rate of diversion of water approved under this permit will be limited to the rate which combined with senior Water Right, File No. 49,035, will provide a total net not to exceed 500 gallons per minute. The quantity will also be limited to 62.4 acre-feet when combined with Water Right, File No. 49, 035. The proposed quantity of 62.4 acre-feet per calendar year provides 1.2 acre-feet per acre, making it the maximum reasonable quantity for Washington County (1.2 x 52 acres = 62.4 acre-feet).

Due to the large number of domestic wells within a half-mile of the proposed point of diversion, the applicant published a public notice in The Washington County News, in place of identifying each landowner for nearby letters. The notice was properly published for three weeks (3/3/2022, 3/10/2022, & 3/17/2022) and an affidavit of publication was received on March 7, 2022. No responses of any kind were received following the publications.

In an e-mail conversation on April 4, 2022, Katie Tietsort, Water Commissioner of the Topeka Field Office recommended approval of the application.

In accordance with K.S.A. 82a-706c, the Chief Engineer retains full authority to require any water user to install meters, gages, or other measuring devices, which devices he or she or his or her agents may read at any time. Water flowmeter requirements are further described in K.A.R. 5-1-4 through K.A.R. 5-1-12. If any chemical or foreign substance is injected into the water pumped under this permit, a check valve will also need to be installed.

Based on the above discussion, the area is open to new appropriations, the application complies with safe yield and well spacing criteria, and approval of the application will not impair senior water rights nor prejudicially or unreasonably affect the public interest. Therefore, it is recommended that the referenced application be approved.

KJN
5/25/2022

Rebecca Pollett
Environmental Scientist
Water Appropriation Program

From: Tietsort, Katie [KDA]
Sent: Mon 4/11/2022 9:37 AM
To: Pollett, Rebecca [KDA]
Cc: Bungler, Brett [KDA]
Subject: RE: New App 50641 Recommendation Request

<https://docuware.kda.ks.gov/DocuWare/Platform/FileCabinets/b2076fad-02f8-4b32-a715-7bdca28cdb3c/Sections/23608-29323/FileDownloadPage?page=2&targetFileType=PDF&keepAnnotations=true&downloadFile=true&autoPrint=false&layers=1%2C2%2C3%2C4%2C5>

Did this work? It should be a link to a memo that went to the senior file.

Doug did a great explanation of what is going on here geologically. Since they are sourcing the water that is in the bedrock and under confined conditions, it should be shown as the bedrock codes and confined aquifer. The safe yield should be discussed as confined. You may want to revise your memo to align with the previous files explanation I would expect.

I agree it can move forward, thanks!

Katie Tietsort

Water Commissioner

Katie.Tietsort@ks.gov
Ph. 785-296-5733 Cell 785-213-9188
Kansas Department of Agriculture
Topeka Field Office
1131 SW Winding Rd, Suite 400
Topeka, KS 66615

From: Pollett, Rebecca [KDA] <Rebecca.Pollett@ks.gov>
Sent: Thursday, April 7, 2022 1:47 PM
To: Tietsort, Katie [KDA] <Katie.Tietsort@ks.gov>
Cc: Bungler, Brett [KDA] <Brett.Bunger@ks.gov>
Subject: New App 50641 Recommendation Request

Katie,


Attached is the memo and Safe Yield Report for New App File No. 50,641. Please provide your recommendation and let me know if there is any additional information you need.

Would the Quaternary/Permian Systems be considered main stem alluvium, and should I change that in the memo if so? I wasn't sure what to do with the wording there, I just know that's a bit vague for a description..

Thanks!

Rebecca Pollett
Environmental Scientist
Kansas Dept. of Agriculture | Division of Water Resources
Address: 1320 Research Park Dr., Manhattan, KS 66502
Website: <http://agriculture.ks.gov/divisions-programs/dwr>

Safe Yield Report Sheet
Water Right- A4903500
Point of Diversion in SESWSE 5-2S-5E



Analysis Results

The selected PD is in an area to new appropriations.
 The safe yield, based on the variables listed below is 885.30 AF.
 Total prior appropriation in the circle is ~~84.00 AF.~~ **18 AF**
 Total quantity of water available for appropriation is ~~801.30 AF.~~ **885.3 AF - 18 AF = 867.3 AF AVAILABLE***

Safe Yield Variables

The area used for the analysis is set at 2724 acres.
 Potential annual recharge of the area is estimated to be 3.9 inches.
 The percent of recharge available for appropriation is 100%.

Authorized Quantity values are as of 20-OCT-2014 and are based on Appropriated and Vested ground water right and possible stream nodes for GMD #2. Domestic, Term and Temporary water rights have been excluded.

There are 1 water right(s) and 3 point(s) of diversion within the circle.

File Number	Use	ST	SR	Q4	Q3	Q2	Q1	FeetN	FeetW	Sec	Tw	Rng	ID	Qind	Auth_Quant	Add_Quant	Tacres	Nacres
A 49035 00	IRR	AY	G		SE	SW	SE	128	1580	05	02	05E	11	WR	84.00	84.00	70.00	70.00
Same	IRR	AY	G		NE	NW	NE	5050	1378	08	02	05E	9	WR				
Same	IRR	AY	G		NE	NW	NE	4860	1275	08	02	05E	10	WR	18	18		

1320 Research Park Drive
Manhattan, KS 66502
785-564-6700
www.agriculture.ks.gov



900 SW Jackson, Room 456
Topeka, KS 66612
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

February 18, 2022

LEE F & ARIEL R HYNEK
2643 SPENCE AVE
HANOVER, KS 66945

RE: Application, File No. 50,641

Dear Applicant:

Enclosed is a notification of your application to appropriate water for beneficial use. This notice must be published in a local newspaper(s) **once per week for three consecutive weeks** at your expense. An affidavit of publication or copies of the published notification are to be submitted to this office within two weeks of the final publication date. **The (DATE) proposed in Paragraph No. 2 of the notice is designed to allow at least 15 days for public comment following the final publication and should be revised as needed to ensure this time allowance is met, based on your publication date.**

If you have any questions, please contact us at (785) 564-6640. If you wish to discuss a specific file, please have the file number ready so that I may help you more efficiently.

Sincerely,

A handwritten signature in black ink that reads "Kris Neuhauser". The signature is written in a cursive style.

Kris Neuhauser
New Applications Lead
Water Appropriation Program

Enclosure

pc: Topeka Field Office

File No. 50,641

Lee Hynek has filed an Application for a Permit to Appropriate Water for Beneficial Use, File No. 50,641, with the Division of Water Resources, Kansas Department of Agriculture. File No. 50,641 proposes the appropriation of 62.4 acre-feet of groundwater to be diverted at the rate of 500 gallons per minute for irrigation use, from a battery of three (3) wells, with a geographical center located in the Northeast Quarter of the Northwest Quarter of the Northeast Quarter of Section 8, more particularly described as being near a point 4,938 feet North and 1,416 feet West of the Southeast corner of said section, in Township 2 South, Range 5 East, Washington County, Kansas.

Anyone, with existing wells in the immediate vicinity of the proposed points of diversion, is invited to submit written comments regarding Application, File No. 50,641. Persons submitting comments should specifically indicate their interest in the proposed appropriation. Comments regarding the applications will be accepted through **April 1, 2022.**

Written comments or questions regarding the applications may be directed to the Office of the Chief Engineer, Division of Water Resources, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502. If you wish more information concerning this application, you may contact us at (785) 564-6640.



THE STATE OF KANSAS

KANSAS DEPARTMENT OF AGRICULTURE
 Mike Beam, Secretary of Agriculture

DIVISION OF WATER RESOURCES
 Earl D. Lewis Jr., Chief Engineer

APPROVAL OF APPLICATION
and
PERMIT TO PROCEED

(This Is Not a Certificate of Appropriation)

This is to certify that I have examined Application, **File No. 50,641** of the applicant

LEE F & ARIEL R HYNEK
2643 SPENCE AVE
HANOVER, KS 66945

for a permit to appropriate water for beneficial use, together with the maps, plans and other submitted data, and that the application is hereby approved and the applicant is hereby authorized, subject to vested rights and prior appropriations, to proceed with the construction of the proposed diversion works (except those dams and stream obstructions regulated by K.S.A. 82a-301 through 305a, as amended), and to proceed with all steps necessary for the application of the water to the approved and proposed beneficial use and otherwise perfect the proposed appropriation subject to the following terms, conditions and limitations:

1. That the priority date assigned to such application is **August 31, 2021**.
2. That the water sought to be appropriated shall be used for irrigation use on land described in the application, as follows:

Sec.	Twp.	Range	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5	2S	5E															16	22	38
8	2S	5E	13	1															14

3. That the authorized source from which the appropriation shall be made is groundwater, to be withdrawn by means of a battery of three (3) wells, with a geographical center located in the Northeast Quarter of the Northwest Quarter of the Northeast Quarter (NE¼ NW¼ NE¼) of Section 8, more particularly described as being near a point 4,938 feet North and 1,416 feet West of the Southeast corner of said section, in Township 2 South, Range 5 East, Washington County, Kansas, located substantially as shown on the topographic map accompanying the application.

4. That the appropriation sought shall be limited to a maximum diversion rate not in excess of **500 gallons per minute (1.11 c.f.s.)** and to a quantity not to exceed **62.4 acre-feet** of water for any calendar year.

5. That installation of works for diversion of water shall be completed on or before **December 31, 2023** or within any authorized extension thereof. The applicant shall notify the Chief Engineer and pay the statutorily required field inspection fee of \$400.00 when construction of the works has been completed. Failure to timely submit the notice and the fee will result in revocation of the permit. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

6. That the proposed appropriation shall be perfected by the actual application of water to the proposed beneficial use on or before **December 31, 2027** or any authorized extension thereof. Any request for an extension of time shall be submitted prior to the expiration of the deadline and shall be accompanied by the required statutory fee of \$100.00.

7. That the applicant shall not be deemed to have acquired a water appropriation for a quantity in excess of the amount approved herein nor in excess of the amount found by the Chief Engineer to have been actually used for the approved purpose during one calendar year subsequent to approval of the application and within the time specified for perfection or any authorized extension thereof.

8. That the use of water herein authorized shall not be made so as to impair any use under existing water rights nor prejudicially and unreasonably affect the public interest.

9. That the right of the appropriator shall relate to a specific quantity of water and such right must allow for a reasonable raising or lowering of the static water level and for the reasonable increase or decrease of the streamflow at the appropriator's point of diversion.

10. That this permit does not constitute authority under K.S.A. 82a-301 through 305a to construct any dam or other obstruction; nor does it grant any right-of-way, or authorize entry upon or injury to, public or private property.

11. That all diversion works constructed under the authority of this permit into which any type of chemical or other foreign substance will be injected into the water pumped from the diversion works shall be equipped with an in-line, automatic quick-closing, check valve capable of preventing pollution of the source of the water supply. The type of valve installed shall meet specifications adopted by the Chief Engineer and shall be maintained in an operating condition satisfactory to the Chief Engineer.

12. That all wells with a diversion rate of 100 gallons per minute or more drilled under the authority of this permit shall have a tube or other device installed in a manner acceptable to, and in accordance with specifications adopted by, the Chief Engineer. This tube or device shall be suitable for making water level measurements and shall be maintained in a condition satisfactory to the Chief Engineer.

13. That acceptable water flow meters shall be installed and maintained on the diversion works authorized by this permit in accordance with the Kansas Administrative Regulations 5-1-4 through 5-1-12 adopted by the Chief Engineer. These water flow meters shall be used to provide an accurate quantity of water diverted as required for the annual water use report (including the meter reading at the beginning and end of the report year).

14. That the applicant shall maintain accurate and complete records from which the quantity of water diverted during each calendar year may be readily determined and the applicant shall file an annual water use report with the Chief Engineer by March 1 following the end of each calendar year. Failure to file the annual water use report by the due date shall cause the applicant to be subject to a civil penalty.

15. That no water user shall engage in nor allow the waste of any water diverted under the authority of this permit.

16. That failure without cause to comply with provisions of the permit and its terms, conditions and limitations will result in the forfeiture of the priority date, revocation of the permit and dismissal of the application.

17. That the right to appropriate water under authority of this permit is subject to any minimum desirable streamflow requirements identified and established pursuant to K.S.A. 82a-703c for the source of supply to which this water right applies.

18. That this permit is further limited such that all wells shall be located within a three hundred (300) foot radius circle in the same local source of supply and shall supply water to a common distribution system.

19. That the rate of diversion of water approved under this permit is further limited to the rate which combined with Water Right, File No. 49,035, will provide a **total not to exceed 500 gallons per minute** (1.11 c.f.s.) from the authorized point of diversion.

20. That the quantity of water approved under this permit is further limited to the quantity which combined with Water Right, File No. 49,035, will provide a total **not to exceed 62.4 acre-feet** of water per calendar year for irrigation use on the land described herein.

Ordered this 31 day of May, 2022, in Manhattan, Riley County, Kansas.

Lane P. Letourneau


Lane P. Letourneau, P.G.
Water Appropriation Program Manager
Division of Water Resources
Kansas Department of Agriculture

State of Kansas)
) SS
County of Riley)

The foregoing instrument was acknowledged before me this 31 day of May, 2022, by Lane P. Letourneau, P.G., Water Appropriation Program Manager, Division of Water Resources, Kansas Department of Agriculture.

Ashlee Freeman

Notary Public



1320 Research Park Drive
Manhattan, KS 66502
785-564-6700
www. agriculture.ks.gov



900 SW Jackson, Room 456
Topeka, KS 66612
785-296-3556

Mike Beam, Secretary

Laura Kelly, Governor

June 14, 2022

LEE F & ARIEL R HYNEK
2643 SPENCE AVE
HANOVER, KS 66945

RE: Appropriation of Water, File No. 50,641

Dear Sir or Madam:

Enclosed is a permit authorizing you to proceed with construction of the proposed diversion works and to appropriate water for beneficial use as set forth in the permit. Your attention is directed to the enclosures and to the terms, conditions, limitations, and requirements specified in this permit.

Notice must be filed on the enclosed form once the diversion works have been completed. Failure to complete the diversion works within the time allowed, or within any authorized extension of time thereof, will result in dismissal of this permit. If you need an extension of time, you must request it before the deadline for completion set forth in the permit. Any request for an extension of time must be accompanied by the statutorily required fee, which is currently \$100.00.

An acceptable water flowmeter must be installed on the diversion works authorized by this permit prior to using water. An annual water use report must be filed with the Chief Engineer by March 1, following the end of each calendar year. If a complete annual water use report is not received by the deadline, then a fine may be assessed and all water use under such permit or right may be suspended. Reports submitted in paper form will be assessed a \$20 per file number paper filing fee. In order to avoid this filing fee, you may submit your report online at www.kswaterusereport.org.

The approval of your application constitutes a permit to appropriate water. It does not give authority to construct any dam or other stream obstruction regulated by K.S.A. 82a-301 through 305a. It does not give authority to access any right-of-way or authorize trespassing upon or injury to public or private property. It may also be necessary for you to comply with other local, state or federal requirements.

Enclosed is an informational sheet that sets forth the procedure to obtain a Certificate of Appropriation which will establish the extent of your perfected water right. Additional information and applicable forms may be found on our website at agriculture.ks.gov/divisions-programs/dwr. If you have any questions or need assistance with any of these requirements, please contact our office at 785-564-6640 or your local Topeka Field Office at 785-296-5733. . If you call, please reference the file number so we can help you more efficiently.

Sincerely,

Kristen A. Baum
New Applications and Changes Unit Supervisor
Division of Water Resources

KAB:RRP
Enclosure(s)
pc: Topeka Field Office

RIGHT TO A HEARING AND TO ADMINISTRATIVE REVIEW

If you are aggrieved by this Order, then pursuant to K.S.A. 82a-1901, you may:

- 1) request an evidentiary hearing before the Chief Engineer, or
- 2) request administrative review by the Secretary of Agriculture.

Failure to request an evidentiary hearing before the Chief Engineer does not preclude your right to administrative review by the Secretary. To obtain an evidentiary hearing before the Chief Engineer, a written request for hearing must be filed within 15 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 18 days after this Order was mailed to you**), with: Kansas Department of Agriculture, Attn: Legal Section, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If you do not file a request for an evidentiary hearing before the Chief Engineer, you may petition for administrative review of the Order by the Secretary of Agriculture. A petition for review shall be in writing and state the basis for requesting administrative review. The request for hearing may be denied if the request fails to clearly establish factual or legal issues for review. See K.S.A. 77-527. The petition must be filed within 30 days after service of this Order as provided in K.S.A. 77-531 (**i.e., within a total of 33 days after this Order was mailed to you**), and be filed with: Secretary of Agriculture, Attn: Legal Division, Kansas Department of Agriculture, 1320 Research Park Drive, Manhattan, Kansas 66502, FAX (785) 564-6777.

If neither a request for an evidentiary hearing nor a petition for administrative review is filed as set forth above, then this Order shall be effective and become a final agency action as defined in K.S.A. 77-607(b). Failure to timely request either an evidentiary hearing or administrative review may preclude


CERTIFICATE OF SERVICE

On this 14 day of June, 2022, I hereby certify that the foregoing Approval of Application and Permit to Proceed, File No. 50,641, dated 31 May 2022 was mailed postage prepaid, first class, US mail to the following:

LEE F & ARIEL R HYNEK
2643 SPENCE AVE
HANOVER, KS 66945

With photocopies to:

Topeka Field Office



Division of Water Resources